


# nVent CADDY Wire Basket Tray





**The nVent CADDY Wire Basket Tray System is an industry leading continuous pathway support solution for today's high-performance cabling systems.**



### **Optimizing Space with Design Flexibility**

Our innovative "shaped tray," form liners, supports, hardware and accessories prioritize vertical space utilization without compromising design flexibility.



### **Time and Cost Efficient Solutions**

Improve productivity and reduce risk with less time spent on elevated surfaces and unskilled tasks.



### **Safety and Reliability**

Our highly engineered features facilitate industry-standard compliant installations, enhancing safety and enabling easy maintenance.



# Table of Contents

|                                                                  |           |
|------------------------------------------------------------------|-----------|
| <b>nVent CADDY Wire Basket Tray System.....</b>                  | <b>6</b>  |
| <b>nVent CADDY Wire Basket Tray Applications.....</b>            | <b>8</b>  |
| <b>nVent CADDY Wire Basket Tray .....</b>                        | <b>10</b> |
| nVent CADDY Wire Basket Tray, Shaped Wire .....                  | 10        |
| nVent CADDY Wire Basket Tray, Round Wire .....                   | 13        |
| <b>nVent CADDY Wire Basket Tray Supports .....</b>               | <b>16</b> |
| nVent CADDY Wire Basket Tray C Bracket .....                     | 16        |
| nVent CADDY Wire Basket Tray L Bracket.....                      | 17        |
| nVent CADDY Wire Basket Tray Center Support .....                | 17        |
| nVent CADDY Wire Basket Tray Ceiling Support.....                | 18        |
| nVent CADDY Wire Basket Tray Independent Underfloor Support..... | 19        |
| nVent CADDY Wire Basket Tray Termination Support.....            | 19        |
| <b>nVent CADDY Wire Basket Tray Hardware .....</b>               | <b>20</b> |
| nVent CADDY Wire Basket Tray Bar Splice .....                    | 20        |
| nVent CADDY Wire Basket Tray Double Splice.....                  | 20        |
| nVent CADDY Wire Basket Tray Corner Splice .....                 | 21        |
| nVent CADDY Wire Basket Tray Radius Corner Splice .....          | 21        |
| nVent CADDY Wire Basket Tray Splice Kit.....                     | 22        |
| nVent CADDY Wire Basket Tray Washer Support.....                 | 22        |
| nVent CADDY Wire Basket Tray Ground Bolt.....                    | 23        |
| nVent CADDY Wire Basket Tray Tool-Free Splice .....              | 23        |
| <b>nVent CADDY Wire Basket Tray Transitions .....</b>            | <b>24</b> |
| nVent CADDY Wire Basket Tray PreForm Intersection.....           | 24        |
| nVent CADDY Wire Basket Tray PreForm Elbow 90° .....             | 25        |
| nVent CADDY Wire Basket Tray PreForm Tee .....                   | 26        |
| <b>nVent CADDY Wire Basket Tray Accessories .....</b>            | <b>27</b> |
| nVent CADDY Wire Basket Tray Blind End.....                      | 27        |
| nVent CADDY Wire Basket Tray Polymer Insert .....                | 28        |
| nVent CADDY Wire Basket Tray Polymer Insert, Perforated .....    | 29        |
| nVent CADDY Wire Basket Tray Vertical Down .....                 | 29        |
| nVent CADDY Wire Basket Tray Drop Out .....                      | 30        |
| nVent CADDY Wire Basket Tray Label Clip.....                     | 30        |
| nVent CADDY Wire Basket Tray Side Car .....                      | 31        |
| nVent CADDY Wire Basket Tray Vertical Up .....                   | 31        |
| nVent CADDY Wire Basket Tray Cutting Tool .....                  | 31        |
| nVent CADDY Wire Basket Tray Divider Post .....                  | 32        |
| nVent CADDY Wire Basket Tray Box Support.....                    | 32        |
| nVent CADDY Wire Basket Tray Conduit Support .....               | 33        |
| nVent CADDY Wire Basket Tray Waterfall .....                     | 33        |
| nVent CADDY Wire Basket Tray Waterfall, Vertical .....           | 34        |


# What is nVent CADDY Wire Basket Tray?

Today's data centers and on-location datacom solutions are critical to business' operations.

nVent CADDY Wire Basket Tray meets and exceeds the demands for the most complex data centers and small businesses alike.

nVent CADDY Wire Basket Tray is a continuous pathway solution to support high-performance cabling systems while providing an ideal foundation for datacom and electrical contractors. Combined with an offering that includes cable tray supports, hardware, transitions and accessories—a full-system solution is created. As your trusted ally, we here at nVent CADDY are committed to designing products that deliver superior fastening solutions for your challenges. No matter how large or small your project, we want to keep you [Working Smarter](#) both on and off the job site.





nVent CADDY Wire Basket Tray is a continuous pathway solution to support high-performance cabling systems while providing an ideal foundation for datacom and electrical contractors.


Compared to traditional round tray technology, shaped tray wires are specially designed to reduce cable strain while maximizing installation flexibility, resulting in a system that can be installed on longer runs with more complex shape configurations. Wire Basket Tray provides the ideal foundation required by today's datacom and electrical contractors.

#### Shaped Tray:

- 400% increase in cabling support—designed to protect mission critical infrastructure
- 5 mm rod construction for higher load rating
- Up to 65% reduction in cabling pressure/strain to meet relevant cabling standards
- No sharp edges during construction ensures cable and installer protection
- Cuts, configures and splices to meet custom project requirements
- No training requirements for the installer

## Shaped Tray High-Strength Advantage

nVent CADDY offers shaped crosswires that eliminate cable stress by increasing the support of the cabling yet still provides the same functionality of wire tray to cut and configure and utilizes the same splicing and mounting hardware. nVent CADDY also offers full round wire configuration, if preferred, or for industrial or electrical applications.




# nVent CADDY Wire Basket Tray System



## Commercial Building Structures

nVent CADDY Wire Basket Tray offers a wide range of solutions to support large-scale commercial buildings to industrial warehouses and more. With high loading capabilities and custom tray configurations, we keep you Working Smarter even in the most unique environments.




## Data Centers/ Telecommunications

Data centers protect sensitive information, centralize data management and help to keep people connected. nVent CADDY Wire Basket Tray ensures the safety and longevity of high-performance cabling systems. Installation is not only safe, fast, and easy but also complies with industry standards and codes.



## Industrial/Electrical


nVent CADDY Wire Basket Tray delivers a complete, high-capacity cable tray offering designed to perform reliably in demanding industrial building applications, supporting heavier cable loads and a wide range of installation environments. This cable tray solution provides durability and flexibility and creates a readily available system for electrical and industrial facilities.




## Marine/Offshore


When running critical cabling systems offshore, you need to be confident that cabling will remain secure and intact. With nVent CADDY Wire Basket Tray, installers can trust the entire system to deliver high-performance cables to their outputs safely. Additionally, the stainless steel hardware will not corrode even in the harshest marine environments.

# nVent CADDY Wire Basket Tray Applications






# nVent CADDY Wire Basket Tray



## NVENT CADDY WIRE BASKET TRAY, SHAPED WIRE



### Features

- Provides optimal support for high-performance data cable, up to and including fiber optic, Cat 5e, Cat 6, Cat 6A, and Cat 7
- UL Classified as an equipment ground conductor, no field removal of paint required
- T-Weld edge wire for cable and installer protection
- Mill Certificates are available to document recycled content for possible LEED credits/certification

Material: Steel



| Part Number | Finish        | Color | Height H | Width W | Length L | Unit Weight | Certifications |
|-------------|---------------|-------|----------|---------|----------|-------------|----------------|
| WBT2X4S     | Pregalvanized | —     | 2        | 4       | 118"     | 8 lb        | UL             |
| WBT2X6S     | Pregalvanized | —     | 2        | 6       | 118"     | 9 lb        | UL             |
| WBT2X8S     | Pregalvanized | —     | 2        | 8       | 118"     | 10 lb       | UL             |
| WBT2X12S    | Pregalvanized | —     | 2        | 12      | 118"     | 14 lb       | UL             |
| WBT2X16S    | Pregalvanized | —     | 2        | 16      | 118"     | 18 lb       | UL             |
| WBT2X18S    | Pregalvanized | —     | 2        | 18      | 118"     | 19 lb       | UL             |
| WBT2X20S    | Pregalvanized | —     | 2        | 20      | 118"     | 22 lb       | UL             |
| WBT2X24S    | Pregalvanized | —     | 2        | 24      | 118"     | 24 lb       | UL             |
| WBT4X4S     | Pregalvanized | —     | 4        | 4       | 118"     | 10 lb       | UL             |
| WBT4X6S     | Pregalvanized | —     | 4        | 6       | 118"     | 11 lb       | UL             |
| WBT4X8S     | Pregalvanized | —     | 4        | 8       | 118"     | 14 lb       | UL             |
| WBT4X12S    | Pregalvanized | —     | 4        | 12      | 118"     | 18 lb       | UL             |

# nVent CADDY Wire Basket Tray


| Part Number | Finish                       | Color  | Height<br>H | Width<br>W | Length<br>L | Unit Weight | Certifications |
|-------------|------------------------------|--------|-------------|------------|-------------|-------------|----------------|
| WBT4X16S    | Pregalvanized                | –      | 4           | 16         | 118"        | 22 lb       | UL             |
| WBT4X18S    | Pregalvanized                | –      | 4           | 18         | 118"        | 23 lb       | UL             |
| WBT4X20S    | Pregalvanized                | –      | 4           | 20         | 118"        | 24 lb       | UL             |
| WBT4X24S    | Pregalvanized                | –      | 4           | 24         | 118"        | 29 lb       | UL             |
| WBT6X8S     | Pregalvanized                | –      | 6           | 8          | 118"        | 18 lb       | UL             |
| WBT6X12S    | Pregalvanized                | –      | 6           | 12         | 118"        | 22 lb       | UL             |
| WBT6X16S    | Pregalvanized                | –      | 6           | 16         | 118"        | 24 lb       | UL             |
| WBT6X18S    | Pregalvanized                | –      | 6           | 18         | 118"        | 25 lb       | UL             |
| WBT6X20S    | Pregalvanized                | –      | 6           | 20         | 118"        | 29 lb       | UL             |
| WBT6X24S    | Pregalvanized                | –      | 6           | 24         | 118"        | 32.01 lb    | UL             |
| WBT2X4SBA   | Pregalvanized, Powder Coated | Black  | 2           | 4          | 118"        | 8 lb        | cUL, UL        |
| WBT2X6SBA   | Pregalvanized, Powder Coated | Black  | 2           | 6          | 118"        | 9 lb        | cUL, UL        |
| WBT2X8SBA   | Pregalvanized, Powder Coated | Black  | 2           | 8          | 118"        | 9.78 lb     | cUL, UL        |
| WBT2X12SBA  | Pregalvanized, Powder Coated | Black  | 2           | 12         | 118"        | 14 lb       | UL, cUL        |
| WBT2X16SBA  | Pregalvanized, Powder Coated | Black  | 2           | 16         | 118"        | 18 lb       | cUL, UL        |
| WBT2X18SBA  | Pregalvanized, Powder Coated | Black  | 2           | 18         | 118"        | 19 lb       | UL, cUL        |
| WBT2X20SBA  | Pregalvanized, Powder Coated | Black  | 2           | 20         | 118"        | 21.59 lb    | UL, cUL        |
| WBT2X24SBA  | Pregalvanized, Powder Coated | Black  | 2           | 24         | 118"        | 24 lb       | cUL, UL        |
| WBT4X4SBA   | Pregalvanized, Powder Coated | Black  | 4           | 4          | 118"        | 10 lb       | UL, cUL        |
| WBT4X6SBA   | Pregalvanized, Powder Coated | Black  | 4           | 6          | 118"        | 11 lb       | cUL, UL        |
| WBT4X8SBA   | Pregalvanized, Powder Coated | Black  | 4           | 8          | 118"        | 14 lb       | cUL, UL        |
| WBT4X12SBA  | Pregalvanized, Powder Coated | Black  | 4           | 12         | 118"        | 18 lb       | cUL, UL        |
| WBT4X16SBA  | Pregalvanized, Powder Coated | Black  | 4           | 16         | 118"        | 22 lb       | cUL, UL        |
| WBT4X18SBA  | Pregalvanized, Powder Coated | Black  | 4           | 18         | 118"        | 23 lb       | UL, cUL        |
| WBT4X20SBA  | Pregalvanized, Powder Coated | Black  | 4           | 20         | 118"        | 24 lb       | UL, cUL        |
| WBT4X24SBA  | Pregalvanized, Powder Coated | Black  | 4           | 24         | 118"        | 29 lb       | UL, cUL        |
| WBT6X8SBA   | Pregalvanized, Powder Coated | Black  | 6           | 8          | 118"        | 18 lb       | UL, cUL        |
| WBT6X12SBA  | Pregalvanized, Powder Coated | Black  | 6           | 12         | 118"        | 22 lb       | cUL, UL        |
| WBT6X16SBA  | Pregalvanized, Powder Coated | Black  | 6           | 16         | 118"        | 24 lb       | cUL, UL        |
| WBT6X18SBA  | Pregalvanized, Powder Coated | Black  | 6           | 18         | 118"        | 25 lb       | cUL, UL        |
| WBT6X20SBA  | Pregalvanized, Powder Coated | Black  | 6           | 20         | 118"        | 29 lb       | UL, cUL        |
| WBT6X24SBA  | Pregalvanized, Powder Coated | Black  | 6           | 24         | 118"        | 32.01 lb    | cUL, UL        |
| WBT2X4SPW   | Pregalvanized, Powder Coated | Pewter | 2           | 4          | 118"        | 8 lb        | cUL, UL        |
| WBT2X6SPW   | Pregalvanized, Powder Coated | Pewter | 2           | 6          | 118"        | 9 lb        | UL, cUL        |
| WBT2X8SPW   | Pregalvanized, Powder Coated | Pewter | 2           | 8          | 118"        | 9.78 lb     | cUL, UL        |
| WBT2X12SPW  | Pregalvanized, Powder Coated | Pewter | 2           | 12         | 118"        | 14 lb       | UL, cUL        |
| WBT2X18SPW  | Pregalvanized, Powder Coated | Pewter | 2           | 18         | 118"        | 19 lb       | UL, cUL        |
| WBT2X24SPW  | Pregalvanized, Powder Coated | Pewter | 2           | 24         | 118"        | 24 lb       | cUL, UL        |

# nVent CADDY Wire Basket Tray

| Part Number | Finish                       | Color  | Height<br>H | Width<br>W | Length<br>L | Unit Weight | Certifications |
|-------------|------------------------------|--------|-------------|------------|-------------|-------------|----------------|
| WBT4X4SPW   | Pregalvanized, Powder Coated | Pewter | 4           | 4          | 118"        | 10 lb       | UL, cUL        |
| WBT4X6SPW   | Pregalvanized, Powder Coated | Pewter | 4           | 6          | 118"        | 11 lb       | cUL, UL        |
| WBT4X8SPW   | Pregalvanized, Powder Coated | Pewter | 4           | 8          | 118"        | 14 lb       | cUL, UL        |
| WBT4X12SPW  | Pregalvanized, Powder Coated | Pewter | 4           | 12         | 118"        | 18 lb       | UL, cUL        |
| WBT4X16SPW  | Pregalvanized, Powder Coated | Pewter | 4           | 16         | 118"        | 22 lb       | UL, cUL        |
| WBT4X18SPW  | Pregalvanized, Powder Coated | Pewter | 4           | 18         | 118"        | 23 lb       | UL, cUL        |
| WBT4X20SPW  | Pregalvanized, Powder Coated | Pewter | 4           | 20         | 118"        | 24 lb       | UL, cUL        |
| WBT4X24SPW  | Pregalvanized, Powder Coated | Pewter | 4           | 24         | 118"        | 29 lb       | UL, cUL        |
| WBT6X8SPW   | Pregalvanized, Powder Coated | Pewter | 6           | 8          | 118"        | 18 lb       | UL, cUL        |
| WBT6X12SPW  | Pregalvanized, Powder Coated | Pewter | 6           | 12         | 118"        | 22 lb       | UL, cUL        |
| WBT6X16SPW  | Pregalvanized, Powder Coated | Pewter | 6           | 16         | 118"        | 24 lb       | cUL, UL        |
| WBT6X18SPW  | Pregalvanized, Powder Coated | Pewter | 6           | 18         | 118"        | 25 lb       | cUL, UL        |
| WBT6X20SPW  | Pregalvanized, Powder Coated | Pewter | 6           | 20         | 118"        | 29 lb       | UL, cUL        |
| WBT6X24SPW  | Pregalvanized, Powder Coated | Pewter | 6           | 24         | 118"        | 32.01 lb    | UL             |
| WBT2X4SWH   | Pregalvanized, Powder Coated | White  | 2           | 4          | 118"        | 8 lb        | cUL, UL        |
| WBT2X6SWH   | Pregalvanized, Powder Coated | White  | 2           | 6          | 118"        | 9 lb        | cUL, UL        |
| WBT2X8SWH   | Pregalvanized, Powder Coated | White  | 2           | 8          | 118"        | 9.78 lb     | cUL, UL        |
| WBT2X12SWH  | Pregalvanized, Powder Coated | White  | 2           | 12         | 118"        | 14 lb       | UL, cUL        |
| WBT2X16SWH  | Pregalvanized, Powder Coated | White  | 2           | 16         | 118"        | 18 lb       | cUL, UL        |
| WBT2X18SWH  | Pregalvanized, Powder Coated | White  | 2           | 18         | 118"        | 19 lb       | UL, cUL        |
| WBT2X20SWH  | Pregalvanized, Powder Coated | White  | 2           | 20         | 118"        | 21.59 lb    | UL, cUL        |
| WBT2X24SWH  | Pregalvanized, Powder Coated | White  | 2           | 24         | 118"        | 24 lb       | cUL, UL        |
| WBT4X4SWH   | Pregalvanized, Powder Coated | White  | 4           | 4          | 118"        | 10 lb       | UL, cUL        |
| WBT4X6SWH   | Pregalvanized, Powder Coated | White  | 4           | 6          | 118"        | 11 lb       | cUL, UL        |
| WBT4X8SWH   | Pregalvanized, Powder Coated | White  | 4           | 8          | 118"        | 14 lb       | cUL, UL        |
| WBT4X12SWH  | Pregalvanized, Powder Coated | White  | 4           | 12         | 118"        | 18 lb       | UL, cUL        |
| WBT4X16SWH  | Pregalvanized, Powder Coated | White  | 4           | 16         | 118"        | 22 lb       | cUL, UL        |
| WBT4X18SWH  | Pregalvanized, Powder Coated | White  | 4           | 18         | 118"        | 23 lb       | cUL, UL        |
| WBT4X20SWH  | Pregalvanized, Powder Coated | White  | 4           | 20         | 118"        | 24 lb       | cUL, UL        |
| WBT4X24SWH  | Pregalvanized, Powder Coated | White  | 4           | 24         | 118"        | 29 lb       | UL, cUL        |
| WBT6X8SWH   | Pregalvanized, Powder Coated | White  | 6           | 8          | 118"        | 18 lb       | UL, cUL        |
| WBT6X12SWH  | Pregalvanized, Powder Coated | White  | 6           | 12         | 118"        | 22 lb       | UL, cUL        |
| WBT6X16SWH  | Pregalvanized, Powder Coated | White  | 6           | 16         | 118"        | 24 lb       | cUL, UL        |
| WBT6X18SWH  | Pregalvanized, Powder Coated | White  | 6           | 18         | 118"        | 25 lb       | cUL, UL        |
| WBT6X24SWH  | Pregalvanized, Powder Coated | White  | 6           | 24         | 118"        | 32.01 lb    | UL, cUL        |

# nVent CADDY Wire Basket Tray

## NVENT CADDY WIRE BASKET TRAY, ROUND WIRE



### Features

- Provides optimal support for high-performance data cable, up to and including Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic
- UL Classified as an equipment ground conductor, no field removal of paint required
- T-Weld edge wire for cable and installer protection
- Mill Certificates are available to document recycled content for possible LEED credits/certification

Material: Steel



| Part Number | Finish            | Color | Height H | Width W | Length L | Unit Weight |
|-------------|-------------------|-------|----------|---------|----------|-------------|
| WBT2X6EG    | Electrogalvanized | –     | 2"       | 6       | 118"     | 9 lb        |
| WBT2X8EG    | Electrogalvanized | –     | 2"       | 8       | 118"     | 10 lb       |
| WBT2X12EG   | Electrogalvanized | –     | 2"       | 12      | 118"     | 14 lb       |
| WBT2X16EG   | Electrogalvanized | –     | 2"       | 16      | 118"     | 18 lb       |
| WBT2X20EG   | Electrogalvanized | –     | 2"       | 20      | 118"     | 21.59 lb    |
| WBT4X4EG    | Electrogalvanized | –     | 4"       | 4       | 118"     | 10 lb       |
| WBT4X6EG    | Electrogalvanized | –     | 4"       | 6       | 118"     | 11 lb       |
| WBT4X8EG    | Electrogalvanized | –     | 4"       | 8       | 118"     | 14 lb       |
| WBT4X12EG   | Electrogalvanized | –     | 4"       | 12      | 118"     | 18 lb       |
| WBT4X16EG   | Electrogalvanized | –     | 4"       | 16      | 118"     | 22 lb       |
| WBT4X18EG   | Electrogalvanized | –     | 4"       | 18      | 118"     | 23 lb       |
| WBT4X20EG   | Electrogalvanized | –     | 4"       | 20      | 118"     | 24 lb       |
| WBT4X24EG   | Electrogalvanized | –     | 4"       | 24      | 118"     | 29 lb       |
| WBT6X8EG    | Electrogalvanized | –     | 6"       | 8       | 118"     | 18 lb       |
| WBT6X12EG   | Electrogalvanized | –     | 6"       | 12      | 118"     | 22 lb       |
| WBT6X16EG   | Electrogalvanized | –     | 6"       | 16      | 118"     | 24 lb       |
| WBT6X20EG   | Electrogalvanized | –     | 6"       | 20      | 118"     | 29 lb       |
| WBT6X24EG   | Electrogalvanized | –     | 6"       | 24      | 118"     | 22 lb       |
| WBT2X4      | Pregalvanized     | –     | 2"       | 4       | 118"     | 8 lb        |
| WBT2X4EG    | Pregalvanized     | –     | 2"       | 4       | 118"     | 8 lb        |
| WBT2X6      | Pregalvanized     | –     | 2"       | 6       | 118"     | 9 lb        |
| WBT2X8      | Pregalvanized     | –     | 2"       | 8       | 118"     | 9.78 lb     |
| WBT2X12     | Pregalvanized     | –     | 2"       | 12      | 118"     | 14 lb       |
| WBT2X16     | Pregalvanized     | –     | 2"       | 16      | 118"     | 18 lb       |
| WBT2X18EG   | Pregalvanized     | –     | 2"       | 18      | 118"     | 19 lb       |
| WBT2X18     | Pregalvanized     | –     | 2"       | 18      | 118"     | 19 lb       |

# nVent CADDY Wire Basket Tray


| Part Number | Finish        | Color | Height H | Width W | Length L | Unit Weight |
|-------------|---------------|-------|----------|---------|----------|-------------|
| WBT2X20     | Pregalvanized | –     | 2"       | 20      | 118"     | 21.59 lb    |
| WBT2X24EG   | Pregalvanized | –     | 2"       | 24      | 118"     | 24 lb       |
| WBT2X24     | Pregalvanized | –     | 2"       | 24      | 118"     | 24 lb       |
| WBT4X4      | Pregalvanized | –     | 4"       | 4       | 118"     | 10 lb       |
| WBT4X6      | Pregalvanized | –     | 4"       | 6       | 118"     | 11 lb       |
| WBT4X8      | Pregalvanized | –     | 4"       | 8       | 118"     | 14 lb       |
| WBT4X12     | Pregalvanized | –     | 4"       | 12      | 118"     | 18 lb       |
| WBT4X16     | Pregalvanized | –     | 4"       | 16      | 118"     | 22 lb       |
| WBT4X18     | Pregalvanized | –     | 4"       | 18      | 118"     | 23 lb       |
| WBT4X20     | Pregalvanized | –     | 4"       | 20      | 118"     | 24 lb       |
| WBT4X24     | Pregalvanized | –     | 4"       | 24      | 118"     | 29 lb       |
| WBT6X8      | Pregalvanized | –     | 6"       | 8       | 118"     | 18 lb       |
| WBT6X12     | Pregalvanized | –     | 6"       | 12      | 118"     | 22 lb       |
| WBT6X16     | Pregalvanized | –     | 6"       | 16      | 118"     | 24 lb       |
| WBT6X18     | Pregalvanized | –     | 6"       | 18      | 118"     | 25 lb       |
| WBT6X18EG   | Pregalvanized | –     | 6"       | 18      | 118"     | 25 lb       |
| WBT6X20     | Pregalvanized | –     | 6"       | 18      | 118"     | 29 lb       |
| WBT6X24     | Pregalvanized | –     | 6"       | 24      | 118"     | 32.01 lb    |
| WBT2X4BA    | Pregalvanized | Black | 2"       | 4       | 118"     | 8 lb        |
| WBT2X6BA    | Pregalvanized | Black | 2"       | 6       | 118"     | 9 lb        |
| WBT2X8BA    | Pregalvanized | Black | 2"       | 8       | 118"     | 10 lb       |
| WBT2X12BA   | Pregalvanized | Black | 2"       | 12      | 118"     | 14 lb       |
| WBT2X16BA   | Pregalvanized | Black | 2"       | 16      | 118"     | 18 lb       |
| WBT2X18BA   | Pregalvanized | Black | 2"       | 18      | 118"     | 19 lb       |
| WBT2X20BA   | Pregalvanized | Black | 2"       | 20      | 118"     | 21.59 lb    |
| WBT2X24BA   | Pregalvanized | Black | 2"       | 24      | 118"     | 24 lb       |
| WBT4X4BA    | Pregalvanized | Black | 4"       | 4       | 118"     | 10 lb       |
| WBT4X6BA    | Pregalvanized | Black | 4"       | 6       | 118"     | 11 lb       |
| WBT4X8BA    | Pregalvanized | Black | 4"       | 8       | 118"     | 14 lb       |
| WBT4X12BA   | Pregalvanized | Black | 4"       | 12      | 118"     | 18 lb       |
| WBT4X16BA   | Pregalvanized | Black | 4"       | 16      | 118"     | 22 lb       |
| WBT4X18BA   | Pregalvanized | Black | 4"       | 18      | 118"     | 23 lb       |
| WBT4X20BA   | Pregalvanized | Black | 4"       | 20      | 118"     | 24 lb       |
| WBT4X24BA   | Pregalvanized | Black | 4"       | 24      | 118"     | 29 lb       |
| WBT6X8BA    | Pregalvanized | Black | 6"       | 8       | 118"     | 18 lb       |
| WBT6X12BA   | Pregalvanized | Black | 6"       | 12      | 118"     | 22 lb       |

# nVent CADDY Wire Basket Tray

| Part Number | Finish        | Color  | Height H | Width W | Length L | Unit Weight |
|-------------|---------------|--------|----------|---------|----------|-------------|
| WBT6X16BA   | Pregalvanized | Black  | 6"       | 16      | 118"     | 24 lb       |
| WBT6X18BA   | Pregalvanized | Black  | 6"       | 18      | 118"     | 25 lb       |
| WBT6X20BA   | Pregalvanized | Black  | 6"       | 20      | 118"     | 29 lb       |
| WBT6X24BA   | Pregalvanized | Black  | 6"       | 24      | 118"     | 32.01 lb    |
| WBT2X4PW    | Pregalvanized | Pewter | 2"       | 4       | 118"     | 8 lb        |
| WBT2X6PW    | Pregalvanized | Pewter | 2"       | 6       | 118"     | 9 lb        |
| WBT2X8PW    | Pregalvanized | Pewter | 2"       | 8       | 118"     | 9.78 lb     |
| WBT2X12PW   | Pregalvanized | Pewter | 2"       | 12      | 118"     | 14 lb       |
| WBT2X18PW   | Pregalvanized | Pewter | 2"       | 18      | 118"     | 19 lb       |
| WBT2X24PW   | Pregalvanized | Pewter | 2"       | 24      | 118"     | 24 lb       |
| WBT4X4PW    | Pregalvanized | Pewter | 4"       | 4       | 118"     | 10 lb       |
| WBT4X6PW    | Pregalvanized | Pewter | 4"       | 6       | 118"     | 11 lb       |
| WBT4X8PW    | Pregalvanized | Pewter | 4"       | 8       | 118"     | 14 lb       |
| WBT4X12PW   | Pregalvanized | Pewter | 4"       | 12      | 118"     | 18 lb       |
| WBT4X18PW   | Pregalvanized | Pewter | 4"       | 18      | 118"     | 23 lb       |
| WBT4X24PW   | Pregalvanized | Pewter | 4"       | 24      | 118"     | 29 lb       |
| WBT6X18PW   | Pregalvanized | Pewter | 6"       | 18      | 118"     | 25 lb       |
| WBT2X4WH    | Pregalvanized | White  | 2"       | 4       | 118"     | 8 lb        |
| WBT2X6WH    | Pregalvanized | White  | 2"       | 6       | 118"     | 9 lb        |
| WBT2X8WH    | Pregalvanized | White  | 2"       | 8       | 118"     | 9.78 lb     |
| WBT2X12WH   | Pregalvanized | White  | 2"       | 12      | 118"     | 14 lb       |
| WBT2X16WH   | Pregalvanized | White  | 2"       | 16      | 118"     | 18 lb       |
| WBT2X18WH   | Pregalvanized | White  | 2"       | 18      | 118"     | 19 lb       |
| WBT2X24WH   | Pregalvanized | White  | 2"       | 24      | 118"     | 24 lb       |
| WBT4X4WH    | Pregalvanized | White  | 4"       | 4       | 118"     | 10 lb       |
| WBT4X6WH    | Pregalvanized | White  | 4"       | 6       | 118"     | 11 lb       |
| WBT4X8WH    | Pregalvanized | White  | 4"       | 8       | 118"     | 14 lb       |
| WBT4X12WH   | Pregalvanized | White  | 4"       | 12      | 118"     | 18 lb       |
| WBT4X16WH   | Pregalvanized | White  | 4"       | 16      | 118"     | 22 lb       |
| WBT4X18WH   | Pregalvanized | White  | 4"       | 18      | 118"     | 23 lb       |
| WBT4X24WH   | Pregalvanized | White  | 4"       | 24      | 118"     | 29 lb       |
| WBT6X8WH    | Pregalvanized | White  | 6"       | 8       | 118"     | 18 lb       |
| WBT6X12WH   | Pregalvanized | White  | 6"       | 12      | 118"     | 22 lb       |
| WBT6X18WH   | Pregalvanized | White  | 6"       | 18      | 118"     | 25 lb       |
| WBT6X24WH   | Pregalvanized | White  | 6"       | 24      | 118"     | 32.01 lb    |

# nVent CADDY Wire Basket Tray Supports

## NVENT CADDY WIRE BASKET TRAY C BRACKET



### Features

- Easy-to-use quick connect feature
- Designed to be used with the nVent CADDY Wire Basket Tray Washer Support and nVent CADDY Wire Basket Tray Ground Splice
- Side load access for cable installation
- Ideal for ceiling, wall and channel installations
- Side load access for simple cable installation


**Material:** Steel

**Finish:** Electrogalvanized

| Part Number  | Color | Height H | Width W | Length L | Length 1 L1 | Hole Size HS | Unit Weight |
|--------------|-------|----------|---------|----------|-------------|--------------|-------------|
| WBTCBRKT12BA | Black | 7-7/8"   | 1.63"   | 13.8"    | 5-1/2"      | 0.281"       | 2.26 lb     |
| WBTCBRKT8BA  | Black | 7-7/8"   | 1.63"   | 9.9"     | 5-1/2"      | 0.281"       | 1.91 lb     |
| WBTCBRKT12WH | White | 7-7/8"   | 1.63"   | 13.8"    | 5-1/2"      | 0.281"       | 2.26 lb     |
| WBTCBRKT8    | –     | 7-7/8"   | 1.63"   | 9.9"     | 5-1/2"      | 0.281"       | 1.91 lb     |
| WBTCBRKT18   | –     | 7-7/8"   | 1.63"   | 19.65"   | 5-1/2"      | 0.281"       | 2.8 lb      |
| WBTCBRKT6BA  | Black | 7-7/8"   | 1.63"   | 7.95"    | 5-1/2"      | 0.281"       | 1.74 lb     |
| WBTCBRKT18BA | Black | 7-7/8"   | 1.63"   | 19.65"   | 5-1/2"      | 0.281"       | 2.8 lb      |
| WBTCBRKT6    | –     | 7-7/8"   | 1.63"   | 7.95"    | 5-1/2"      | 0.281"       | 1.74 lb     |
| WBTCBRKT18WH | White | 7-7/8"   | 1.63"   | 19.65"   | 5-1/2"      | 0.281"       | 2.8 lb      |
| WBTCBRKT12   | –     | 7-7/8"   | 1.63"   | 13.8"    | 5-1/2"      | 0.281"       | 2.26 lb     |
| WBTCBRKT4BA  | Black | 7-7/8"   | 1.63"   | 5.981"   | 5-1/2"      | 0.281"       | 1.56 lb     |
| WBTCBRKT4    | –     | 7-7/8"   | 1.63"   | 5.981"   | 5-1/2"      | 0.281"       | 1.56 lb     |

# nVent CADDY Wire Basket Tray Supports

## NVENT CADDY WIRE BASKET TRAY L BRACKET




**Material:** Steel  
**Finish:** Electrogalvanized

### Features

- Easy-to-use quick connect feature
- Designed to be used with the nVent CADDY Wire Basket Tray Washer Support and nVent CADDY Wire Basket Tray Ground Splice
- Utilize with the nVent CADDY Wire Basket Tray C Bracket for multi-tier cable tray runs

| Part Number  | Color | Height H | Width W | Length L | Hole Size HS | Unit Weight |
|--------------|-------|----------|---------|----------|--------------|-------------|
| WBTLBRKT8BA  | Black | 5"       | 1.63"   | 14.173"  | 0.282"       | 1.22 lb     |
| WBTLBRKT12BA | Black | 5"       | 1.63"   | 14.173"  | 0.282"       | 1.57 lb     |
| WBTLBRKT8WH  | White | 5"       | 1.63"   | 14.173"  | 0.282"       | 1.22 lb     |
| WBTLBRKT12WH | White | 5"       | 1.63"   | 14.173"  | 0.282"       | 1.57 lb     |
| WBTLBRKT4    | —     | 5"       | 1.63"   | 14.173"  | 0.282"       | 0.87 lb     |
| WBTLBRKT4BA  | Black | 5"       | 1.63"   | 14.173"  | 0.282"       | 0.87 lb     |
| WBTLBRKT4WH  | White | 5"       | 1.63"   | 14.173"  | 0.282"       | 0.87 lb     |
| WBTLBRKT6    | —     | 5"       | 1.63"   | 14.173"  | 0.282"       | 1.05 lb     |
| WBTLBRKT12   | —     | 5"       | 1.63"   | 14.173"  | 0.282"       | 1.57 lb     |
| WBTLBRKT6BA  | Black | 5"       | 1.63"   | 14.173"  | 0.282"       | 1.05 lb     |
| WBTLBRKT6WH  | White | 5"       | 1.63"   | 14.173"  | 0.282"       | 1.05 lb     |
| WBTLBRKT8    | —     | 5"       | 1.63"   | 14.173"  | 0.282"       | 1.22 lb     |

## NVENT CADDY WIRE BASKET TRAY CENTER SUPPORT



**Material:** Steel  
**Finish:** Electrogalvanized


### Features

- Use as a central support when hanging with threaded rod
- Designed to be used with the nVent CADDY Wire Basket Tray Splice Kit
- Supported with 3/8 or 1/2 in threaded rod

| Part Number   | Color | Height H | Width W | Length L | Hole Size HS | Unit Weight |
|---------------|-------|----------|---------|----------|--------------|-------------|
| WBTCTSPRT4WH  | White | 7.62"    | 1.63"   | 4.14"    | 0.62"        | 0.318 lb    |
| WBTCTSPRT4    | —     | 7.62"    | 1.63"   | 4.14"    | 0.62"        | 0.318 lb    |
| WBTCTSPRT4BA  | Black | 7.62"    | 1.63"   | 4.14"    | 0.62"        | 0.318 lb    |
| WBTCTSPRT6WH  | White | 7.62"    | 1.63"   | 5.818"   | 0.62"        | 0.37 lb     |
| WBTCTSPRT6    | —     | 7.62"    | 1.63"   | 5.818"   | 0.62"        | 0.37 lb     |
| WBTCTSPRT8WH  | White | 7.62"    | 1.63"   | 7.502"   | 0.62"        | 0.411 lb    |
| WBTCTSPRT8    | —     | 7.62"    | 1.63"   | 7.502"   | 0.62"        | 0.411 lb    |
| WBTCTSPRT12WH | White | 7.62"    | 1.63"   | 11.503"  | 0.62"        | 0.556 lb    |
| WBTCTSPRT12   | —     | 7.62"    | 1.63"   | 11.503"  | 0.62"        | 0.556 lb    |

# nVent CADDY Wire Basket Tray Supports

## NVENT CADDY WIRE BASKET TRAY CEILING SUPPORT



### Features


- Use as a center support or support provisioned from both ends
- Designed to be used with the nVent CADDY Wire Basket Tray Ground Splice and nVent CADDY Wire Basket Tray Splice Kit
- Supported with 3/8 or 1/2 in threaded rod

**Material:** Steel

| Part Number   | Finish            | Color | Height H | Width W | Length L | Hole Size HS | Unit Weight |
|---------------|-------------------|-------|----------|---------|----------|--------------|-------------|
| WBTCLSPRT6BA  | Pregalvanized     | Black | 0.62"    | 1.63"   | 9.386"   | 0.531"       | 0.55 lb     |
| WBTCLSPRT6    | Pregalvanized     | —     | 0.62"    | 1.63"   | 9.386"   | 0.531"       | 0.55 lb     |
| WBTCLSPRT6WH  | Pregalvanized     | White | 0.62"    | 1.63"   | 9.386"   | 0.531"       | 0.55 lb     |
| WBTCLSPRT8WH  | Pregalvanized     | White | 0.62"    | 1.63"   | 11.354"  | 0.531"       | 0.8 lb      |
| WBTCLSPRT8BA  | Pregalvanized     | Black | 0.62"    | 1.63"   | 11.354"  | 0.531"       | 0.8 lb      |
| WBTCLSPRT8    | Pregalvanized     | —     | 0.62"    | 1.63"   | 11.354"  | 0.531"       | 0.8 lb      |
| WBTCLSPRT12BA | Electrogalvanized | Black | 0.62"    | 1.63"   | 15.292"  | 0.531"       | 1.1 lb      |
| WBTCLSPRT12WH | Electrogalvanized | White | 0.62"    | 1.63"   | 15.292"  | 0.531"       | 1.1 lb      |
| WBTCLSPRT12   | Electrogalvanized | —     | 0.62"    | 1.63"   | 15.292"  | 0.531"       | 1.1 lb      |
| WBTCLSPRT16WH | Pregalvanized     | White | 0.62"    | 1.63"   | 19.229"  | 0.531"       | 1.5 lb      |
| WBTCLSPRT18WH | Electrogalvanized | White | 0.62"    | 1.63"   | 21.198"  | 0.531"       | 1.6 lb      |
| WBTCLSPRT16BA | Pregalvanized     | Black | 0.62"    | 1.63"   | 19.229"  | 0.531"       | 1.5 lb      |
| WBTCLSPRT16   | Pregalvanized     | —     | 0.62"    | 1.63"   | 19.229"  | 0.531"       | 1.5 lb      |
| WBTCLSPRT18BA | Electrogalvanized | Black | 0.62"    | 1.63"   | 21.198"  | 0.531"       | 1.6 lb      |
| WBTCLSPRT24WH | Electrogalvanized | White | 0.62"    | 1.63"   | 27.104"  | 0.531"       | 1.9 lb      |
| WBTCLSPRT20BA | Pregalvanized     | Black | 0.62"    | 1.63"   | 23.167"  | 0.531"       | 1.9 lb      |
| WBTCLSPRT18   | Electrogalvanized | —     | 0.62"    | 1.63"   | 21.198"  | 0.531"       | 1.6 lb      |
| WBTCLSPRT20   | Pregalvanized     | —     | 0.62"    | 1.63"   | 23.167"  | 0.531"       | 1.9 lb      |
| WBTCLSPRT24   | Electrogalvanized | —     | 0.62"    | 1.63"   | 27.104"  | 0.531"       | 1.9 lb      |
| WBTCLSPRT24BA | Electrogalvanized | Black | 0.62"    | 1.63"   | 27.104"  | 0.531"       | 1.9 lb      |
| WBTCLSPRT20WH | Pregalvanized     | White | 0.62"    | 1.63"   | 23.167"  | 0.531"       | 1.9 lb      |

# nVent CADDY Wire Basket Tray Supports

## NVENT CADDY WIRE BASKET TRAY INDEPENDENT UNDERFLOOR SUPPORT




**Material:** Steel  
**Finish:** Pregalvanized

### Features

- Designed to be used with the nVent CADDY Wire Basket Tray Washer Support and nVent CADDY Wire Basket Tray Ground Splice
- Maintains a fixed and secure distance from the ground to ensure safety and accessibility
- Available in a range of sizes to match wire basket tray design
- Fixed height ensures a level installation

| Part Number | Height H | Length L | Length 1 L1 | Width W | Hole Size HS | Unit Weight |
|-------------|----------|----------|-------------|---------|--------------|-------------|
| WBTUS04     | 1.26"    | 30.2"    | 22.078"     | 9.252"  | 0.563"       | 1.9 lb      |
| WBTUS06     | 1.26"    | 34.173"  | 22.078"     | 9.252"  | 0.563"       | 2.101 lb    |
| WBTUS24     | 1.26"    | 70"      | 22.078"     | 9.252"  | 0.563"       | 7.1 lb      |
| WBTUS08     | 1.26"    | 37.992"  | 22.078"     | 9.252"  | 0.563"       | 2.401 lb    |
| WBTUS12     | 1.26"    | 46.22"   | 22.078"     | 9.252"  | 0.563"       | 3.51 lb     |
| WBTUS18     | 1.26"    | 58.03"   | 22.078"     | 9.252"  | 0.563"       | 5.3 lb      |

## NVENT CADDY WIRE BASKET TRAY TERMINATION SUPPORT



**Material:** Steel  
**Finish:** Pregalvanized


### Features

- Designed to be used with the nVent CADDY Wire Basket Tray Splice Kit
- Available in a range of widths to match wire basket tray design
- Provides a solid bottom for the tray

| Part Number | Color | Height H | Width W | Length L | Unit Weight |
|-------------|-------|----------|---------|----------|-------------|
| WBTTERM12BA | Black | 3.03"    | 3.03"   | 11.496"  | 1.83 lb     |

# nVent CADDY Wire Basket Tray Hardware

## NVENT CADDY WIRE BASKET TRAY BAR SPLICE



### Features


- Multiple color options to coordinate with cable tray selection
- Creates additional support for cable tray runs
- Optimal for angles 30 degrees and smaller

**Material:** Steel  
**Finish:** Electrogalvanized



| Part Number     | Color | Height H | Width W | Length L | Unit Weight | Certifications |
|-----------------|-------|----------|---------|----------|-------------|----------------|
| WBTBSPLICEWH    | White | 0.688"   | 0.179"  | 12"      | 0.28 lb     | –              |
| WBTBSPLICEKITWH | White | 0.688"   | 0.179"  | 12"      | 0.28 lb     | –              |
| WBTBSPLICEKITBA | Black | 0.688"   | 0.179"  | 12"      | 0.28 lb     | UL             |
| WBTBSPLICE      | –     | 0.688"   | 0.179"  | 12"      | 0.28 lb     | –              |
| WBTBSPLICEKIT   | –     | 0.688"   | 0.179"  | 12"      | 0.28 lb     | UL             |
| WBTBSPLICEBA    | Black | 0.688"   | 0.179"  | 12"      | 0.28 lb     | –              |

## NVENT CADDY WIRE BASKET TRAY DOUBLE SPLICE



### Features

- Easy-to-use, requiring only simple hand tools to install
- Three-piece bolt, washer and nut combination
- Ensures a stable and tight fit between tray sections
- Works with a wide range of tray sizes and configurations


**Material:** Steel  
**Finish:** Electrogalvanized



| Part Number    | Color | Height H | Width W | Length L | Unit Weight |
|----------------|-------|----------|---------|----------|-------------|
| WBTDBLSPLICEWH | White | 2.464"   | 1.204"  | 1.071"   | 0.16 lb     |
| WBTDBLSPLICEBA | Black | 2.464"   | 1.204"  | 1.071"   | 0.16 lb     |

# nVent CADDY Wire Basket Tray Hardware

## NVENT CADDY WIRE BASKET TRAY CORNER SPLICE




**Material:** Steel  
**Finish:** Electrogalvanized

### Features

- Designed to be used with nVent CADDY Wire Basket Tray and nVent CADDY Wire Basket Tray Splice Kit
- Easily secures corners for a clean finish

| Part Number | Color | Height H | Width W | Length L | Unit Weight |
|-------------|-------|----------|---------|----------|-------------|
| WBTCSPICEWH | White | 0.688"   | 6"      | 6"       | 0.1 lb      |
| WBTCSPICEBA | Black | 0.688"   | 6"      | 6"       | 0.1 lb      |
| WBTCSPICE   |       | 0.688"   | 6"      | 6"       | 0.1 lb      |

## NVENT CADDY WIRE BASKET TRAY RADIUS CORNER SPLICE



**Material:** Steel  
**Finish:** Electrogalvanized

### Features


- Designed to be used with nVent CADDY Wire Basket Tray Splice Kit
- Easy-to-use, requiring only simple hand tools to install
- Includes two splice bars and eight sets of the splice kit

| Part Number   | Color | Height H | Length L | Width W | Unit Weight |
|---------------|-------|----------|----------|---------|-------------|
| WBTRCSPLICEBA | Black | 2.318"   | 12.742"  | 12.742" | 0.3 lb      |



# nVent CADDY Wire Basket Tray Hardware

## NVENT CADDY WIRE BASKET TRAY SPLICE KIT



**Material:** Steel  
**Finish:** Electrogalvanized




### Features

- Three-piece bolt, washer and nut combination
- Ensures a stable and tight fit between tray sections
- Works with a wide range of tray sizes and configurations
- Used to create a continuous grounded bond between sections of cable tray and protects assets in case of a lightning strike

| Part Number | Color | Height H | Length L | Width W | Unit Weight |
|-------------|-------|----------|----------|---------|-------------|
| WBTSPICE    | —     | 0.73"    | 0.821"   | 1.21"   | 3.2 lb      |
| WBTSPICEBA  | Black | 0.73"    | 0.821"   | 1.21"   | 3.2 lb      |

## NVENT CADDY WIRE BASKET TRAY WASHER SUPPORT



**Material:** Steel  
**Finish:** Electrogalvanized




### Features

- Easy-to-use, requiring only simple hand tools to install
- Use threaded rod protectors to protect cables
- Can be used as a hold-down method or fitting splice

| Part Number   | Color | Height H | Width W | Length L | Unit Weight | Certifications |
|---------------|-------|----------|---------|----------|-------------|----------------|
| WBTWASHSPRTWH | White | 0.177"   | 2.42"   | 2.42"    | 0.11 lb     | —              |
| WBTWASHSPRTBA | Black | 0.177"   | 2.42"   | 2.42"    | 0.11 lb     | cUL, UL        |
| WBTWASHSPRT   | —     | 0.177"   | 2.42"   | 2.42"    | 0.11 lb     | cUL, UL        |

# nVent CADDY Wire Basket Tray Hardware

## NVENT CADDY WIRE BASKET TRAY GROUND BOLT




### Features

- Easy-to-use, requiring only simple hand tools to install
- Used to create a continuous grounded bond between sections of cable tray and can protect assets in case of a lightning strike

**Material:** Copper Alloy

| Part Number | Height H | Length L | Width W | Unit Weight |
|-------------|----------|----------|---------|-------------|
| WBTGRDBOLT  | 0.587"   | 1.402"   | 0.735"  | 0.5 lb      |

## NVENT CADDY WIRE BASKET TRAY TOOL-FREE SPLICE



### Features

- Secure hold with locking mechanism keeping trays in place
- No assembly required
- No sharp edges or catching points for wire
- Reusable and tool-free—easy-to-install, easy-to-remove


**Material:** Steel  
**Finish:** Electrogalvanized



| Part Number | B  | Length L | Width W | Thickness T | A     | Hole Size HS | Weight |
|-------------|----|----------|---------|-------------|-------|--------------|--------|
| WBTQSPLS    | 8" | 5.8"     | 1"      | 0.5"        | 0.56" | 0.18"        | 0.06lb |
| WBTQSPL     | 8" | 5.8"     | 1"      | 0.5"        | 0.56" | 0.18"        | 0.06lb |

# nVent CADDY Wire Basket Tray Transitions

## NVENT CADDY WIRE BASKET TRAY PREFORM INTERSECTION



### Features

- Multiple color options to coordinate with cable tray selection
- Flame-retardant polymer rails ensure the safety of high-performance cabling
- Routes cable systems in multiple directions
- Provides a clean bend radius and helps to protect the natural bend radius of varying cable systems


**Material:** Steel  
**Finish:** Pregalvanized; Polyurethane



| Part Number | Color | Height H | Width W | Length L | Hole Size HS | Radius R | Unit Weight | Certifications |
|-------------|-------|----------|---------|----------|--------------|----------|-------------|----------------|
| WBTI2X4     | –     | 2"       | 20.12"  | 20.12"   | –            | 3.726"   | 0.411 lb    | UL, cUL        |
| WBTI2X4BA   | Black | 2"       | 20.12"  | 20.12"   | –            | 3.726"   | 0.411 lb    | –              |
| WBTI2X4WH   | White | 2"       | 20.12"  | 20.12"   | –            | 3.726"   | 0.411 lb    | –              |
| WBTI2X6BA   | Black | 2"       | 22.1"   | 22.1"    | –            | 3.726"   | 0.617 lb    | –              |
| WBTI2X6     | –     | 2"       | 22.1"   | 22.1"    | –            | 3.726"   | 0.617 lb    | UL, cUL        |
| WBTI2X20    | –     | 2"       | 35.9"   | 35.9"    | 3/4"         | 3.726"   | 2.88 lb     | UL, cUL        |
| WBTI2X24WH  | White | 2"       | 40"     | 40"      | 3/4"         | 3.726"   | 3.704 lb    | –              |
| WBTI2X12WH  | White | 2"       | 28"     | 28"      | 3/4"         | 3.726"   | 1.44 lb     | –              |
| WBTI2X24BA  | Black | 2"       | 40"     | 40"      | 3/4"         | 3.726"   | 3.704 lb    | –              |
| WBTI2X12BA  | Black | 2"       | 28"     | 28"      | 3/4"         | 3.726"   | 1.44 lb     | –              |
| WBTI2X18BA  | Black | 2"       | 33.9"   | 33.9"    | 3/4"         | 3.726"   | 2.469 lb    | –              |
| WBTI2X24    | –     | 2"       | 40"     | 40"      | 3/4"         | 3.726"   | 3.704 lb    | cUL, UL        |
| WBTI2X20BA  | Black | 2"       | 35.9"   | 35.9"    | 3/4"         | 3.726"   | 2.88 lb     | –              |
| WBTI2X18    | –     | 2"       | 33.9"   | 33.9"    | 3/4"         | 3.726"   | 2.469 lb    | UL, cUL        |
| WBTI2X16BA  | Black | 2"       | 32"     | 32"      | 3/4"         | 3.726"   | 2.057 lb    | –              |
| WBTI2X12    | –     | 2"       | 28"     | 28"      | 3/4"         | 3.726"   | 1.44 lb     | cUL, UL        |
| WBTI2X8WH   | White | 2"       | 24.1"   | 24.1"    | –            | 3.726"   | 1.029 lb    | –              |
| WBTI2X8     | –     | 2"       | 24.1"   | 24.1"    | –            | 3.726"   | 1.029 lb    | cUL, UL        |
| WBTI2X8BA   | Black | 2"       | 24.1"   | 24.1"    | –            | 3.726"   | 1.029 lb    | –              |

# nVent CADDY Wire Basket Tray Transitions

## NVENT CADDY WIRE BASKET TRAY PREFORM ELBOW 90°



### Features

- Multiple color options to coordinate with cable tray selection
- Flame-retardant polymer rails ensure the safety of high-performance cabling
- Routes cable systems in multiple directions
- Provides a clean bend radius and helps to protect the natural bend radius of varying cable systems

**Material:** Steel


**Finish:** Pregalvanized; Polyurethane



| Part Number  | Color | Height H | Width W | Length L | Hole Size HS | Radius R | Unit Weight | Certifications |
|--------------|-------|----------|---------|----------|--------------|----------|-------------|----------------|
| WBTR902X4WH  | White | 2"       | 12-1/2" | 12-1/2"  | —            | 3.726"   | 0.206 lb    | —              |
| WBTR902X4BA  | Black | 2"       | 12-1/2" | 12-1/2"  | —            | 3.726"   | 0.206 lb    | —              |
| WBTR902X4    | —     | 2"       | 12-1/2" | 12-1/2"  | —            | 3.726"   | 0.206 lb    | cUL, UL        |
| WBTR902X6    | —     | 2"       | 14.4"   | 14.4"    | —            | 3.726"   | 0.411 lb    | cUL, UL        |
| WBTR902X8WH  | White | 2"       | 16.4"   | 16.4"    | —            | 3.726"   | 0.411 lb    | —              |
| WBTR902X6BA  | Black | 2"       | 14.4"   | 14.4"    | —            | 3.726"   | 0.411 lb    | —              |
| WBTR902X8BA  | Black | 2"       | 16.4"   | 16.4"    | —            | 3.726"   | 0.411 lb    | —              |
| WBTR902X6WH  | White | 2"       | 14.4"   | 14.4"    | —            | 3.726"   | 0.411 lb    | —              |
| WBTR902X8    | —     | 2"       | 16.4"   | 16.4"    | —            | 3.726"   | 0.411 lb    | UL, cUL        |
| WBTR902X18BA | Black | 2"       | 26.21"  | 26.21"   | 3/4"         | 3.726"   | 1.44 lb     | —              |
| WBTR902X12BA | Black | 2"       | 20.3"   | 20.3"    | 3/4"         | 3.726"   | 0.823 lb    | —              |
| WBTR902X12WH | White | 2"       | 20.3"   | 20.3"    | 3/4"         | 3.726"   | 0.823 lb    | —              |
| WBTR902X16   | —     | 2"       | 24.3"   | 24.3"    | 3/4"         | 3.726"   | 1.235 lb    | UL, cUL        |
| WBTR902X24WH | White | 2"       | 32.2"   | 32.2"    | 3/4"         | 3.726"   | 2.263 lb    | —              |
| WBTR902X24BA | Black | 2"       | 32.2"   | 32.2"    | 3/4"         | 3.726"   | 2.263 lb    | —              |
| WBTR902X12   | —     | 2"       | 20.3"   | 20.3"    | 3/4"         | 3.726"   | 0.823 lb    | cUL, UL        |
| WBTR902X24   | —     | 2"       | 32.2"   | 32.2"    | 3/4"         | 3.726"   | 2.263 lb    | cUL, UL        |
| WBTR902X16WH | White | 2"       | 24.3"   | 24.3"    | 3/4"         | 3.726"   | 1.235 lb    | —              |
| WBTR902X20BA | Black | 2"       | 28.2"   | 28.2"    | 3/4"         | 3.726"   | 1.852 lb    | —              |
| WBTR902X18WH | White | 2"       | 26.21"  | 26.21"   | 3/4"         | 3.726"   | 1.44 lb     | —              |
| WBTR902X18   | —     | 2"       | 26.21"  | 26.21"   | 3/4"         | 3.726"   | 1.44 lb     | cUL, UL        |

# nVent CADDY Wire Basket Tray Transitions

## NVENT CADDY WIRE BASKET TRAY PREFORM TEE



### Features

- Multiple color options to coordinate with cable tray selection
- Flame-retardant polymer rails ensure the safety of high-performance cabling
- Routes cable systems in two or three directions
- Provides a clean bend radius and helps to protect the natural bend radius of varying cable systems


**Material:** Steel

**Finish:** Pregalvanized; Polyurethane

| Part Number | Color | Height H | Width W | Length L | Hole Size HS | Radius R | Unit Weight |
|-------------|-------|----------|---------|----------|--------------|----------|-------------|
| WBTT2X4WH   | White | 2"       | 12-1/2" | 20.2"    | —            | 3.726"   | 0.206 lb    |
| WBTT2X4BA   | Black | 2"       | 12-1/2" | 20.2"    | —            | 3.726"   | 0.206 lb    |
| WBTT2X4     | —     | 2"       | 12-1/2" | 20.2"    | —            | 3.726"   | 0.206 lb    |
| WBTT2X6WH   | White | 2"       | 14.4"   | 22.1"    | —            | 3.726"   | 0.617 lb    |
| WBTT2X6     | —     | 2"       | 14.4"   | 22.1"    | —            | 3.726"   | 0.617 lb    |
| WBTT2X6BA   | Black | 2"       | 14.4"   | 22.1"    | —            | 3.726"   | 0.617 lb    |
| WBTT2X20BA  | Black | 2"       | 28.2"   | 35.9"    | 3/4"         | 3.726"   | 2.675 lb    |
| WBTT2X16WH  | White | 2"       | 24.3"   | 32"      | 3/4"         | 3.726"   | 1.646 lb    |
| WBTT2X24BA  | Black | 2"       | 32.2"   | 39.9"    | 3/4"         | 3.726"   | 3.292 lb    |
| WBTT2X24WH  | White | 2"       | 32.2"   | 39.9"    | 3/4"         | 3.726"   | 3.292 lb    |
| WBTT2X16    | —     | 2"       | 24.3"   | 32"      | 3/4"         | 3.726"   | 1.646 lb    |
| WBTT2X18BA  | Black | 2"       | 26.3"   | 34"      | 3/4"         | 3.726"   | 2.057 lb    |
| WBTT2X18WH  | White | 2"       | 26.3"   | 34"      | 3/4"         | 3.726"   | 2.057 lb    |
| WBTT2X24    | —     | 2"       | 32.2"   | 39.9"    | 3/4"         | 3.726"   | 3.292 lb    |
| WBTT2X12    | —     | 2"       | 20.3"   | 28"      | 3/4"         | 3.726"   | 1.235 lb    |
| WBTT2X12BA  | Black | 2"       | 20.3"   | 28"      | 3/4"         | 3.726"   | 1.235 lb    |
| WBTT2X12WH  | White | 2"       | 20.3"   | 28"      | 3/4"         | 3.726"   | 1.235 lb    |
| WBTT2X20WH  | White | 2"       | 28.2"   | 35.9"    | 3/4"         | 3.726"   | 2.675 lb    |
| WBTT2X18    | —     | 2"       | 26.3"   | 34"      | 3/4"         | 3.726"   | 2.057 lb    |
| WBTT2X16BA  | Black | 2"       | 24.3"   | 32"      | 3/4"         | 3.726"   | 1.646 lb    |
| WBTT2X8BA   | Black | 2"       | 16.4"   | 24.1"    | —            | 3.726"   | 0.823 lb    |
| WBTT2X8WH   | White | 2"       | 16.4"   | 24.1"    | —            | 3.726"   | 0.823 lb    |
| WBTT2X8     | —     | 2"       | 16.4"   | 24.1"    | —            | 3.726"   | 0.823 lb    |

# nVent CADDY Wire Basket Tray Accessories

## NVENT CADDY WIRE BASKET TRAY BLIND END



**Material:** Steel  
**Finish:** Pregalvanized


### Features

- Designed to be used with the nVent CADDY Wire Basket Tray Splice Kit
- Multiple color options to coordinate with cable tray selection
- Builds stability and creates an aesthetically clean end of tray

| Part Number | Height<br>H | Width<br>W | Length<br>L | Unit Weight |
|-------------|-------------|------------|-------------|-------------|
| WBTBE6X8    | 6"          | 8"         | 8.703"      | 1 lb        |
| WBTBE4X8    | 4"          | 8"         | 8.703"      | 1 lb        |
| WBTBE4X6    | 4"          | 6"         | 6.703"      | 1 lb        |
| WBTBE4X4    | 4"          | 4"         | 4.703"      | 1 lb        |
| WBTBE2X8    | 2"          | 8"         | 8.703"      | 1 lb        |
| WBTBE2X6    | 2"          | 6"         | 6.703"      | 1 lb        |
| WBTBE2X4    | 2"          | 4"         | 4.703"      | 1 lb        |
| WBTBE4X12   | 4"          | 12"        | 12.703"     | 2 lb        |
| WBTBE6X12   | 6"          | 12"        | 12.703"     | 2 lb        |
| WBTBE4X16   | 4"          | 16"        | 16.703"     | 2 lb        |
| WBTBE6X16   | 6"          | 16"        | 16.703"     | 2 lb        |
| WBTBE2X16   | 2"          | 16"        | 16.703"     | 2 lb        |
| WBTBE2X12   | 2"          | 12"        | 12.703"     | 2 lb        |
| WBTBE4X20   | 4"          | 20"        | 20.703"     | 3 lb        |
| WBTBE6X18   | 6"          | 18"        | 18.703"     | 3 lb        |
| WBTBE6X24   | 6"          | 24"        | 24.703"     | 3 lb        |
| WBTBE2X24   | 2"          | 24"        | 24.703"     | 3 lb        |
| WBTBE2X20   | 2"          | 20"        | 20.703"     | 3 lb        |
| WBTBE4X24   | 4"          | 24"        | 24.703"     | 3 lb        |
| WBTBE2X18   | 2"          | 18"        | 18.703"     | 3 lb        |
| WBTBE6X20   | 6"          | 20"        | 20.703"     | 3 lb        |
| WBTBE4X18   | 4"          | 18"        | 18.703"     | 3 lb        |

# nVent CADDY Wire Basket Tray Accessories

## NVENT CADDY WIRE BASKET TRAY POLYMER INSERT



### Features


- Standard black finish for use with divider posts
- Polymer insert rolls into the tray bottom
- Multiple color options to coordinate with cable tray selection

**Material:** Polymer  
**Color:** Black

| Part Number   | Height H | Width W | Length L | Sides Included | Unit Weight |
|---------------|----------|---------|----------|----------------|-------------|
| WBTFORM04BA   |          | 3.63"   | 120"     | No             | 0.009 lb    |
| WBTFORM06BA   |          | 5.63"   | 120"     | No             | 0.014 lb    |
| WBTFORM08BA   |          | 7.63"   | 120"     | No             | 0.018 lb    |
| WBTFORM2X4BA  | 2"       | 3.63"   | 120"     | Yes            | 0.018 lb    |
| WBTFORM2X6BA  | 2"       | 5.63"   | 120"     | Yes            | 0.023 lb    |
| WBTFORM12BA   |          | 11.63"  | 120"     | No             | 0.027 lb    |
| WBTFORM4X4BA  | 4"       | 3.63"   | 120"     | Yes            | 0.027 lb    |
| WBTFORM2X8BA  | 2"       | 7.63"   | 120"     | Yes            | 0.027 lb    |
| WBTFORM4X6BA  | 4"       | 5.63"   | 120"     | Yes            | 0.032 lb    |
| WBTFORM16BA   |          | 15.63"  | 120"     | No             | 0.036 lb    |
| WBTFORM2X12BA | 2"       | 11.63"  | 120"     | Yes            | 0.036 lb    |
| WBTFORM4X8BA  | 4"       | 7.63"   | 120"     | Yes            | 0.036 lb    |
| WBTFORM18BA   |          | 17.63"  | 120"     | No             | 0.041 lb    |
| WBTFORM2X16BA | 2"       | 15.63"  | 120"     | Yes            | 0.045 lb    |
| WBTFORM20BA   |          | 19.63"  | 120"     | No             | 0.045 lb    |
| WBTFORM4X12BA | 4"       | 11.63"  | 120"     | Yes            | 0.045 lb    |
| WBTFORM6X8BA  | 6"       | 7.63"   | 120"     | Yes            | 0.045 lb    |
| WBTFORM2X18BA | 2"       | 17.63"  | 120"     | Yes            | 0.05 lb     |
| WBTFORM2X20BA | 2"       | 19.63"  | 120"     | Yes            | 0.054 lb    |
| WBTFORM6X12BA | 6"       | 11.63"  | 120"     | Yes            | 0.054 lb    |
| WBTFORM24BA   |          | 23.63"  | 120"     | No             | 0.054 lb    |
| WBTFORM4X16BA | 4"       | 15.63"  | 120"     | Yes            | 0.054 lb    |
| WBTFORM4X18BA | 4"       | 17.63"  | 120"     | Yes            | 0.059 lb    |
| WBTFORM2X24BA | 2"       | 23.63"  | 120"     | Yes            | 0.064 lb    |
| WBTFORM4X20BA | 4"       | 19.63"  | 120"     | Yes            | 0.064 lb    |
| WBTFORM6X16BA | 6"       | 15.63"  | 120"     | Yes            | 0.064 lb    |
| WBTFORM6X18BA | 6"       | 17.63"  | 120"     | Yes            | 0.073 lb    |
| WBTFORM4X24BA | 4"       | 23.63"  | 120"     | Yes            | 0.073 lb    |
| WBTFORM6X20BA | 6"       | 19.63"  | 120"     | Yes            | 0.082 lb    |
| WBTFORM6X24BA | 6"       | 23.63"  | 120"     | Yes            | 0.082 lb    |

# nVent CADDY Wire Basket Tray Accessories

## NVENT CADDY WIRE BASKET TRAY POLYMER INSERT, PERFORATED




### Features

- Polymer insert rolls easily into the tray bottom
- Designed for commercial and data center applications
- Can be easily configured while in the field
- Multiple color options to coordinate with cable tray selection

**Color:** Black  
**Sides Included:** No  
**Material:** Polyvinylchloride  
**Complies with:** UL® 94V-0

| Catalog Number | Height H | Width W | Length L | Unit Weight |
|----------------|----------|---------|----------|-------------|
| WBTPERFPOLY8   | 0.018"   | 8"      | 1200.78" | 5.95 lb     |
| WBTPERFPOLY18  | 0.018"   | 18"     | 1200.78" | 14.33 lb    |
| WBTPERFPOLY24  | 0.018"   | 24"     | 1200.78" | 17.417 lb   |

## NVENT CADDY WIRE BASKET TRAY VERTICAL DOWN



### Features


- Designed to be used with the nVent CADDY Wire Basket Tray Splice Kit
- Ensures the natural bend radius of the cable is protected
- Provides optimal support for high-performance data cable, up to and including fiber optic, Cat 5e, Cat 6, Cat 6A, and Cat 7

**Material:** Steel  
**Finish:** Electrogalvanized

| Part Number  | Color | Height H | Width W | Length L | Radius R | Unit Weight |
|--------------|-------|----------|---------|----------|----------|-------------|
| WBTVERTDWNWH | White | 2.598"   | 6.772"  | 7.874"   | 2.54"    | 1.852 lb    |
| WBTVERTDWNBA | Black | 2.598"   | 6.772"  | 7.874"   | 2.54"    | 1.852 lb    |
| WBTVERTDWN   | —     | 2.598"   | 6.772"  | 7.874"   | 2.54"    | 1.852 lb    |

# nVent CADDY Wire Basket Tray Accessories

## NVENT CADDY WIRE BASKET TRAY DROP OUT




**Material:** Steel  
**Finish:** Pregalvanized

### Features

- Designed for center cable tray dropouts
- Conductive to creating both multi-tier tray and side-by-side assemblies
- Easily cut to fit around the wire basket tray for retrograde cable installations
- Ensures the natural bend radius of the cable is protected
- Stackable for multiple adjoining dropouts
- Reusable and tool-free—easy-to-install, easy-to-remove

| Part Number | Height H | Width W | Length L | Unit Weight |
|-------------|----------|---------|----------|-------------|
| WBTCBLDO4   | 1.126"   | 4.3"    | 3-5/8"   | 0.022 lb    |
| WBTCBLDO6   | 1.157"   | 6.22"   | 8.301"   | 0.044 lb    |
| WBTCBLDO    | 1.126"   | 2.313"  | 3.563"   | 0.11 lb     |

## NVENT CADDY WIRE BASKET TRAY LABEL CLIP





### Features

- Reusable and tool-free—easy-to-install, easy-to-remove
- Translucent white color allows for different label colors to be attached and aids in the identification and organization of the pathway application

| Part Number | Material         | Height H | Width W | Length L | Unit Weight |
|-------------|------------------|----------|---------|----------|-------------|
| WBTBLCLP    | ABS, UL-VO rated | 1-5/8"   | 0.48"   | 10.414"  | 0.05 lb     |

# nVent CADDY Wire Basket Tray Accessories

## NVENT CADDY WIRE BASKET TRAY SIDE CAR




### Features

- Reusable and tool-free—easy-to-install, easy-to-remove
- Ideal for installations where non-continuous support is possible
- Retrofit option when running new low-voltage cables

**Material:** Steel  
**Finish:** Pregalvanized

| Part Number  | Color | Height H | Width W | Length L | Unit Weight |
|--------------|-------|----------|---------|----------|-------------|
| WBTSIDECARBA | Black | 2.55"    | 4"      | 4.359"   | 0.15 lb     |
| WBTSIDECAR   | —     | 2.55"    | 4"      | 4.359"   | 0.15 lb     |
| WBTSIDECAR46 | —     | 3.54"    | 4"      | 4.359"   | 0.2 lb      |

## NVENT CADDY WIRE BASKET TRAY VERTICAL UP



### Features

- Ideal for underfloor retrofit applications
- Reusable and tool-free—easy-to-install, easy-to-remove
- Eliminates the need to cut or configure cable tray
- Ensures the natural bend radius of the cable is protected

**Material:** Steel  
**Finish:** Electrogalvanized

| Part Number | Height H | Width W | Length L | Radius R | Unit Weight |
|-------------|----------|---------|----------|----------|-------------|
| WBTVERTUP   | 8.56"    | 7.752"  | 13.72"   | 7.948"   | 1.612 lb    |

## NVENT CADDY WIRE BASKET TRAY CUTTING TOOL



### Features


- Designed to cut wire basket tray up to 8 mm (0.315 in) in diameter
- Lightweight tooling is easy-to-use
- Versatile solution made for both on-site and in-shop use
- Blades of the tool are hardened for increased longevity

**Material:** Steel

| Part Number | Height | Width | Length | Unit Weight |
|-------------|--------|-------|--------|-------------|
| WBTCUTTOOL  | 1.57"  | 6.89" | 25"    | 5.7 lb      |

# nVent CADDY Wire Basket Tray Accessories

## NVENT CADDY WIRE BASKET TRAY DIVIDER POST




**Material:** Steel  
**Finish:** Pregalvanized

### Features

- Separates high-performance cable within a single cable tray
- Multiple color options to coordinate with cable tray selection
- Four-inch full height, can be snapped in half to create two-inch tall dividers for low-volume cable runs

| Part Number  | Color | Height H | Width W | Length L | Unit Weight |
|--------------|-------|----------|---------|----------|-------------|
| WBTDIVPOSTWH | White | 4.331"   | 2.283"  | 0.626"   | 0.006 lb    |
| WBTDIVPOSTBA | Black | 4.331"   | 2.283"  | 0.626"   | 0.006 lb    |

## NVENT CADDY WIRE BASKET TRAY BOX SUPPORT



**Material:** Steel


### Features

- Designed to be used with the nVent CADDY Wire Basket Tray Splice Kit and nVent CADDY Wire Basket Tray Washer Support
- Multiple color options to coordinate with cable tray selection

| Part Number  | Finish        | Color | Height H | Width W | Length L | Hole Size HS | Unit Weight |
|--------------|---------------|-------|----------|---------|----------|--------------|-------------|
| WBTBOXSPRTBA | Painted       | Black | 3.061"   | 3.061"  | 8"       | 1/4"         | 0.86 lb     |
| WBTBOXSPRT   | Pregalvanized | —     | 3.061"   | 3.061"  | 8"       | 1/4"         | 0.86 lb     |
| WBTBOXSPRTWH | Painted       | White | 3.061"   | 3.061"  | 8"       | 1/4"         | 0.86 lb     |

# nVent CADDY Wire Basket Tray Accessories

## NVENT CADDY WIRE BASKET TRAY CONDUIT SUPPORT




### Features

- Utilize with nVent CADDY Wire Basket Tray Splice Kit or nVent CADDY Wire Basket Tray Washer Support for added support
- Reusable and tool-free—easy-to-install, easy-to-remove
- Hole configurations include: 3/4 in, 1 in, and 1-1/2 in, or all holes can be configured to the same size

**Material:** Steel  
**Finish:** Electrogalvanized

| Part Number | Height H | Width W | Length L | Hole Size HS | Unit Weight |
|-------------|----------|---------|----------|--------------|-------------|
| WBT2CA20    | 3.492"   | 7"      | 5.49"    | 1.688"       | 0.551 lb    |

## NVENT CADDY WIRE BASKET TRAY WATERFALL



### Features


- Equipped with tie-down openings to facilitate bundled cable options
- Powder coating protects against scratches or cable damage
- Maintains a 120-degree bend, adhering to TIA-approved radius standards for all cable types
- Standard finishes include black powder and electro-galvanized (zinc) coatings, with customization options for other colors upon request
- Provides optimal support for high-performance data cable, up to and including fiber optic, Cat 5e, Cat 6, Cat 6A, and Cat 7

**Material:** Steel

| Part Number    | Color | Finish            | Length L | Height H | Width W | Unit Weight |
|----------------|-------|-------------------|----------|----------|---------|-------------|
| WBTWTRFALL20BA | Black | Electrogalvanized | 21-1/2"  | 5.47"    | 7.72"   | 3.85 lb     |
| WBTWTRFALL12BA | Black | Powder Coated     | 13.66"   | 5.47"    | 7.72"   | 2.64 lb     |
| WBTWTRFALL12EG | Gray  | Electrogalvanized | 13.66"   | 5.47"    | 7.72"   | 2.64 lb     |
| WBTWTRFALL20EG | Gray  | Electrogalvanized | 21-1/2"  | 5.47"    | 7.72"   | 3.85 lb     |

# nVent CADDY Wire Basket Tray Accessories

## NVENT CADDY WIRE BASKET TRAY WATERFALL, VERTICAL



### Features

- Quickly attaches to the nVent CADDY Wire Basket Tray Waterfall
- Supports vertical tray widths of 12 or 20 in
- Safety conceals cable tray cut edges and burrs
- Multiple finishes available to achieve an aesthetically seamless look

Material: Steel

| Part Number   | Finish            | Color | Length L | Width W | Height H |
|---------------|-------------------|-------|----------|---------|----------|
| WBTWTRVTB12EG | Electrogalvanized | Gray  | 12.42"   | 2.8"    | 2.83"    |
| WBTWTRVTB20EG | Electrogalvanized | Gray  | 20.38"   | 2.8"    | 2.83"    |
| WBTWTRVTB12BA | Pregalvanized     | Black | 12.42"   | 2.8"    | 2.83"    |
| WBTWTRVTB20BA | Pregalvanized     | Black | 20.38"   | 2.8"    | 2.83"    |





## nVent CADDY **WORKING SMARTER**

Innovative, time-saving products designed to help you work safer, more efficiently and with greater success.





Our powerful portfolio of brands:

**CADDY   ERICO   HOFFMAN   ILSCO   SCHROFF   TRACHTE**