

Material Safety Data Sheet



Technologies

Revision Date: 05/07/2008

Issue date: 05/07/2008

CHEMICAL PRODUCT AND COMPANY IDENTIFICATION 1.

366 Light Cure Adhesive Product name: Product type: Anaerobic Adhesive Company address: Henkel Corporation 1001 Trout Brook Crossing Rocky Hill, Connecticut 06067

12224 / IDH No. 135239 Item No. : Region: United States **Contact Information:** Telephone: 860.571.5100 Emergency telephone: 860.571.5100 Internet: www.loctite.com

2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Hazardous components</u> Polyurethane methacrylate resin PROPRIETARY	<u>%</u> 30-60	ACGIH TLV None	OSHA PEL None	OTHER None
Hydroxyalkyl methacrylate 868-77-9	30-60	None	None	3 ppm (ceiling)
High boiling methacrylate 7534-94-3	10-30	None	None	None
Acrylic acid 79-10-7	1-5	2 ppm TWA (skin)	10 ppm TWA; 30 mg/m³	1 ppm TWA (skin); 3 ppm STEL (skin)
Photoinitiator 24650-42-8	1-5	None	None	None
1-Acetyl-2-phenylhydrazine 114-83-0	0.1-1	None	None	None
Ethylene glycol 107-21-1	0.1-1	100 mg/m ³ Ceiling	None	None

3. HAZARDS IDENTIFICATION

		EMERGENCY OVERVIEW HMIS:	
Physical state: Color: Odor:	Liquid Amber Sharp	HEALTH: FLAMMABILITY: PHYSICAL HAZARD: Personal Protection:	2* 1 1 See Section 8
WARNING):	CAUSES EYE AND SKIN IRRITATION. MAY CAUSE ALLERGIC SKIN REACTION. MAY CAUSE RESPIRATORY TRACT IRRITATION. MAY BE HARMFUL IF SWALLOWED.	

Potential Health Effects

Eye Ing	n contact: e contact: estion:	Irritating to skin. May cause allergic skin reaction. Vapors may irritate eyes. Contact with eyes will cause irritation. May be harmful if swallowed. May cause gastrointestinal tract irritation if swallowed.
Existing c exposure:	onditions aggravated by	Eye, skin, and respiratory disorders. Acrylic acid: Respiratory disorders. Lung disease.
Item No. :	12224 / IDH No. 135239	Product name: 366 Light Cure Adhes

Product name: 366 Light Cure Adhesive

See Section 11 for additional toxicological information.

4. FIRST AID MEASURES

Inhalation:	Remove to fresh air. If symptoms develop and persist, get medical attention.
Skin contact:	Wash with soap and water. Remove contaminated clothing and shoes. Wash clothing before reuse. Get medical attention if symptoms occur.
Eye contact:	Flush with copious amounts of water, preferably, lukewarm water for at least 15 minutes, holding eyelids open all the time. Get medical attention.
Ingestion:	Do not induce vomiting. Keep individual calm. Obtain medical attention.

5. FIRE-FIGHTING MEASURES	
Flash point:	Greater than 93°C (200°F) Tagliabue closed cup
Autoignition temperature:	Not available
Flammable/Explosive limits-lower %:	Not available
Flammable/Explosive limits-upper %:	Not available
Extinguishing media:	Foam, dry chemical or carbon dioxide.
Special fire fighting procedures:	Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.
Unusual fire or explosion hazards:	None
Hazardous combustion products:	Oxides of carbon. Oxides of sulfur. Oxides of nitrogen. Irritating organic vapors.
	6. ACCIDENTAL RELEASE MEASURES
Environmental precautions:	Prevent product from entering drains or open waters.
Clean-up methods:	Ensure adequate ventilation. Soak up with inert absorbent. Store in a partly filled, closed container until disposal.
	7. HANDLING AND STORAGE
Handling:	Avoid contact with eyes, skin and clothing. Avoid breathing vapor and mist. Wash thoroughly after handling.
Handling: Storage:	
·	handling. For safe storage, store at or below 38°C (100°F). Keep in a cool, well ventilated area away from heat,
Storage: Incompatible products:	handling. For safe storage, store at or below 38°C (100°F). Keep in a cool, well ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready for use.
Storage: Incompatible products: For information	handling. For safe storage, store at or below 38°C (100°F). Keep in a cool, well ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready for use. Refer to Section 10.
Storage: Incompatible products: For information	handling. For safe storage, store at or below 38°C (100°F). Keep in a cool, well ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready for use. Refer to Section 10. on on product shelf life contact Henkel Customer Service at (800) 243-4874.
Storage: Incompatible products: For information 8. E	handling. For safe storage, store at or below 38°C (100°F). Keep in a cool, well ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready for use. Refer to Section 10. on on product shelf life contact Henkel Customer Service at (800) 243-4874. XPOSURE CONTROLS / PERSONAL PROTECTION
Storage: Incompatible products: For information 8. E Engineering controls:	handling. For safe storage, store at or below 38°C (100°F). Keep in a cool, well ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready for use. Refer to Section 10. on on product shelf life contact Henkel Customer Service at (800) 243-4874. XPOSURE CONTROLS / PERSONAL PROTECTION Use local exhaust ventilation to maintain airborne concentrations below established exposure limits.

See Section 2 for exposure limits.

Item No. : 12224 / IDH No. 135239 Product name: 366 Light Cure Adhesive

9. PHYSICAL AND CHEMICAL PROPERTIES

Planta latat	
Physical state:	Liquid
Color:	Amber
Odor:	Sharp
Vapor pressure:	Less than 10 mm Hg at 27°C (80°F)
pH:	Not applicable
Boiling point/range:	Greater than 149°C (300°F)
Melting point/range:	Not available
Specific gravity:	1.11
Vapor density:	Not available
Evaporation rate:	Not available
Solubility in water:	Slight
Partition coefficient (n-octanol/water):	Not available
VOC content:	ASTM D5403 Process volatiles 1.23 %, 13.65 grams/liter; Potential volatiles 0.37 %, 4.07 grams/liter;
	Total volatiles 1.60 %, 17.6 grams/liter.

10. STABILITY AND REACTIVITY

Stability:	Stable.
Hazardous polymerization:	Will not occur.
Hazardous decomposition products:	Oxides of carbon. Oxides of sulfur. Oxides of nitrogen. Irritating organic vapors.
Incompatability:	Strong oxidizers. Reducing agents. Acids. Bases. Heavy metals. Free radical initiators.
Conditions to avoid:	See "Handling and Storage" (Section 7) and "Incompatabilty" (Section 10).
	11. TOXICOLOGICAL INFORMATION

11. TOXICOLOGICAL INFORMATION

Product toxicity data:

Acute LD50 (oral): 5000 (rat). (estimated). Acute dermal LD50 greater than 2000 mg/kg (rabbit) (estimated).

Carcinogen Status

Hazardous components	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen
Polyurethane methacrylate resin PROPRIETARY	No	No	No
Hydroxyalkyl methacrylate 868-77-9	No	No	No
High boiling methacrylate 7534-94-3	No	No	No
Acrylic acid 79-10-7	No	No	No
Photoinitiator 24650-42-8	No	No	No
1-Acetyl-2-phenylhydrazine 114-83-0	No	No	No
Ethylene glycol 107-21-1	No	No	No

Literature Referenced Target Organ & Other Health Effects

Hazardous components	Health Effects/Target Organs
Polyurethane methacrylate resin PROPRIETARY	Allergen, Irritant
Hydroxyalkyl methacrylate 868-77-9	Allergen, Irritant
High boiling methacrylate 7534-94-3	Allergen, Irritant
Acrylic acid 79-10-7	Allergen, Corrosive, Irritant, Kidney, Liver
Photoinitiator 24650-42-8	No Target Organs
1-Acetyl-2-phenylhydrazine 114-83-0	Allergen, Blood, Kidney, Mutagen, Some evidence of carcinogenicity
Ethylene glycol 107-21-1	Blood, Bone Marrow, Central nervous system, Developmental, Eyes, Irritant, Kidney, Liver, Metabolic

12. ECOLOGICAL INFORMATION

Ecological information:

Not available

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal:	Dispose of according to Federal, State and local governmental regulations.
EPA hazardous waste number:	Not a RCRA hazardous waste.

14. TRANSPORT INFORMATION

U.S. Department of Transportation Ground (49 CFR):Proper shipping name:UnrestrictedHazard class or division:NoneIdentification number:NonePacking group:None	
International Air Transportation (ICAO/	
Proper shipping name:	Unrestricted
Hazard class or division:	None
Identification number:	None
Packing group:	None
WaterTransportation (IMO/IMDG):	
Proper shipping name:	Unrestricted
Hazard class or division:	None
Identification number:	None
Packing group:	None
Marine pollutant:	None

United States Regulatory Information

TSCA 8 (b) Inventory Status: TSCA 12 (b) Export Notification:	All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory. 4-Methoxyphenol (150-76-5).
CERCLA/SARA Section 302 EHS: CERCLA/SARA Section 311/312: CERCLA/SARA 313:	None above reporting de minimus. Immediate Health Hazard, Delayed Health Hazard This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40 CFR 372). Acrylic acid (CAS# 79-10-7).
California Proposition 65:	This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.
Canada Regulatory Information	
CEPA DSL/NDSL Status:	One or more components are not listed on, and are not exempt from listing on either the Domestic Substances List or the Non-Domestic Substances List.
WHMIS hazard class:	D.2.A, D.2.B
	16. OTHER INFORMATION

This material safety data sheet contains changes from the previous version in sections: 1, 2

Prepared by:

Kyra Kozak Woods, Manager, Regulatory Affairs

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation does not assume responsibility for any results obtained by persons over whose methods Henkel Corporation has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of Henkel Corporation's products. In light of the foregoing, Henkel Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel Corporation's products. Henkel Corporation further disclaims any liability for consequential or incidental damages of any kind, including lost profits.