# **Material Safety Data Sheet**





**Revision Date:** 01/09/2008 **Issue date:** 03/14/2008

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product name: Nickel Grade Anti-Seize Item No.: 77175 / IDH No. 209768

Product type: Lubricant Region: United States

Company address:

Henkel Corporation One Henkel Way

Rocky Hill, Connecticut 06067

Contact Information: Telephone: (860) 571-5100

Emergency telephone: (860) 571-5100

Internet: www.henkelna.com

# 2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components Petroleum Distillates Proprietary	<u>%</u> 30-60	ACGIH TLV 5 mg/m³ TWA (mist) 10mg/m³ STEL (mist)	OSHA PEL 5 mg/m³ TWA (mist)	OTHER None
Nickel 7440-02-0	10-30	1.5 mg/m <sup>3</sup> TWA	1 mg/m³ TWA	None
Graphite 7782-42-5	10-30	2 mg/m <sup>3</sup> TWA all forms except graphite fibers	15 mg/m³ (total), 5 mg/m³ (respirable)	None
Sodium Sulfonate Proprietary	1-5	None	None	None
Aluminum 7429-90-5	1-5	10 mg/m³ TWA	15 mg/m³ TWA (total), 5 mg/m³( respirable)	None

## 3. HAZARDS IDENTIFICATION

**EMERGENCY OVERVIEW** 

HMIS:

Physical state:PasteHEALTH:1Color:GreyFLAMMABILITY:1Odor:PetroleumPHYSICAL HAZARD:0Personal Protection:See Section 8

**WARNING:** MAY CAUSE ALLERGIC SKIN REACTION.

MAY CAUSE EYE IRRITATION.

Relevant routes of exposure: Skin, Eyes

**Potential Health Effects** 

Inhalation: Vapors may cause headaches, nausea, dizziness and respiratory tract irritation.

Skin contact: May cause allergic skin reaction. Repeated or prolonged contact may lead to skin irritation, dermatitis

or oil acne.

**Eye contact: Ingestion:**Contact with eyes will cause irritation.
Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Existing conditions aggravated by

exposure:

Eye disorders. Skin disorders.

See Section 11 for additional toxicological information.

Item No.: 77175 / IDH No. 209768 Product name: Nickel Grade Anti-Seize

1 of 4

## 4. FIRST AID MEASURES

Inhalation: Remove to fresh air. If symptoms develop and persist, get medical attention.

Skin contact: Wash with soap and water. Get medical attention if symptoms develop and persist.

Eye contact: In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Ingestion: Do not induce vomiting. Aspiration may cause pulmonary edema and pneumonitis. Obtain medical

attention.

Notes to physician: Aspiration may cause pulmonary edema or aspiration pneumonia.

### 5. FIRE-FIGHTING MEASURES

**Flash point:** Greater than 93°C (200°F) Tagliabue closed cup

Autoignition temperature: Not available

Flammable/Explosive limits-lower %: Not available

Flammable/Explosive limits-upper %: Not available

**Extinguishing media:** Carbon dioxide (CO2). Dry chemical. Foam.

Special fire fighting procedures: None

Unusual fire or explosion hazards: None

Hazardous combustion products: Metal vapors Oxides of carbon. Oxides of aluminum. Oxides of nickel.

### **6. ACCIDENTAL RELEASE MEASURES**

**Environmental precautions:** Prevent further leakage or spillage. Contain spill.

Clean-up methods: Scrape up. Store in a closed container until ready for disposal.

#### 7. HANDLING AND STORAGE

**Handling:** Use only with adequate ventilation. Do not get on skin or clothing. Do not breathe mist or vapors. Wash

thoroughly after handling.

Storage: Keep container closed. Keep in a cool, well ventilated area. Store away from heat, sparks, flames, or

other sources of ignition.

**Incompatible products:** No special restrictions on storage with other products.

For information on product shelf life contact Henkel Customer Service at (800) 243-4874.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Engineering controls:** Use positive down-draft exhaust ventilation if general ventilation is insufficient to maintain vapor

concentration below established exposure limits.

Respiratory protection: Use a NIOSH approved air purifying respirator with an organic vapor cartridge if the potential to exceed

established exposure limits exists. Observe OSHA regulations for respiratory use (29 CFR 1910.134).

**Skin protection:** Neoprene or oil resistant gloves

**Eyelface protection:** Safety goggles or safety glasses with side shields.

See Section 2 for exposure limits.

Item No.: 77175 / IDH No. 209768 Product name: Nickel Grade Anti-Seize 2 of 4

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Paste
Color: Grey
Odor: Petroleum

**Vapor pressure:** Less than 5 mm Hg at 26.6°C (80°F)

pH: Not applicable
Boiling point/range: Not available
Melting point/range: Not available
Specific gravity: 1.1
Vapor density: Not available

Vapor density:

Evaporation rate:

Solubility in water:

Partition coefficient (n-octanol/water):

VOC content:

Not available
Negligible.
Not available
2.47%; 27 grams/liter

## 10. STABILITY AND REACTIVITY

Stability: Stable.

Hazardous polymerization: Will not occur.

Hazardous decomposition products: No data available

Incompatability: Strong oxidizing agents.

Conditions to avoid: No data available

## 11. TOXICOLOGICAL INFORMATION

### Carcinogen Status

Hazardous components	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen
Petroleum Distillates	No	No	No
Proprietary			
Nickel 7440-02-0	Known Carcinogen Suspect Carcinogen	Group 2B	Yes
Graphite 7782-42-5	No	No	No
Sodium Sulfonate Proprietary	No	No	No
Aluminum 7429-90-5	No	No	No

### Literature Referenced Target Organ & Other Health Effects

Hazardous components	Health Effects/Target Organs
Petroleum Distillates Proprietary	Irritant
Nickel 7440-02-0	Allergen, Human carcinogen, Irritant, Kidney, Mutagen, Reproductive, Respiratory
Graphite 7782-42-5	Lung
Sodium Sulfonate Proprietary	No Target Organs
Aluminum 7429-90-5	Central nervous system, Irritant, Lung

## 12. ECOLOGICAL INFORMATION

Ecological information: Not available

Item No.: 77175 / IDH No. 209768 Product name: Nickel Grade Anti-Seize

### 13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

**Recommended method of disposal:** Dispose of in accordance with Federal, State and local regulations.

**EPA hazardous waste number:** Not a RCRA hazardous waste.

#### 14. TRANSPORT INFORMATION

The shipping classifications in this section are for non-bulk packaging only (unless otherwise specified). Shipping classification may be different for bulk packaging.

#### U.S. Department of Transportation Ground (49 CFR):

Proper shipping name: Unrestricted
Hazard class or division: None
Identification number: None
Packing group: None

#### International Air Transportation (ICAO/IATA):

Proper shipping name: Unrestricted Hazard class or division: None Identification number: None Packing group: None

#### WaterTransportation (IMO/IMDG):

Proper shipping name: Unrestricted
Hazard class or division: None
Identification number: None
Packing group: None
Marine pollutant: None

### 15. REGULATORY INFORMATION

#### **United States Regulatory Information**

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.

TSCA 12 (b) Export Notification: None.

CERCLA/SARA Section 302 EHS: None.

CERCLA/SARA Section 311/312: Immediate Health Hazard, Delayed Health Hazard

CERCLA/SARA 313: This product contains the following toxic chemicals subject to the reporting requirements of section 313

of the Emergency Planning and Community Right-To-Know Act of 1986 (40 CFR 372). Nickel (CAS#

7440-02-0). Aluminum (CAS# 7429-90-5) (dust and fumes only).

California Proposition 65: This product contains a chemical known to the State of California to cause cancer.

#### **Canada Regulatory Information**

CEPA DSL/NDSL Status: All components are listed on or are exempt from listing on the Domestic Substances List.

WHMIS hazard class: D.2.A, D.2.B

### 16. OTHER INFORMATION

This material safety data sheet contains changes from the previous version in sections: 2,11

Prepared by: Regulatory Affairs

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation does not assume responsibility for any results obtained by persons over whose methods Henkel Corporation has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of Henkel Corporation's products. In light of the foregoing, Henkel Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel Corporation's products. Henkel Corporation further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

Item No.: 77175 / IDH No. 209768 Product name: Nickel Grade Anti-Seize