

Material Safety Data Sheet



kel) Technologies

Revision Date: 05/11/2007

Issue date: 05/11/2007

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

 Product name:
 CLV F REEL SHARP 100GT 25LB PA

 Product type:
 Sharpening compound

 Company address:
 Henkel Corporation

 1001 Trout Brook Crossing
 Rocky Hill, Connecticut 06067

Item No. : 39715 / IDH No. 233360 Region: United States Contact Information: Telephone: 860.571.5100 Emergency telephone: 860.571.5100 Internet: www.loctite.com

2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components Silicon carbide 409-21-2	<u>%</u> 30-60	 >5 μm, aspect ratio >=3:1 as determined by the membrane filter method a 400-450X magnification [4-mm objective], using phase-contrast illumination 10 mg/m³ TWA particulate matter containing no asbestos and <1% crystalline silica 3 mg/m³ TWA particulate matter containing no asbestos and <1% crystalline silica 	3	OTHER None
Triethanolamine 102-71-6	1-5	5 mg/m³ TWA	None	None
Crystalline silica 14464-46-1	0.1-1	0.025 mg/m ³ TWA	(1/2)(30 mg/m ³)/(%SiO2 + 2) mppcf TWA (Total Dust) (1/2)(250)/(%SiO2 + 5) mppcf TWA (respirable) (1/2)(10 mg/m ³)/(%SiO2 + 2) mppcf TWA (respirable)	None

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW HMIS:			
Physical state: Color: Odor:	Liquid/paste Grey Mild	HEALTH: FLAMMABILITY: PHYSICAL HAZARD: Personal Protection:	1 1 0 See Section 8
CAUTION: MAY CAUSE EYE AND SKIN IRRITATION.			
elevant routes of	exposure:	Skin, Eyes	
otential Health Eff	ects		
Inhalation: Skin contact Eye contact: Ingestion:	-	Inhalation of mist or spray may cause irritation of the respiratory tr May cause skin irritation with discomfort or rash. Contact with eyes will cause irritation. Not expected under normal conditions of use.	act and nasal passages.

Item No. : 39715 / IDH No. 233360

Product name: CLV F REEL SHARP 100GT 25LB PA

Existing conditions aggravated by exposure:

Eye, skin, and respiratory disorders.

See Section 11 for additional toxicological information.

4. FIRST AID MEASURES

Inhalation:	Remove to fresh air. If discomfort persists seek medical attention.
Skin contact:	Wash with soap and water. Get medical attention if symptoms occur.
Eye contact:	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Ingestion:	If conscious, drink plenty of water. Never give anything by mouth to an unconscious person. If vomiting occurs, prevent aspiration by keeping the patient's head below the knees. Get medical attention if symptoms develop and persist.

5. FIRE-FIGHTING MEASURES		
Flash point:	Greater than 93°C (200°F) Cleveland open cup	
Autoignition temperature:	Not available	
Flammable/Explosive limits-lower %:	Not available	
Flammable/Explosive limits-upper %:	Not available	
Extinguishing media:	Not applicable. Product is an aqueous dispersion	
Special fire fighting procedures:	None	
Unusual fire or explosion hazards:	None	
Hazardous combustion products:	Oxides of carbon.	
	6. ACCIDENTAL RELEASE MEASURES	
Environmental precautions:	Contain spill. Prevent product from entering drains or open waters. Do not allow material to contaminate ground water system.	
Clean-up methods:	Soak up with inert absorbent. Scrape up spilled material and place in a closed container for disposal.	
	7. HANDLING AND STORAGE	
Handling:	Avoid contact with eyes, skin and clothing. Avoid breathing vapor and mist. Wash thoroughly after handling.	
Storage:	Keep in a cool, well ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready for use.	
Incompatible products:	None reasonably foreseeable.	
For information on product shelf life contact Henkel Customer Service at (800) 243-4874.		
8. EXPOSURE CONTROLS / PERSONAL PROTECTION		
Engineering controls:	Local exhaust ventilation is recommended when general ventilation is not sufficient to control airborne contamination below occupational exposure limits.	
Respiratory protection:	Use NIOSH approved respirator if there is potential to exceed exposure limit(s). Observe OSHA regulations for respiratory use (29 CFR 1910.134).	
Skin protection:	Use impermeable gloves and protective clothing as necessary to prevent skin contact.	

Eye/face protection:	Safety glasses with side-shields. Goggles.

Item No. : 39715 / IDH No. 233360 Product name: CLV F REEL SHARP 100GT 25LB PA

See Section 2 for exposure limits.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	Liquid/paste
Color:	Grey
Odor:	Mild
Vapor pressure:	Not available
pH:	Not applicabl
Boiling point/range:	141-482°C (2
Melting point/range:	Not available
Specific gravity:	1.3089
Vapor density:	Heavier than
Evaporation rate:	Less than but
Solubility in water:	Not available
Partition coefficient (n-octanol/water):	Not available
VOC content:	Essentially Z

е ble (285-900°F) e n air utyl acetate. е е Zero

10. STABILITY AND REACTIVITY

Stability:	Stable.
Hazardous polymerization:	Will not occur.
Hazardous decomposition products:	Hydrocarbons.
Incompatability:	Strong oxidizing agents.
Conditions to avoid:	Elevated temperatures.

11. TOXICOLOGICAL INFORMATION

Carcinogen Status

Hazardous components	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen
Silicon carbide	No	No	No
409-21-2			
Triethanolamine	No	No	No
102-71-6			
Crystalline silica	Known Carcinogen	Group 1	Yes
14464-46-1	5	•	

Literature Referenced Target Organ & Other Health Effects

Hazardous components	Health Effects/Target Organs
Silicon carbide 409-21-2	Nuisance dust
Triethanolamine 102-71-6	Allergen, Irritant
Crystalline silica 14464-46-1	Lung, Human carcinogen, Immune system, Kidney

12. ECOLOGICAL INFORMATION

Ecological information:

Not available

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal: Dispose of in accordance with Federal, State and local regulations.

EPA hazardous waste number:

Not a RCRA hazardous waste.

14. TRANSPORT INFORMATION

The shipping classifications in this section are for non-bulk packaging only (unless otherwise specified). Shipping classification may be different for bulk packaging.

U.S. Department of Transportation Ground (49 CFR):		
Proper shipping name:	Not regulated	
Hazard class or division:	None	
Identification number:	None	
Packing group:	None	
International Air Transportation (ICAO/I	ATA):	
Proper shipping name:	Not regulated	
Hazard class or division:	None	
Identification number:	None	
Packing group:	None	
WaterTransportation (IMO/IMDG):		
Proper shipping name:	Not regulated	
Hazard class or division:	None	
Identification number:	None	
Packing group:	None	
Marine pollutant:	None	

15. REGULATORY INFORMATION

United States Regulatory Information

TSCA 8 (b) Inventory Status: TSCA 12 (b) Export Notification:	All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory. None.	
CERCLA/SARA Section 302 EHS: CERCLA/SARA Section 311/312: CERCLA/SARA 313:	None. Immediate Health Hazard, Delayed Health Hazard None above reporting de minimus.	
California Proposition 65:	This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.	
Canada Regulatory Information		
CEPA DSL/NDSL Status: WHMIS hazard class:	All components are listed on or are exempt from listing on the Domestic Substances List. D.2.A, D.2.B	
16. OTHER INFORMATION		

This material safety data sheet contains changes from the previous version in sections: 2, 15

Prepared by:

C.J. Michaels, Manager, Regulatory Affairs

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation does not assume responsibility for any results obtained by persons over whose methods Henkel Corporation has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of Henkel Corporation's products. In light of the foregoing, Henkel Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel Corporation's products. Henkel Corporation further disclaims any liability for consequential or incidental damages of any kind, including lost profits.