

Material Safety Data Sheet



kel) Technologies

Revision Date: 10/17/2007

Issue date: 10/17/2007

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

 Product name:
 HYSOL SPRAYPAC 0437 BRCKS 36LB

 Product type:
 Industrial Hot Melt Adhesive

 Company address:
 Henkel Corporation

 1001 Trout Brook Crossing
 Rocky Hill, Connecticut 06067

Item No. : 83352 / IDH No. 475551 Region: United States Contact Information: Telephone: 860.571.5100 Emergency telephone: 860.571.5100 Internet: www.loctite.com

2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Hazardous components</u> Polyolefin Copolymer Proprietary	<u>%</u> 60-100	ACGIH TLV None	OSHA PEL None	OTHER None
Petroleum Naphtha Proprietary	10-30	None	None	None
Polyethylene Proprietary	1-5	None	None	None

3. HAZARDS IDENTIFICATION

		F	MERGENCY OVERVIEW	
		<u> </u>	HMIS:	
Physical state: Color: Odor:	Solid Off-white Slight	e	HEALTH: FLAMMABILITY: PHYSICAL HAZARD: Personal Protection:	1 0 0 See Section 8
WARNING	\ 	VAPORS ABOVE MOL TRACT IRRITATION.	MAY CAUSE SEVERE BURNS. TEN ADHESIVE MAY CAUSE EYE, SKIN ENERATED BY EMPTYING PACKAGE IN E IGNITION	
levant routes of	exposure	e: Molten adhesi	ve, Skin, Eyes, Solid adhesive has no hazards	
tential Health Eff	ects			
tential Health Eff	ects		eathing of vapors above molten adhesive may irritate	e mucous membranes. Dusts from
	::	solid adhesive Molten adhesi Molten adhesi	e may cause irritation. we may cause severe burns. Solid adhesive has no we in eyes will cause severe and permanant damage	hazards
Inhalation: Skin contact	::	solid adhesive Molten adhesi Molten adhesi dusts are gene	e may cause irritation. we may cause severe burns. Solid adhesive has no we in eyes will cause severe and permanant damage	hazards
Inhalation: Skin contact Eye contact	:: :	solid adhesive Molten adhesi Molten adhesi dusts are gene Not expected t	e may cause irritation. We may cause severe burns. Solid adhesive has no We in eyes will cause severe and permanant damage erated.	hazards

Inhalation:Remove to fresh air. If discomfort persists seek medical attention.Skin contact:Thermal burn hazard from molten adhesive Cool melted product on skin with plenty of water. Do not
remove solidified product. Cover affected areas with clean sheeting or gauze and seek immedate
medical attention No attempt should be made to remove material from skin or to remove contaminated
clothing as damaged skin can be easily tornEye contact:If eye contact occurs with molten material immediately cool with water. Do not remove adhesive. Seek
medical attention.Ingestion:Ingestion of solid adhesive is not expected to be hazardous. Get medical attention if symptoms
develop and persist.

4. FIRST AID MEASURES

5. FIRE-FIGHTING MEASURES		
Flash point:	Greater than 232°C (450°F)	
Autoignition temperature:	Not applicable	
Flammable/Explosive limits-lower %:	Not applicable	
Flammable/Explosive limits-upper %:	Not applicable	
Extinguishing media:	Use extinguishing meaures appropriate to local circumstances and the surrounding environment. Water spray (fog), foam, dry chemical or carbon dioxide.	
Special fire fighting procedures:	None	
Unusual fire or explosion hazards:	None	
Hazardous combustion products:	Oxides of carbon. Acrid smoke and fumes.	
	6. ACCIDENTAL RELEASE MEASURES	
Environmental precautions:	No special environmental precautions required. Do not allow material to contaminate ground water system.	
Clean-up methods:	Health injuries are not known or expected under normal use Sweep up spilled material. Avoid creating dust.	
	7. HANDLING AND STORAGE	
Handling:	Avoid contact with molten material. Do not place wet or damp solid into melt tank. Follow suggested application temperature. Do not wear contact lenses.	
Storage:	Do not store above 38°C (100°F).	
Incompatible products:	No special restrictions on storage with other products.	
For informati	on on product shelf life contact Henkel Customer Service at (800) 243-4874.	
8. E	XPOSURE CONTROLS / PERSONAL PROTECTION	
Engineering controls:	Ventilation hoods and fans required when working with organic solvents or in hot melt applications. Heat only in areas with appropriate exhaust ventilation.	
Respiratory protection:	Respirator with combination filter for vapour/particulate. In case of insufficient ventilation wear suitable respiratory equipment.	
Skin protection:	Insulated gloves and long sleeved clothing are strongly recommended when working with molten adhesive.	
Eye/face protection:	Safety goggles or safety glasses with side shields. Full face protection should be used if the potential for splashing or spraying of product exists. Do not wear contact lenses when handling this product. Product name: HYSOL SPRAYPAC 0437 BRCKS 36I B	

Product name: HYSOL SPRAYPAC 0437 BRCKS 36LB

83352 / IDH No. 475551

Item No. :

See Section 2 for exposure limits.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Color: Odor: Vapor pressure: pH: Boiling point/range: Melting point/range: Specific gravity: Vapor density: Evapor density: Evaporation rate: Solubility in water: Partition coefficient (n-octanol/water): VOC content:	Solid Off-white Slight Not applicable Not available 110°C (229°F) 0.94 Not available Not applicable Insoluble. Not available Zero
---	--

10. STABILITY AND REACTIVITY

Stability:	Stable.
Hazardous polymerization:	Will not occur.
Hazardous decomposition products:	Carbon oxides. Acrid smoke and fumes.
Incompatability:	Avoid heating above 400 Degrees F
Conditions to avoid:	Prolonged heating at temperatures above 200 °C.

11. TOXICOLOGICAL INFORMATION

Product toxicity data:

Loctite is not aware of any toxicity data on the specific mixture of chemical components contained in this product.

Carcinogen Status

Hazardous components	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen
Polyolefin Copolymer Proprietary	No	No	No
Petroleum Naphtha Proprietary	No	No	No
Polyethylene Proprietary	No	No	No

Literature Referenced Target Organ & Other Health Effects

Hazardous components	Health Effects/Target Organs	
Polyolefin Copolymer Proprietary	No Records	
Petroleum Naphtha Proprietary	No Records	
Polyethylene Proprietary	No Target Organs	

12. ECOLOGICAL INFORMATION

No specific studies have been conducted by Henkel on the ecotoxicity or environmental fate of this material; however, commonly available data on the material indicate that uncontrolled releases to soil, groundwater, or surface waters could entail acute and/or chronic ecological effects, depending on the quantity and concentration of such releases. Releases of volatile components to the atmosphere are not believed to entail significant ecological consequences provided such releases are within the exposure levels set forth in this document. Accordingly, all appropriate measures should be taken to avoid uncontrolled releases to the environment, and any spills or other uncontrolled releases which may occur should be contained and cleaned up immediately in accordance with Section 6.

13. DISPOSAL CONSIDERATIONS

	Information provided is for unused product only.		
Recommended method of disposal:	Dispose of in accordance with Federal, State and local regulations.		
EPA hazardous waste number:	Not a RCRA hazardous waste.		

14. TRANSPORT INFORMATION

U.S. Department of Transportation Cra	
U.S. Department of Transportation Gro Proper shipping name:	Not regulated
Hazard class or division:	None
Identification number:	None
Packing group:	None
racking group.	None
International Air Transportation (ICAO	/IATA):
Proper shipping name:	Not regulated
Hazard class or division:	None
Identification number:	None
Packing group:	None
WaterTransportation (IMO/IMDG):	
Proper shipping name:	Not regulated
Hazard class or division:	None
Identification number:	None
Packing group:	None
Exceptions:	None
Marine pollutant:	None known
	15. REGULATORY INFORMATION
United States Regulatory Information	
United States Regulatory mormation	
TSCA 8 (b) Inventory Status:	All components are listed or are exempt from listing o
TSCA 12 (b) Export Notification:	None.
CERCLA/SARA Section 302 EHS:	None above reporting de minimus.
CERCLA/SARA Section 302 En3. CERCLA/SARA Section 311/312:	Immediate Health Hazard
CERCLA/SARA Section 311/312. CERCLA/SARA 313:	
CLINCLA/JANA JIJ.	None above reporting de minimus.

California Proposition 65:

Canada Regulatory Information

CEPA DSL/NDSL Status: WHMIS hazard class:

listing on the Toxic Substances Control Act Inventory.

None above reporting de minimus.	
Immediate Health Hazard	
None above reporting de minimus.	

No California Proposition 65 listed chemicals are known to be present.

All components are listed on or are exempt from listing on the Domestic Substances List. D.2.B

16. OTHER INFORMATION

This material safety data sheet contains changes from the previous version in sections: 2,3,8,15

Prepared by:

Lou Fabrizio, Senior Health & Regulatory Affairs Specialist

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation does not assume responsibility for any results obtained by persons over whose methods Henkel Corporation has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of Henkel Corporation's products. In light of the foregoing, Henkel Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel Corporation's products. Henkel Corporation further disclaims any liability for consequential or incidental damages of any kind, including lost profits.