

Material Safety Data Sheet



Revision Date: 07/13/2007

Issue date: 07/13/2007

SPEEDBONDER H3000 400 ML PART A Product name: Product type: Acrylics Company address: Henkel Corporation 1001 Trout Brook Crossing Rocky Hill, Connecticut 06067

1.

83000_AA0300 / IDH No. 702093 Item No. : Region: **United States** Contact Information: Telephone: 860.571.5100 Emergency telephone: 860.571.5100 Internet: www.loctite.com

2. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

| Hazardous components Methyl methacrylate 80-62-6 | <u>%</u> 30-60 | ACGIH TLV 50 ppm TWA 100 ppm STEL | OSHA PEL 100 ppm TWA 410 mg/m³ TWA | OTHER 50 ppm |
|--|-------------------|---|--|-----------------|
| Polyethylene based rubber Proprietary | 10-30 | None | None | None |
| Nepheline syenite 37244-96-5 | 5-10 | None | None | None |
| Methacrylic acid 79-41-4 | 1-5 | 20 ppm TWA | None | None |
| 2,6-Di-t-butyl-p-cresol 128-37-0 | 1-5 | 2 mg/m ³ TWA | None | None |
| Talc 14807-96-6 | 0.1-1 | 2 mg/m ³ TWA particulate matter containing no asbestos and <1% crystalline silica | = 20 mppcf TWA | 50 ppm |

3. HAZARDS IDENTIFICATION

| EMERGENCY OVERVIEW HMIS: | | | | |
|-----------------------------|----------|--------------------|---------------------------------|---------------|
| Physical state: | Liquid | | HEALTH: | 2* |
| Color: | White O | Dpaque | FLAMMABILITY: | 3 |
| Odor: | Sharp | | PHYSICAL HAZARD: | 1 |
| | | | Personal Protection: | See Section 8 |
| WARNING | ; | FLAMMABLE LIQUID A | AND VAPOR. | |
| | (| CAUSES EYE. SKIN A | ND RESPIRATORY TRACT IRRITATION | |
| | | HARMFUL IF SWALLC | | |
| | I | MAY CAUSE ALLERG | IC SKIN REACTION. | |

Relevant routes of exposure:

Potential Health Effects

Skin, Inhalation, Eyes, Ingestion

| Inhalation: | Vapors may cause headaches, nausea, dizziness and respiratory tract irritation. |
|---|---|
| Skin contact: | Irritating to skin. May cause allergic skin reaction. |
| Eye contact: | Vapors may irritate eyes. Contact with eyes will cause irritation. |
| Ingestion: | May be harmful if swallowed. Ingestion causes irritation and effects similar to inhalation. |
| Existing conditions aggravated by exposure: | Eye, skin, and respiratory disorders. |

See Section 11 for additional toxicological information.

4. FIRST AID MEASURES

| Inhalation: | Remove to fresh air. If symptoms develop and persist, get medical attention. |
|---------------|--|
| Skin contact: | Wash with soap and water. Remove contaminated clothing and shoes. Wash clothing before reuse. Get medical attention if symptoms occur. |
| Eye contact: | Flush with copious amounts of water, preferably, lukewarm water for at least 15 minutes, holding eyelids open all the time. Get medical attention. |
| Ingestion: | Do not induce vomiting. Keep individual calm. Obtain medical attention. |

5. FIRE-FIGHTING MEASURES

| Flash point: | 14°C (58°F) Setaflash Closed cup |
|---|---|
| | |
| Autoignition temperature: | Not available |
| Flammable/Explosive limits-lower %: | Not available |
| Flammable/Explosive limits-upper %: | Not available |
| Extinguishing media: | Foam, dry chemical or carbon dioxide. |
| Special fire fighting procedures: | Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear. |
| Unusual fire or explosion hazards: | Vapors may accumulate in low or confined areas, travel considerable distance to source of ignition, and flash back. |
| Hazardous combustion products: | Oxides of carbon. Oxides of nitrogen. Hydrogen cyanide. Aldehydes. Toxic fumes. Acrid smoke and fumes. Irritating organic vapors. |
| | 6. ACCIDENTAL RELEASE MEASURES |
| Environmental precautions: | Prevent product from entering drains or open waters. |
| Clean-up methods: | Remove all ignition sources. Ensure adequate ventilation. Soak up with inert absorbent. Store in a |
| | closed container until ready for disposal. |
| | closed container until ready for disposal. 7. HANDLING AND STORAGE |
| Handling: | |
| Handling: Storage: | 7. HANDLING AND STORAGE Avoid contact with eyes, skin and clothing. Avoid breathing vapor and mist. Wash thoroughly after handling. During use and until all vapors are gone: Keep area ventilated - do not smoke; extinguish all flames, pilot lights, and heaters; turn off stoves, electrical tools and appliances, and any other sources |
| - | 7. HANDLING AND STORAGE Avoid contact with eyes, skin and clothing. Avoid breathing vapor and mist. Wash thoroughly after handling. During use and until all vapors are gone: Keep area ventilated - do not smoke; extinguish all flames, pilot lights, and heaters; turn off stoves, electrical tools and appliances, and any other sources of ignition. Make sure containers are properly grounded before use or transfer of material. Keep in a cool, well ventilated area away from heat, sparks and open flame. Keep container tightly |
| Storage: Incompatible products: | 7. HANDLING AND STORAGE Avoid contact with eyes, skin and clothing. Avoid breathing vapor and mist. Wash thoroughly after handling. During use and until all vapors are gone: Keep area ventilated - do not smoke; extinguish all flames, pilot lights, and heaters; turn off stoves, electrical tools and appliances, and any other sources of ignition. Make sure containers are properly grounded before use or transfer of material. Keep in a cool, well ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready for use. For safe storage, store at or below 32°C (90°F). |
| Storage: Incompatible products: For informati | 7. HANDLING AND STORAGE Avoid contact with eyes, skin and clothing. Avoid breathing vapor and mist. Wash thoroughly after handling. During use and until all vapors are gone: Keep area ventilated - do not smoke; extinguish all flames, pilot lights, and heaters; turn off stoves, electrical tools and appliances, and any other sources of ignition. Make sure containers are properly grounded before use or transfer of material. Keep in a cool, well ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready for use. For safe storage, store at or below 32°C (90°F). Refer to Section 10. |
| Storage: Incompatible products: For informati | 7. HANDLING AND STORAGE Avoid contact with eyes, skin and clothing. Avoid breathing vapor and mist. Wash thoroughly after handling. During use and until all vapors are gone: Keep area ventilated - do not smoke; extinguish all flames, pilot lights, and heaters; turn off stoves, electrical tools and appliances, and any other sources of ignition. Make sure containers are properly grounded before use or transfer of material. Keep in a cool, well ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready for use. For safe storage, store at or below 32°C (90°F). Refer to Section 10. on on product shelf life contact Henkel Customer Service at (800) 243-4874. |
| Storage: Incompatible products: For informati | 7. HANDLING AND STORAGE Avoid contact with eyes, skin and clothing. Avoid breathing vapor and mist. Wash thoroughly after handling. During use and until all vapors are gone: Keep area ventilated - do not smoke; extinguish all flames, pilot lights, and heaters; turn off stoves, electrical tools and appliances, and any other sources of ignition. Make sure containers are properly grounded before use or transfer of material. Keep in a cool, well ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready for use. For safe storage, store at or below 32°C (90°F). Refer to Section 10. on on product shelf life contact Henkel Customer Service at (800) 243-4874. EXPOSURE CONTROLS / PERSONAL PROTECTION |
| Storage: Incompatible products: For information 8. Engineering controls: | Avoid contact with eyes, skin and clothing. Avoid breathing vapor and mist. Wash thoroughly after handling. During use and until all vapors are gone: Keep area ventilated - do not smoke; extinguish all flames, pilot lights, and heaters; turn off stoves, electrical tools and appliances, and any other sources of ignition. Make sure containers are properly grounded before use or transfer of material. Keep in a cool, well ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready for use. For safe storage, store at or below 32°C (90°F). Refer to Section 10. on on product shelf life contact Henkel Customer Service at (800) 243-4874. EXPOSURE CONTROLS / PERSONAL PROTECTION Use local exhaust ventilation to maintain airborne concentrations below established exposure limits. |

See Section 2 for exposure limits.

9. PHYSICAL AND CHEMICAL PROPERTIES

| Physical state: | Liquid |
|--|--|
| Color: | White Opaque |
| Odor: | Sharp |
| Vapor pressure: | 28 mmHg @20°C (68° F) |
| pH: | Not applicable |
| Boiling point/range: | Greater than 100°C (212°F) |
| Melting point/range: | Not available |
| Specific gravity: | 1.06 |
| Vapor density: | Greater than 1 |
| Evaporation rate: | Faster than ether |
| Solubility in water: | Slight |
| Partition coefficient (n-octanol/water): | Not available |
| VOC content: | 9.01%; 95.5 grams/liter (Adhesive and Activator mixed) |

10. STABILITY AND REACTIVITY

| Stability: | Stable. |
|-----------------------------------|--|
| Hazardous polymerization: | May occur. |
| Hazardous decomposition products: | Oxides of carbon. Oxides of nitrogen. Hydrogen cyanide. Aldehydes. Alcohols. Carbon tetrachloride. Styrene. Acrolein. Acetophenone. Ethylbenzene. Cumene. 4-Vinyl cyclohexene. Phenols. Irritating organic vapors. Toxic fumes. Smoke. |
| Incompatability: | Oxidizing agents. Reducing agents. Acids. Bases. |
| Conditions to avoid: | See "Handling and Storage" (Section 7) and "Incompatabilty" (Section 10). Do not mix in batches greater than 100 grams (0.220 pounds) unless you plan to use immediately. |

11. TOXICOLOGICAL INFORMATION

Carcinogen Status

| Hazardous components | NTP Carcinogen | IARC Carcinogen | OSHA Carcinogen |
|--|----------------|-----------------|-----------------|
| Methyl methacrylate 80-62-6 | No | No | No |
| Polyethylene based rubber Proprietary | No | No | No |
| Nepheline syenite 37244-96-5 | No | No | No |
| Methacrylic acid 79-41-4 | No | No | No |
| 2,6-Di-t-butyl-p-cresol 128-37-0 | No | No | No |
| Talc 14807-96-6 | No | No | No |

Literature Referenced Target Organ & Other Health Effects

| Hazardous components | Health Effects/Target Organs |
|--|---|
| Methyl methacrylate 80-62-6 | Allergen, Irritant, Kidney, Liver, Nervous System, Respiratory, Mutagen |
| Polyethylene based rubber Proprietary | No Target Organs |
| Nepheline syenite 37244-96-5 | No Target Organs |
| Methacrylic acid 79-41-4 | Allergen, Corrosive, Irritant |
| 2,6-Di-t-butyl-p-cresol 128-37-0 | Mutagen, Irritant |
| Talc 14807-96-6 | Some evidence of carcinogenicity, Lung, Irritant |

12. ECOLOGICAL INFORMATION

| Ecological information: | Not available | | |
|--|--|--|--|
| | 13. DISPOSAL CONSIDERATIONS Information provided is for unused product only. | | |
| | | | |
| Recommended method of disposal: | Dispose of according to Federal, State and local governmental regulations. | | |
| EPA hazardous waste number: | D001: Ignitable. D019: Carbon tetrachloride. | | |
| | 14. TRANSPORT INFORMATION | | |
| U.S. Department of Transportation Gro Proper shipping name: Hazard class or division: Identification number: Packing group: Exceptions: | ound (49 CFR): Adhesives 3 UN 1133 II Consumer Commodity ORM-D (Not more than 5 L) | | |
| Marine pollutant: | None | | |
| International Air Transportation (ICAO Proper shipping name: Hazard class or division: Identification number: Packing group: <i>Exceptions:</i> | <u>VIATA):</u> Adhesives 3 UN 1133 II May Qualify as Consumer Commodity ID8000 (Not more than 500 ml) | | |
| WaterTransportation (IMO/IMDG): Proper shipping name: Hazard class or division: Identification number: Packing group: Marine pollutant: | Adhesives 3 UN1133 II None | | |
| | 15. REGULATORY INFORMATION | | |
| United States Regulatory Information | | | |
| TSCA 8 (b) Inventory Status: TSCA 12 (b) Export Notification: | All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory. None. | | |
| CERCLA/SARA Section 302 EHS: CERCLA/SARA Section 311/312: CERCLA/SARA 313: | None above reporting de minimus. Immediate Health Hazard, Delayed Health Hazard, Fire This product contains the following toxic chemicals subject to the reporting requirements of section 3 of the Emergency Planning and Community Right-To-Know Act of 1986 (40 CFR 372). Methyl Methacrylate (CAS# 80-62-6). | | |
| California Proposition 65: | This product contains a chemical known to the State of California to cause cancer. | | |
| Canada Regulatory Information | | | |
| CEPA DSL/NDSL Status: WHMIS hazard class: | All components are listed on or are exempt from listing on the Domestic Substances List. B.2, D.2.B | | |

313

16. OTHER INFORMATION

This material safety data sheet contains changes from the previous version in sections: 2, 15

Prepared by:

Kyra Kozak Woods, Manager, Regulatory Affairs

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation does not assume responsibility for any results obtained by persons over whose methods Henkel Corporation has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of Henkel Corporation's products. In light of the foregoing, Henkel Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel Corporation's products. Henkel Corporation further disclaims any liability for consequential or incidental damages of any kind, including lost profits.