

# **Material Safety Data Sheet**



**Revision Date:** 04/04/2007 **Issue date:** 04/04/2007

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product name: 4 MINUTE GEL EPOXY HARDENER Item No.: 97434\_00238000 / IDH No. 720362

Product type: Epoxy Hardener Region: United States

Company address:Contact Information:Henkel CorporationTelephone: 860.571.51001001 Trout Brook CrossingEmergency telephone: 860.571.5100

Rocky Hill, Connecticut 06067 Internet: www.loctite.com

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components%ACGIH TLVOSHA PELOTHERPolymercaptan hardener60-100NoneNoneNone

Proprietary

Phenol, 2,4,6- 5-10 None None None

tris[(dimethylamino)methyl]

90-72-2

Treated fumed silica 1-5 10mg/m³ Inhalable 5mg/m³ Respirable dust, None

67762-90-7 fraction, 3mg/m³ 15mg/m³ Total dust

Respirable fraction, TWA

### 3. HAZARDS IDENTIFICATION

## **EMERGENCY OVERVIEW**

HMIS:

Physical state:LiquidHEALTH:3\*Color:AmberFLAMMABILITY:1Odor:MercaptanPHYSICAL HAZARD:0

Personal Protection: See Section 8

**DANGER:** CAUSES EYE BURNS.

HARMFUL IF ABSORBED THROUGH SKIN.

CAUSES SKIN IRRITATION.

MAY CAUSE ALLERGIC SKIN REACTION. CAUSES RESPIRATORY TRACT IRRITATION.

MAY BE HARMFUL IF SWALLOWED.

Relevant routes of exposure: Eye contact, Ingestion, Inhalation, Skin contact

**Potential Health Effects** 

Inhalation: May cause respiratory tract irritation. May cause irritation to nose and throat.

Skin contact: Severe skin irritation. Harmful if absorbed through skin. Allergic skin reaction. Rash. Itching. Redness.

Eye contact: Burns. Severe eye irritation. Redness. Tissue damage.

Ingestion: May be harmful if swallowed. May cause burns of mouth and throat if swallowed.

Existing conditions aggravated by

exposure:

Skin disorders. Skin allergies. Respiratory disorders. Eye disorders.

See Section 11 for additional toxicological information.

### 4. FIRST AID MEASURES

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get

medical attention.

Skin contact: Immediately flush skin with plenty of water (using soap, if available). Remove contaminated clothing

and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention if

symptoms occur.

**Eye contact:** Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.

Ingestion: DO NOT induce vomiting unless directed to do so by medical personnel. Keep individual calm. Get

medical attention immediately.

Notes to physician: None.

### 5. FIRE-FIGHTING MEASURES

Flash point: 121°C (250°F) Tagliabue closed cup

Autoignition temperature: Not available

Flammable/Explosive limits-lower %: Not available

Flammable/Explosive limits-upper %: Not available

**Extinguishing media:** Water spray (fog), foam, dry chemical or carbon dioxide.

Special fire fighting procedures: Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.

**Unusual fire or explosion hazards:** In the event of fire, cool tanks with water spray.

Hazardous combustion products: Oxides of carbon. Oxides of nitrogen. Irritating organic fragments.

### 6. ACCIDENTAL RELEASE MEASURES

**Environmental precautions:** Prevent product from entering drains or open waters.

Clean-up methods: Remove all ignition sources. Immediately contact emergency personnel. Scrape up as much material

as possible. Clean residue with soap and water. Store in a closed container until ready for disposal.

## 7. HANDLING AND STORAGE

Handling: Keep away from heat, spark and flame. Do not breathe mist or vapors. Keep container closed. Avoid

contact with eyes, skin and clothing. Wash thoroughly after handling.

Storage: Store in original container until ready to use. Keep in a cool, well ventilated area away from heat,

sparks and open flame. Keep container tightly closed until ready for use.

Incompatible products: Refer to Section 10.

For information on product shelf life contact Henkel Customer Service at (800) 243-4874.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering controls: Use local exhaust ventilation to maintain airborne concentrations below established exposure limits.

Respiratory protection: Use a NIOSH approved air-purifying respirator if the potential to exceed established exposure limits

exists.

Skin protection: Chemical resistant, impermeable gloves. Use chemical resistant, impermeable clothing including

gloves and either an apron or body suit to prevent skin contact. Butyl rubber gloves. Neoprene gloves.

Nitrile gloves

**Eye/face protection:** Chemical splash goggles or safety glasses with side shields.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid Color: Amber Odor: Mercaptan Vapor pressure: Not available pH: Not applicable Boiling point/range: 198°C (388°F) Melting point/range: Not available Specific gravity: 1.1822

Vapor density: Heavier than air

**Evaporation rate:** Slower than butyl acetate

Solubility in water:
Partition coefficient (n-octanol/water):
VOC content:
Slightly soluble
Not available
0.3%; 3 grams/liter

## 10. STABILITY AND REACTIVITY

Stability: Stable

Hazardous polymerization: Will not occur.

Hazardous decomposition products: None

Incompatability: Strong acids. Strong oxidizers. Chlorinated rubber. Reaction with epoxy resins and/or

isocyanates in large amounts or under uncontrolled conditions releases considerable heat and may

release acrid fumes.

**Conditions to avoid:** Excessive heat. Storage with incompatible materials.

## 11. TOXICOLOGICAL INFORMATION

### Carcinogen Status

Hazardous components	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen
Polymercaptan hardener Proprietary	No	No	No
Phenol, 2,4,6- tris[(dimethylamino)methyl] 90-72-2	No	No	No
Treated fumed silica 67762-90-7	No	No	No

### **Literature Referenced Target Organ & Other Health Effects**

Hazardous components	Health Effects/Target Organs
Polymercaptan hardener Proprietary	No data
Phenol, 2,4,6- tris[(dimethylamino)methyl] 90-72-2	Allergen, Irritant
Treated fumed silica 67762-90-7	Irritant

## 12. ECOLOGICAL INFORMATION

Ecological information: Not available

### 13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

**Recommended method of disposal:** Dispose according to EPA and local governmental regulations.

**EPA hazardous waste number:** Not a RCRA hazardous waste.

#### 14. TRANSPORT INFORMATION

The shipping classifications in this section are for non-bulk packaging only (unless otherwise specified). Shipping classification may be different for bulk packaging.

#### U.S. Department of Transportation Ground (49 CFR):

Proper shipping name:
Hazard class or division:
Identification number:
Packing group:
Not regulated
None
None

#### International Air Transportation (ICAO/IATA):

Proper shipping name: Not regulated Hazard class or division: None Identification number: None Packing group: None

#### WaterTransportation (IMO/IMDG):

Proper shipping name:
Hazard class or division:
Identification number:
Packing group:
Marine pollutant:
Not regulated
None
None
None
None
None

### 15. REGULATORY INFORMATION

#### **United States Regulatory Information**

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.

TSCA 12 (b) Export Notification: None.

CERCLA/SARA Section 302 EHS:
CERCLA/SARA Section 311/312:
CERCLA/SARA 313:

None above reporting de minimus.
None above reporting de minimus.

California Proposition 65: This product contains a chemical known to the State of California to cause cancer.

#### **Canada Regulatory Information**

CEPA DSL/NDSL Status: All components are listed on or are exempt from listing on the Domestic Substances List.

WHMIS hazard class: E, D.2.A, D.2.B

### **16. OTHER INFORMATION**

This material safety data sheet contains changes from the previous version in sections: 11, 15

Prepared by: Gary Pierson, Sr. Product Safety and Regulatory Affairs Specialist

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation does not assume responsibility for any results obtained by persons over whose methods Henkel Corporation has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of Henkel Corporation's products. In light of the foregoing, Henkel Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel Corporation's products. Henkel Corporation further disclaims any liability for consequential or incidental damages of any kind, including lost profits.