# **Material Safety Data Sheet**



Revision Number: 004.2



	1. P	RODUCT AND C	OMPANY IDENTI	FICATION
Product name:	Quickstix(TM) 2 High Strength	268(TM) Threadlocker	IDH number:	826036
Product type:	Anaerobic Seala	int	Item number:	37685PR
			Region:	United States
Company address			Contact information	
Henkel Corporation			Telephone: 860.571.5	
One Henkel Way			Emergency telephone	
Rocky Hill, Connect	ICUT 06067		Internet: www.henkel	na.com
		2. HAZARDS	<b>IDENTIFICATIO</b>	Ν
		EMERGENCY		
		EWERGENCT	HMIS:	
Physical state:	Paste		HEALTH:	2
Color:	Red		FLAMMABILI	
Odor:	Mild		PHYSICAL H	AZARD: 1
			Personal Prot	tection: See MSDS Section 8
WARNI	NG: MA	Y CAUSE EYE, SK	IN AND RESPIRAT	ORY TRACT IRRITATION.
	MA	Y CAUSE ALLERG	IC SKIN REACTIO	Ν.
Relevant routes of	exposure:	Skin, Lungs, Eyes		
Potential Health Ef	fects			
Inhalat	tion:	May cause respiratory	tract irritation.	
Skin co	ontact:	May cause allergic skin reaction. May cause skin irritation.		
Eye co	ontact:	May cause irritation.		
Ingesti	ion:	Not expected to be har	mful by ingestion.	
Existing conditions exposure:	s aggravated by	Eye, skin, and respirate	ory disorders.	
		This material is conside 1910.1200).	ered hazardous by the C	SHA Hazard Communication Standard (29 CFR

See Section 11 for additional toxicological information.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous components	CAS NUMBER	%	
Polyglycol dimethacrylate	25852-47-5	30 - 60	
2-Propenoic acid, 2-methyl-, (1-methylethylidene)	24448-20-2	10 - 30	
Polyurethane methacrylate resin	Proprietary	10 - 30	
Thixotropic agent	Proprietary	10 - 30	
Silica, amorphous, fumed, crystal-free	112945-52-5	1 - 5	
Saccharin	81-07-2	1 - 5	

## 4. FIRST AID MEASURES

Inhalation:

Move to fresh air. If symptoms develop and persist, get medical attention.

Skin contact:	Remove contaminated clothing and footwear. Wash clothing before reuse. Wash with soap and water. If symptoms develop and persist, get medical attention.
Eye contact:	Flush with copious amounts of water, preferably, lukewarm water for at least 15 minutes, holding eyelids open all the time. Get medical attention.
Ingestion:	Do not induce vomiting. Keep individual calm. Get medical attention.

#### 5. FIRE FIGHTING MEASURES

Flash point:	Product is a solid. Burn Rate: Greater than 7 cms (2.8 inches)	
Autoignition temperature:	Not available	
Flammable/Explosive limits - lower:	Not available	
Flammable/Explosive limits - upper:	Not available	
Extinguishing media:	Foam, dry chemical or carbon dioxide.	
Special firefighting procedures:	Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.	
Unusual fire or explosion hazards:	None	
Hazardous combustion products:	Oxides of sulfur. Oxides of nitrogen. Oxides of carbon. Irritating organic vapours.	

#### 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the nazard area and deny entry to unnecessary and unprotected personnel.	
Environmental precautions:	Do not allow product to enter sewer or waterways.
Clean-up methods:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Store in a partly filled, closed container until disposal.
7. HANDLING AND STORAGE	

Handling:

1100

Storage:

Use only with adequate ventilation. Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling. For safe storage, store at or below 38 °C (100.4 °F) Keep in a cool, well ventilated area away from heat, sparks and open flame.

nd unprotoo

For information on product shelf life contact Henkel Customer Service at (800) 243-4874.

Keep container tightly closed until ready for use.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous components	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Polyglycol dimethacrylate	None	None	None	None
2-Propenoic acid, 2-methyl-, (1-methylethylidene)	None	None	None	None
Polyurethane methacrylate resin	None	None	None	None
Thixotropic agent	None	None	None	None
Silica, amorphous, fumed, crystal-free	10 mg/m3 TWA Inhalable dust. 3 mg/m3 TWA Respirable fraction.	20 MPPCF TWA 0.8 mg/m3 TWA	None	None
Saccharin	None	None	None	None

Engineering controls:

No specific ventilation requirements noted, but forced ventilation may still be required if concentrations exceed occupational exposure limits.

**Respiratory protection:** 

required if concentrations exceed occupational exposure limits. Use NIOSH approved respirator if there is potential to exceed exposure

Eye/face protection:

Skin protection:

limit(s).

Safety goggles or safety glasses with side shields.

Natural rubber gloves. Butyl rubber gloves. Neoprene gloves. Use impermeable gloves and protective clothing as necessary to prevent skin contact.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Color: Odor: Odor threshold: pH: Vapor pressure: Boiling point/range: Melting point/ range: Specific gravity: Vapor density: Flash point: Flammable/Explosive limits - lower: Flammable/Explosive limits - upper: Autoignition temperature: Evaporation rate: Solubility in water: Partition coefficient (n-octanol/water): VOC content:

Paste Red Mild Not available Not applicable < 5 mm hg (80 °F (26.7 °C)) > 300 °F (> 148.9 °C) none Not available 1.0687 Not available Product is a solid. Burn Rate: Greater than 7 cms (2.8 inches) Not available Not available Not available Not available Slight Not available 7.8 %; 83.4 g/l EPA Method 24

#### **10. STABILITY AND REACTIVITY**

Stability:	Stable	
Hazardous reactions:	Will not occur.	
Hazardous decomposition products:	Irritating organic vapours. Oxides of sulfur. Oxides of carbon. Oxides of nitrogen.	
Incompatible materials:	Strong oxidizing agents.	
Conditions to avoid:	See "Handling and Storage" (Section 7) and "Incompatibility" (Section 10).	
11. TOXICOLOGICAL INFORMATION		

Acute oral product toxicity:	LD50 (rat) > 10,000 mg/kg (Estimated)
Acute dermal product toxicity:	LD50 (rabbit) > 5,000 mg/kg

IDH number: 826036

Product name: Quickstix(TM) 268(TM) Threadlocker High Strength Page 3 of 5

Hazardous components	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Polyglycol dimethacrylate	No	No	No
2-Propenoic acid, 2-methyl-, (1- methylethylidene)	No	No	No
Polyurethane methacrylate resin	No	No	No
Thixotropic agent	No	No	No
Silica, amorphous, fumed, crystal-free	No	No	No
Saccharin	No	No	No

Hazardous components	Health Effects/Target Organs	
Polyglycol dimethacrylate	Irritant, Allergen	
2-Propenoic acid, 2-methyl-, (1-methylethylidene)	Irritant, Allergen	
Polyurethane methacrylate resin	Irritant, Allergen	
Thixotropic agent	No Data	
Silica, amorphous, fumed, crystal-free	Nuisance dust	
Saccharin	No Target Organs	

### **12. ECOLOGICAL INFORMATION**

**Ecological information:** 

Not available

### **13. DISPOSAL CONSIDERATIONS**

Information provided is for unused product only.

Recommended method of disposal:

Follow all local, state, federal and provincial regulations for disposal.

Hazardous waste number:

Not a RCRA hazardous waste.

### **14. TRANSPORT INFORMATION**

The shipping classifications in this sections are for non-bulk packaging only (unless otherwise specified). Shipping classification may be different for bulk packaging.

U.S. Department of Transportation Ground ( Proper shipping name: Hazard class or division: Identification number: Packing group:	49 CFR) Not regulated None None None
International Air Transportation (ICAO/IATA Proper shipping name: Hazard class or division: Identification number: Packing group:	
<u>Water Transportation (IMO/IMDG)</u> Proper shipping name: Hazard class or division: Identification number: Packing group:	Not regulated None None None

### **15. REGULATORY INFORMATION**

#### **United States Regulatory Information**

TSCA 8 (b) Inventory Status:

TSCA 12(b) Export Notification:

All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory. None above reporting de minimus

Product name: Quickstix(TM) 268(TM) Threadlocker High Strength Page 4 of 5

CERCLA/SARA Section 302 EHS: CERCLA/SARA Section 311/312: CERCLA/SARA 313:	None above reporting de minimus Immediate Health, Delayed Health None above reporting de minimus
California Proposition 65:	This product contains a chemical known in the State of California to cause cancer. This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.
Canada Regulatory Information	
CEPA DSL/NDSL Status:	All components are listed on or are exempt from listing on the Canadian Domestic Substances List
WHMIS hazard class:	D.2.B

## **16. OTHER INFORMATION**

This material safety data sheet contains changes from the previous version in sections: New Material Safety Data Sheet format.

Prepared by: Kyra Kozak Woods, Manager, Regulatory Affairs

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation does not assume responsibility for any results obtained by persons over whose methods Henkel Corporation has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of Henkel Corporation's products. In light of the foregoing, Henkel Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel Corporation's products. Henkel Corporation further disclaims any liability for consequential or incidental damages of any kind, including lost profits.