

Revision Date: 08/22/2007

Issue date: 08/22/2007

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product name: FIXMASTER ANC BLT GRT HP 4.5OZB
Product type: Epoxy Hardener
Company address:
 Henkel Corporation
 1001 Trout Brook Crossing
 Rocky Hill, Connecticut 06067

Item No. : 1108393_210477 / IDH No. 1108393
Region: United States
Contact Information:
 Telephone: 860.571.5100
 Emergency telephone: 860.571.5100
 Internet: www.loctite.com

2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Hazardous components</u>	<u>%</u>	<u>ACGIH TLV</u>	<u>OSHA PEL</u>	<u>OTHER</u>
Amine adduct 68082-29-1	30-60	None	None	None
Benzyl alcohol 100-51-6	10-30	None	None	10 ppm TWA (WEEL)
N-(2-Aminoethyl)piperazine 140-31-8	10-30	None	None	None
Nonylphenol 84852-15-3	10-30	None	None	None
Ethylene glycol 107-21-1	1-5	100 mg/m ³ Ceiling	None	None

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Physical state: Paste
Color: Black
Odor: Slight, Amine

HMIS:

HEALTH: 3*
FLAMMABILITY: 1
PHYSICAL HAZARD: 0
Personal Protection: See Section 8

DANGER: MAY CAUSE EYE AND SKIN BURNS.
 MAY CAUSE ALLERGIC SKIN REACTION.
 MAY CAUSE EYE, SKIN AND RESPIRATORY TRACT IRRITATION.

Relevant routes of exposure: Eye contact, Ingestion, Inhalation, Skin contact

Potential Health Effects

Inhalation: Inhalation of vapors from heated material may cause irritation.
Skin contact: Causes skin burns. Severe skin irritation. May cause allergic skin reaction.
Eye contact: May cause eye burns.
Ingestion: May cause burns of mouth and throat if swallowed.

Existing conditions aggravated by exposure: Eye disorders. Skin disorders. Respiratory disorders.

See Section 11 for additional toxicological information.

4. FIRST AID MEASURES

Inhalation:	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
Skin contact:	Immediately flush skin with plenty of water (using soap, if available). Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse.
Eye contact:	Flush eye(s) immediately with plenty of water. Get medical attention.
Ingestion:	Do not induce vomiting or give anything by mouth because this material can enter the lungs and severe lung damage. Never give anything by mouth to an unconscious person. Get medical attention immediately.
Notes to physician:	None.

5. FIRE-FIGHTING MEASURES

Flash point:	Greater than 93°C (200°F)
Autoignition temperature:	Not available
Flammable/Explosive limits-lower %:	Not available
Flammable/Explosive limits-upper %:	Not available
Extinguishing media:	Water spray (fog), foam, dry chemical or carbon dioxide.
Special fire fighting procedures:	Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear. Use water spray to keep fire exposed containers cool.
Unusual fire or explosion hazards:	None
Hazardous combustion products:	Oxides of carbon. Oxides of nitrogen. Irritating organic vapors.

6. ACCIDENTAL RELEASE MEASURES

Environmental precautions:	Do not allow material to contaminate ground water system. Prevent product from entering drains or open waters.
Clean-up methods:	Remove all sources of ignition. Ensure adequate ventilation. Wear suitable respiratory protection. Soak up with inert absorbent. Scrape up spilled material and place in a closed container for disposal.

7. HANDLING AND STORAGE

Handling:	Do not get in eyes. Do not get on skin or clothing. Do not taste or swallow. Avoid breathing vapor. Keep container closed. Use only with adequate ventilation. Wash thoroughly after handling.
Storage:	Keep in a cool, well ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready for use.
Incompatible products:	Refer to Section 10.

For information on product shelf life contact Henkel Customer Service at (800) 243-4874.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering controls:	Local exhaust ventilation is recommended when general ventilation is not sufficient to control airborne contamination below occupational exposure limits.
Respiratory protection:	Use NIOSH approved respirator if there is potential to exceed exposure limit(s).
Skin protection:	Use chemical resistant, impermeable clothing including gloves and either an apron or body suit to prevent skin contact. Neoprene, Butyl-rubber, or nitrile-rubber gloves.
Eye/face protection:	Safety goggles or safety glasses with side shields. Full face protection should be used if the potential for splashing or spraying of product exists.

Item No. : 1108393_210477 / IDH No. 1108393

Product name: FIXMASTER ANC BLT GRT HP 4.5OZB

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	Paste
Color:	Black
Odor:	Slight, Amine
Vapor pressure:	Not available
pH:	Not applicable
Boiling point/range:	Not determined
Melting point/range:	Not available
Specific gravity:	1.0
Vapor density:	Not determined
Evaporation rate:	Not available
Solubility in water:	Insoluble.
Partition coefficient (n-octanol/water):	Not available
VOC content:	7.84 g/L (value as mixed for use)

10. STABILITY AND REACTIVITY

Stability:	Stable.
Hazardous polymerization:	Will not occur.
Hazardous decomposition products:	Oxides of carbon. Oxides of nitrogen. Irritating organic vapors.
Incompatibility:	Acids. Strong oxidizing agents.
Conditions to avoid:	Storage with incompatible materials. High temperatures. Exposure to moisture. Contamination with water.

11. TOXICOLOGICAL INFORMATION

Carcinogen Status

Hazardous components	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen
Amine adduct 68082-29-1	No	No	No
Benzyl alcohol 100-51-6	No	No	No
N-(2-Aminoethyl)piperazine 140-31-8	No	No	No
Nonylphenol 84852-15-3	No	No	No
Ethylene glycol 107-21-1	No	No	No

Literature Referenced Target Organ & Other Health Effects

Hazardous components	Health Effects/Target Organs
Amine adduct 68082-29-1	No Records
Benzyl alcohol 100-51-6	Allergen, Central nervous system, Corrosive, Irritant
N-(2-Aminoethyl)piperazine 140-31-8	Irritant, Corrosive, Allergen
Nonylphenol 84852-15-3	Irritant, Corrosive
Ethylene glycol 107-21-1	Blood, Bone Marrow, Central nervous system, Developmental, Eyes, Irritant, Kidney, Liver, Metabolic

12. ECOLOGICAL INFORMATION

Ecological information:	Not available
-------------------------	---------------

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal: Dispose of according to Federal, State and local governmental regulations.

EPA hazardous waste number: Not a RCRA hazardous waste.

14. TRANSPORT INFORMATION

The shipping classifications in this section are for non-bulk packaging only (unless otherwise specified). Shipping classification may be different for bulk packaging.

U.S. Department of Transportation Ground (49 CFR):

Proper shipping name: CORROSIVE LIQUID, N.O.S. (Nonylphenol , Aminoethylpiperazine)
Hazard class or division: 8
Identification number: UN 1760
Packing group: III
Exceptions: (Not more than 5 L) Consumer Commodity ORM-D

International Air Transportation (ICAO/IATA):

Proper shipping name: Corrosive liquid, n.o.s. (Nonylphenol , Aminoethylpiperazine)
Hazard class or division: 8
Identification number: UN1760
Packing group: III

Water Transportation (IMO/IMDG):

Proper shipping name: Corrosive liquid, n.o.s. (Nonylphenol , Aminoethylpiperazine)
Hazard class or division: 8
Identification number: UN1760
Packing group: III

15. REGULATORY INFORMATION

United States Regulatory Information

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.
TSCA 12 (b) Export Notification: None.

CERCLA/SARA Section 302 EHS: None.
CERCLA/SARA Section 311/312: Immediate Health Hazard, Delayed Health Hazard
CERCLA/SARA 313: This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40 CFR 372). Ethylene glycol (CAS# 107-21-1) .

California Proposition 65: No California Proposition 65 listed chemicals are known to be present.

Canada Regulatory Information

CEPA DSL/NDL Status: All components are listed on or are exempt from listing on the Domestic Substances List.
WHMIS hazard class: E, D.2.A, D.2.B

16. OTHER INFORMATION

This material safety data sheet contains changes from the previous version in sections: First issue.

Prepared by: Gary Pierson, Sr. Product Safety and Regulatory Affairs Specialist

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation does not assume responsibility for any results obtained by persons over whose methods Henkel Corporation has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of Henkel Corporation's products. In light of the foregoing, Henkel Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel Corporation's products. Henkel Corporation further disclaims any liability for consequential or incidental damages of any kind, including lost profits.