

# **Material Safety Data Sheet**



**Revision Date:** 08/22/2007 **Issue date:** 08/22/2007

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product name: FIXMASTER ANC BLT GRT HP 110Z A Item No.: 1108394\_210476 / IDH No. 1108394

Product type: Epoxy Resin Region: United States

Company address:

Henkel Corporation

1001 Trout Brook Crossing

Contact Information:
Telephone: 860.571.5100
Emergency telephone: 860.571.5100

Rocky Hill, Connecticut 06067 Internet: www.loctite.com

# 2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components%ACGIH TLVOSHA PELOTHERReaction product of epichlorohydrin30-60NoneNoneNone

and bisphenol A

25085-99-8

1,3-Propanediol, 2-(hydroxymethyl)- 10-30 None None None

2-methyl-, polymer with (chloromethyl)oxirane

68460-21-9

Ethylene glycol 1-5 100 mg/m³ Ceiling None None

107-21-1

## 3. HAZARDS IDENTIFICATION

# **EMERGENCY OVERVIEW**

HMIS:

Physical state:PasteHEALTH:2\*Color:WhiteFLAMMABILITY:1Odor:SlightPHYSICAL HAZARD:0Personal Protection:See Section 8

**WARNING:** MAY CAUSE ALLERGIC SKIN REACTION. MAY CAUSE EYE AND SKIN IRRITATION.

Relevant routes of exposure: Inhalation, Skin contact, Eye contact

**Potential Health Effects** 

Inhalation:Inhalation of vapors from heated material may cause irritation.Skin contact:Allergic skin reaction. May cause irritation. Itching. Redness. Swelling.

**Eye contact:** May cause irritation.

**Ingestion:** Not expected to be harmful by ingestion.

Existing conditions aggravated by

exposure:

Skin disorders. Eye disorders. Respiratory disorders.

See Section 11 for additional toxicological information.

Item No.: 1108394\_210476 / IDH No. 1108394 Product name: FIXMASTER ANC BLT GRT HP 110Z A

#### 4. FIRST AID MEASURES

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get

medical attention.

Skin contact: Immediately flush skin with plenty of water (using soap, if available). Remove contaminated clothing

and shoes. Wash clothing before reuse. Get medical attention if symptoms occur.

Eye contact: Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.

**Ingestion:** DO NOT induce vomiting unless directed to do so by medical personnel. Keep individual calm. Get

medical attention if symptoms develop and persist.

Notes to physician: None.

## 5. FIRE-FIGHTING MEASURES

Flash point: Greater than 93°C (200°F)

Autoignition temperature: Not available

Flammable/Explosive limits-lower %: Not available

Flammable/Explosive limits-upper %: Not available

**Extinguishing media:** Use dry chemical, CO2, water spray or `alcohol` foam.

**Special fire fighting procedures:** Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.

Unusual fire or explosion hazards: None

**Hazardous combustion products:** Oxides of carbon. Irritating organic fragments.

## **6. ACCIDENTAL RELEASE MEASURES**

**Environmental precautions:** Prevent product from entering drains or open waters.

Clean-up methods: Remove all ignition sources. Immediately contact emergency personnel. Scrape up as much material

as possible. Clean residue with soap and water. Store in a closed container until ready for disposal.

## 7. HANDLING AND STORAGE

Handling: Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.

Storage: Store in original container until ready to use. Keep in a cool, well ventilated area away from heat,

sparks and open flame. Keep container tightly closed until ready for use. Keep out of direct sunlight.

Keep from freezing.

Incompatible products: Refer to Section 10.

For information on product shelf life contact Henkel Customer Service at (800) 243-4874.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering controls: Use local ventilation if general ventilation is insufficient to maintain vapor concentration below

established exposure limits.

Respiratory protection: Use a NIOSH approved air purifying respirator with an organic vapor cartridge if the potential to exceed

established exposure limits exists.

**Skin protection:** Chemical resistant, impermeable gloves.

**Eye/face protection:** Chemical splash goggles or safety glasses with side shields.

See Section 2 for exposure limits.

Item No.: 1108394\_210476 / IDH No. 1108394 Product name: FIXMASTER ANC BLT GRT HP 110Z A

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Paste Color: White Odor: Slight Vapor pressure: Not available Not applicable pH: Boiling point/range: Not determined Melting point/range: Not available

1.4

Specific gravity: Vapor density: Not available **Evaporation rate:** Not available Solubility in water: Insoluble. Partition coefficient (n-octanol/water): Not available

**VOC** content: 7.84 g/L (value as mixed for use)

## 10. STABILITY AND REACTIVITY

Stability: Stable

Hazardous polymerization: Reaction with some curing agents may produce an exothermic reaction which in large masses could

cause runaway polymerization.

Hazardous decomposition products: Oxides of carbon. Oxides of nitrogen. Irritating organic fragments.

Incompatability: Strong acids. Peroxides. Oxidizing agents.

Conditions to avoid: Storage with incompatible materials.

## 11. TOXICOLOGICAL INFORMATION

#### Carcinogen Status

Hazardous components	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen
Reaction product of epichlorohydrin	No	No	No
and bisphenol A			
25085-99-8			
1,3-Propanediol, 2-(hydroxymethyl)-	No	No	No
2-methyl-, polymer with			
(chloromethyl)oxirane			
68460-21-9			
Ethylene glycol	No	No	No
107-21-1			

## **Literature Referenced Target Organ & Other Health Effects**

Hazardous components	Health Effects/Target Organs	
Reaction product of epichlorohydrin	Allergen, Irritant	
and bisphenol A		
25085-99-8		
1,3-Propanediol, 2-(hydroxymethyl)-	No data	
2-methyl-, polymer with		
(chloromethyl)oxirane		
68460-21-9		
Ethylene glycol	Blood, Bone Marrow, Central nervous system, Developmental, Eyes, Irritant, Kidney, Liver, Metabolic	
107-21-1		

# 12. ECOLOGICAL INFORMATION

**Ecological information:** Not available

Item No.: 1108394\_210476 / IDH No. 1108394 Product name: FIXMASTER ANC BLT GRT HP 110Z A

#### 13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

**Recommended method of disposal:** Dispose according to EPA and local governmental regulations.

**EPA hazardous waste number:** Not a RCRA hazardous waste.

## 14. TRANSPORT INFORMATION

The shipping classifications in this section are for non-bulk packaging only (unless otherwise specified). Shipping classification may be different for bulk packaging.

#### U.S. Department of Transportation Ground (49 CFR):

Proper shipping name: Not regulated Hazard class or division: None Identification number: None Packing group: None

## International Air Transportation (ICAO/IATA):

Proper shipping name: Not regulated Hazard class or division: None Identification number: None Packing group: None

#### WaterTransportation (IMO/IMDG):

Proper shipping name:
Hazard class or division:
Identification number:
Packing group:

Not regulated
None
None
None

#### 15. REGULATORY INFORMATION

#### <u>United States Regulatory Information</u>

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.

TSCA 12 (b) Export Notification: None

CERCLA/SARA Section 302 EHS: None.

CERCLA/SARA Section 311/312: Immediate Health Hazard, Delayed Health Hazard

CERCLA/SARA 313: This product contains the following toxic chemicals subject to the reporting requirements of section 313

of the Emergency Planning and Community Right-To-Know Act of 1986 (40 CFR 372). Ethylene glycol

(CAS# 107-21-1).

California Proposition 65: No California Proposition 65 listed chemicals are known to be present.

## **Canada Regulatory Information**

CEPA DSL/NDSL Status: Contains one or more components listed on the Non-Domestic Substances list. All other components

are listed on or are exempt from listing on the Domestic Substances List.

WHMIS hazard class: D.2.A, D.2.B

## **16. OTHER INFORMATION**

This material safety data sheet contains changes from the previous version in sections: First issue.

Prepared by: Gary Pierson, Sr. Product Safety and Regulatory Affairs Specialist

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation does not assume responsibility for any results obtained by persons over whose methods Henkel Corporation has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of Henkel Corporation's products. In light of the foregoing, Henkel Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel Corporation's products. Henkel Corporation further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

Item No.: 1108394\_210476 / IDH No. 1108394 Product name: FIXMASTER ANC BLT GRT HP 110Z A