

OSHA-Required Health And Safety Information!

This Material Safety Data Sheet (MSDS) was requested moments ago from Hercules Automated Fax Information System. Please forward it immediately to the person in charge of MSDS's, or retain it at the machine until claimed.

Section 1

MATERIAL SAFETY DATA SHEET # 34 Scout TM

Meets OSHA 29 CFR 1910.1200



MATERIAL SAFETY INFORMATION SERVICE

Hercules Chemical Company Inc. 111 South Street Passaic NJ 07055

Phone (800) 221-9330 Fax (800) 333-3456

Section 2 - Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity;

Common Name(s), CAS Numbers)

OSHA PEL

ACGIH TLV

Other Limits

Upper Bound
Limit if SARA
Reportable

Barytes (Barium Sulphate) 15mg/M³ 10mg/M³ 5mg/M³ (respi 12% Natural Diatomaceous Earth 15mg/M³ 10mg/M³ 5mg/M³ (respi --

HMIS Hazard Rating: Health: 1 Flammability: 0 Reactivity: 0 Personal Protection: E

Section 3 - Physical/Chemical Characteristics

Boiling Point (°C): Specific Gravity Vapor Density Vapor Pressure (H2O = 1): (Air = 1): (mm Hg):

N/A 0.34 to 0.36 N/A N/A

Melting Point (° F) Evaporation Rate: Solubility in Water:

(Butyl Acetate = 1)
N/A
Slightly soluble in water

Appearance And Color: Off white, fine light powder Odor: None

Appearance and color: On write, line light powder Odor: None

Section 4 - Fire And Explosion Hazard Data

Flash Point: Flammable Limits: LEL: UEL:

N/A N/A

Extinguishing Media: As appropriate for surrounding fire.

Special Firefighting Procedures:

None

Unusual Fire And Explosion Hazards:

None

Continued on Next Page

Section 5 - Reactivity Data

Stability: Stable Conditions To Avoid: None

Incompatability Hydrofluoric Acid

(Materials To Avoid):

Hazardous Decomposition: None known

Hazardous Polymerization: Will Not Occur

Section 6 - Health Hazard Data

Routes of Entry: Inhalation YES/Primary Skin N/A Ingestion YES/Secondary

Health Hazards: None known

Carcinogenicity: NTP NO IARC NO OSHA Regulated NO

Signs And Symptoms of Exposure:

Irritation in respiratory tract.

Medical Conditions Generally Aggravated By Exposure:

Prolonged inhalation of the dust could lead to pulmonary problems.

Emergency And First Aid Procedures:

SKIN: Wash with soap and water. EYES: As with most foreign material should eye contact occur, flush eyes with plenty of water and get medical attention. INGESTION: Dilute with water. Get medical attention.

Continued on Next Page

Section 7 - Precautions For Safe Handling And Use:

Steps To Be Taken In Case Material Is Released Or Spilled:

Sweep up and remove to disposal container

Waste Disposal Method:

Normal landfill

Precautions To Be Taken In Handling And Storing:

None

Other Precautions:

None

Section 8 - Control Measures:

Respiratory Protection:

When handling in large quantities, if the possibility of dust exists, use NIOSH/MSHA approved dust mask.

Ventilation: Local Exhaust Adequate Special N/A

Mechanical N/A

Gloves: Normally not required.

Other: N/A

Eye Protection: Safety goggles

Other Protective

Clothing: N/A

Work/Hygienic Practices Use good personal hygiene practices. Wash thoroughly after handling.





For Hercules Material Safety Data Sheets by fax anytime, day or night, just call 1-800-942-INFO (1-800-942-4636) from any Touch-Tone phone. Have your fax number ready. Checking the product label for the correct MSDS # will save time.