

GigaMax® CAT 5e Shielded Patch Cords

APPLICATION

Leviton's CAT 5e Shielded Patch Cords exceed all performance requirements up to 100 MHz. Shielded patch cords protect critical data from EMI (electromagnetic interference) and RFI (radio frequency interference). CAT 5e Shielded Patch Cords are part of the Leviton Shielded Solution for use in healthcare, manufacturing, casinos, and other environments where EMI/RFI may be a concern. Leviton's Shielded Solution is Rockwell Automation Encompass™ Approved.



SPECIFICATION

CAT 5e shielded patch cord shall meet or exceed applicable electrical performance standards for all parameters up to 100 MHz. The patch cord shall be a 26 AWG, FTP construction with stranded center conductors to provide greater flex-life. The patch cords shall be available in standard 3, 5, 7, 10, 15, and 20 foot lengths.

FEATURES

- Strain relief boot ensure long-term network performance
- Stranded 26 AWG conductors provides longer flex-life
- FTP construction provides excellent EMI/RFI protection
- 6 standard lengths

STANDARDS COMPLIANCE

Leviton CAT 5e Shielded Patch Cords are part of a complete Shielded Solution that meets all

- TIA-568-B.2 CAT 5e
- FCC Part 68
- Intertek (ETL) 3rd party verification

PHYSICAL SPECIFICATIONS

Available Lengths: 3', 5', 7', 10', 15', or 20'
Outer Diameter (O.D.): 0.220"

WARRANTY INFORMATION

For a copy of Leviton product warranties, visit www.leviton.com.