


**TECHNICAL SPECIFICATION:** Oatey Backwater Valves are designed as a sewage check valve to prevent pumped water from flowing back into the basin. Assembly includes threaded cover to allow for access and valve flapper which seals closed while not in use. Made of PVC or ABS plastic, backwater valve can be solvent welded to piping. Oatey Backwater Valves can accommodate access sleeves made of Schedule 40 pipe.



**PRODUCT LISTINGS**



IAPMO Listed to U.S. and Canadian Standards

Compliant with ASME A112.14.1-03(R08),  
CSA B181.1-06 & CSA B181.2-06.

**PHYSICAL/CHEMICAL PROPERTIES**

Material/Color      ABS Plastic = Black  
PVC Plastic = White

PRODUCT NUMBER	DESCRIPTION	PACK	CARTON WEIGHT
43900	3" PVC Backwater Valve	4	3 lbs.
43901	3" ABS Backwater Valve	4	3 lbs.
43904	4" PVC Backwater Valve	2	5 lbs.
43905	4" ABS Backwater Valve	2	5 lbs.
43908	6" PVC Backwater Valve	1	11 lbs.
43909	6" ABS Backwater Valve	1	11 lbs.
43915	3" PVC Threaded Cap	1	1 lb.
43916	3" ABS Threaded Cap	1	1 lb.
43918	4" PVC Threaded Cap	1	1 lb.
43919	4" ABS Threaded Cap	1	1 lb.
43921	6" PVC Threaded Cap	1	1 lb.
43922	6" ABS Threaded Cap	1	1 lb.
43924	3" PVC Flapper with O-Ring	1	1 lb.
43925	3" ABS Flapper with O-Ring	1	1 lb.
43927	4" PVC Flapper with O-Ring	1	1 lb.
43928	4" ABS Flapper with O-Ring	1	1 lb.
43929	6" PVC Flapper with O-Ring	1	1 lb.
43930	6" ABS Flapper with O-Ring	1	1 lb.