

DATE 01-01-11

EMERGENCY TELEPHONE NUMBER

(605) 232-4311

PRODUCT IDENTIFICATION:

Material No.: 1006

Material Name: Cork Insulation Tape

Material Description: Mixture of polymers, resins, and inert filler

WARNING STATEMENT:

Non-Hazardous Material.

PRECAUTIONARY MEASURES:

Normal chemical hygiene should be adequate to handle this material. Wash thoroughly after handling, avoid contact with eyes, do not ingest.

HAZARDOUS INGREDIENTS:

Material Name/CAS # % OSHA PEL ACGIH TLV

Contains no hazardous ingredients

This MSDS is prepared to comply with OSHA Hazard Communication Standard 29 CFR 1910.1200. Unlisted Ingredients are not "hazardous" per this OSHA standard and are considered to be trade secrets.

EMERGENCY AND FIRST AID PROCEDURES:

FIRST AID:

Ingestion: Seek medical advice.

Skin: Wash with soap and water

Eyes: Flush with water for 15 minutes, contact physician.

OTHER EMERGENCIES:

In case of fire: Extinguish with water, carbon dioxide, foam, or dry chemical.

Spill or leak: Material poses no special threat if spilled or leaked.

www.bramec.com • PO BOX 9 • NORTH SIOUX CITY, SD 57049 • PHONE 605-232-4311 • FAX 605-232-4580

MSDS for # 1006 Page 2 of 3

OCCUPATIONAL CONTROL PROCEDURES:

Eye Protection: Not normally required; although the use of safety glasses is a good

industrial practice.

Skin Protection: Not normally required.

Respiratory Protection: Not normally required.

Ventilation: Mechanical (general)

FIRE PROTECTION:

Flash point/method: 365°F / COC

Appropriate Extinguishers: Water, carbon dioxide, foam, dry chemical

Special Fire Fighting Procedures: Wear self-contained breathing apparatus.

Unusual Fire and Explosion Hazard: None known

REACTIVITY DATA:

Stability: Stable

Incompatibility: Strong acids, alkalies, and oxides

Hazardous Decomposition Products: Carbon oxides and unidentified organic

compounds when burning.

Hazardous polymerization: Will not occur

EFFECT OF OVER EXPOSURE:

Eyes: Mechanical irritation

Skin: None Expected

Inhalation: Not applicable

Chronic: No known effects

Existing Health Conditions Affected by Exposure: No known conditions are aggravated

by exposure to this product.

CARCINOGENICITY: NTP? IARC? OSHA?

No No No

MSDS for # 1006 Page 3 of 3

PHYSICAL DATA:

Physical State: Black Solid

Specific Gravity: 1.2 @ 77°F

SPILL, LEAK & DISPOSAL INFORMATION:

Spill or Leak Procedure: Sweep or scrape up and place in appropriate container for disposal.

Waste Disposal: Observe all Federal, State and Local regulations when disposing of the material. For assistance contact the District Director of the Environmental Protection Agency, local hazardous waste regulations may apply if they are different from the federal regulations. Dispose of in an approved industrial landfill.

Storage: Store away from excessive heat and open flames.

EPA INFORMATION:

SARA Title III sections 313 and 302: Contains no listed materials

CERCLA: Contains no listed materials

DOT Shipping Name: Caulking compound NOIBN

The above information is based on MSDS's provided by the suppliers of the raw materials used in this product.