

Material Safety Data Sheet # 329

Hercules Chemical Company Inc. **111 South Street** Passaic NJ 07055-7398 Information Telephone: 1-800 221-9330 Internet: www.herchem.com

NFPA	HMIS		PPE	Transport Symbol
	Health Hazard	0	105	
	Fire Hazard	0		
	Reactivity	0		
Preparation Date 06-Jul-2006	Rev	vision Date	7/19/10	Revision Number 1

I. FR

Product Name Recommended Use Hercules Sta-Put Plumbers putty

Supplier Address

Hercules Chemical Company, Inc. 111 South St. Passaic, NJ 07055 TEL: 973-778-5000

Company Emergency Phone Number 1-800-221-9330 **Emergency Telephone Number** Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

CAUTION!				
Emergency Overview May cause skin irritation and/or dermatitis				
Appearance Beige	Physical State Solid	Odor Mild vegetable odor		
Potential Health Effects				
Principle Routes of Exposure	Skin contact.			
Acute Effects Eyes Skin Inhalation Ingestion	May cause irritation. May cause skin irritation and/or dermatitis. Not an expected route of exposure. Ingestion may cause stomach discomfort.			
Chronic Effects	This product contains crystalline silica (quartz) in a non-respirable crystalline silica is unlikely to occur from exposure to this product.	form. Inhalation of		
Aggravated Medical Conditions	Skin disorders.			
Potential Environmental Effects	See Section 12 for additional Ecological information			

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
Calcium Carbonate	1317-65-3	60-100
Kaolinite, Hydrous Aluminum Silicate	1332-58-7	5-10
Quartz	14808-60-7	1-5

4. FIRST AID MEASURESEye ContactRinse thoroughly with plenty of water for at least 15 minutes and consult a physicianSkin ContactWash skin with soap and waterInhalationMove to fresh airIngestionClean mouth with water. Do not induce vomiting. If symptoms persist, call a physician.Notes to PhysicianTreat symptomatically

5. FIRE-FIGHTING MEASURES

Flammable Properties	Not flammable
Flash Point	Not applicable
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Explosion Data Sensitivity to mechanical impact Sensitivity to static discharge	Not sensitive Not sensitive

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

<u>NFPA</u> HMIS	Health 0 Health 0	Flammability 0 Flammability 0	Instability 0 Instability	Physical Hazard -	
6. ACCIDENTAL RELEASE MEASURES					
Personal Precautions	A	void contact with the skin and the e	eyes.		
Methods for Containme	nt P	Prevent further leakage or spillage if safe to do so			
Methods for Clean-up		Take up mechanically and collect in suitable container for disposal. Clean contaminated surface thoroughly.			
7. HANDLING AND STORAGE					
Handling	н	andle in accordance with good ind	ustrial hygiene an	d safety practice	
Storage	К	Keep containers tightly closed in a dry, cool and well-ventilated place			

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Calcium Carbonate		TWA: 15 mg/m ³	
		TWA: 5 mg/m ³	
Kaolinite, Hydrous Aluminum	TWA: 2 mg/m ³	TWA: 10 mg/m ³	
Silicate	-	TWA: 5 mg/m ³	
Quartz	TWA: 0.05 mg/m ³	TWA: 0.1 mg/m ³	50 mg/m ³ respirable dust

NIOSH IDLH: Immediately Dangerous to Life or Health

Engineering Controls Showers Eyewash stations Eyewash stations Ventilation systems Ventilation systems Personal Protective Equipment No special protective equipment required Skin Protection Protective gloves. Respiratory Protection No special protective equipment required. General Hygiene Considerations Hugina and affety protection

Handle in accordance with good industrial hygiene and safety practice

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance
Physical State
Flash Point
Boiling Point/Range
Flammability Limits in Air
Specific Gravity
Specific Gravity Solubility

Beige Solid Not applicable No data available 1.89 No data available Putty Odor pH Autoignition Temperature Melting Point/Range

Water Solubility VOC Content

Mild vegetable odor Not applicable Not applicable No data available

Insoluble in water Not applicable

10. STABILITY AND REACTIVITY

Chemical	Stability
----------	-----------

Conditions to Avoid

Incompatible Materials

Hazardous Decomposition Products

Hazardous Polymerization

Stable under recommended storage conditions.

None known based on information supplied.

Strong oxidizing agents.

Carbon monoxide, Carbon dioxide (CO2), Silicon dioxide.

Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

Product Information	Product does no	ot present an acute toxicit	ty hazard based on kno	own or supplied information
Chemical Name	LD50 Oral	LD	50 Dermal	LC50 Inhalation
Quartz	500 mg/kg (Ra	at)		
Chronic Toxicity				
Chronic Toxicity	•	ntains crystalline silica (q is unlikely to occur from	, ,	
Carcinogenicity	The table below	indicates whether each		ngredient as a carcinogen. This
	product contains	s crystalline silica (quartz to occur from exposure t		rm. Inhalation of crystalline
Chemical Name	product contains			
Chemical Name Quartz	product contains silica is unlikely	to occur from exposure to	o this product.	rm. Inhalation of crystalline

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Contains no substances known to be hazardous to the environment or that are not degradable in waste water treatment plants.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method	This material, as supplied, is not a hazardous waste according to state and Federal regulations (40 CFR 261).

Contaminated Packaging Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

DOT	
TDG	
MEX	
ICAO	
<u>IATA</u>	
IMDG/IMO	

Not regulated Not regulated Not regulated Not regulated Not regulated Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Does not Comply
ENCS	Does not Comply
CHINA	Does not Comply
KECL	Does not Comply
PICCS	Does not Comply
AICS	Does not Comply

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372. **SARA 311/312 Hazard Categories**

Acute Health Hazard	No	
Chronic Health Hazard	No	
Fire Hazard	No	
Sudden Release of Pressure Hazard	No	
Reactive Hazard	No	

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	CAS-No	California Prop. 65
Quartz	14808-60-7	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Calcium Carbonate	Х		Х		Х
Kaolinite, Hydrous Aluminum Silicate	Х		Х		Х
Quartz	Х	Х	Х		

International Regulations

Mexico - Grade

Slight risk, Grade 1

Chemical Name	Carcinogen Status	Exposure Limits
Calcium Carbonate		STEL: 20 mg/m ³
		TWA: 10 mg/m ³
Kaolinite, Hydrous Aluminum Silicate		STEL: 20 mg/m ³
		TWA: 10 mg/m ³

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

Non-controlled

16. OTHER INFORMATION

Preparation Date

06-Jul-2006

Revision Date

Revision Summary

No information available

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of MSDS