

OSHA-Required Health And Safety Information!

This Material Safety Data Sheet (MSDS) was requested moments ago from Hercules Automated Fax Information System. Please forward it immediately to the person in charge of MSDS's, or retain it at the machine until claimed.

Section 1

MATERIAL SAFETY DATA SHEET # 127 Pro Proxy Triple Play®


**MATERIAL
SAFETY
INFORMATION
SERVICE**

Hercules Chemical Company Inc.
111 South Street
Passaic NJ 07055
Phone (800) 221-9330
Fax (800) 333-3456

Date Prepared: 7/1/2010 Last Reviewed: 3/3/2011

Meets OSHA 29 CFR 1910.1200

Section 2 - Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s), CAS Numbers)	OSHA PEL	ACGIH TLV	Other Limits	Upper Bound Limit if SARA Reportable
2,4,6, Tri (Dimethylaminomethyl) Phenol (90-72-2)	N/A	5PPM	N/A	--
Epoxy Resin	N/A	N/A	N/A	--

HMIS Hazard Rating: Health: 1 Flammability: 0 Reactivity: 0 Personal Protection: B

Section 3 - Physical/Chemical Characteristics

Boiling Point (°F):	Specific Gravity (H ₂ O = 1):	Vapor Density (Air = 1):	Vapor Pressure (mm Hg):
N/A	1.79-1.97	N/A	N/A
Melting Point (° F)	Evaporation Rate: (Butyl Acetate = 1)	Solubility in Water:	VOC Level (g/l):
N/A		Not soluble	<0.1%
Appearance And Color:	Three products each made of 2 components in mastic form: Off-white gray/black/blue/copper		Odor: Mercaptan odor

Section 4 - Fire And Explosion Hazard Data

Flash Point:	Flammable Limits:	LEL:	UEL:
>140°F Method: N/A		N/A	N/A

Extinguishing Media: Water fog, foam, CO₂, and dry chemical.

Special Firefighting Procedures:

Fire fighters and others who may be exposed to the products of combustion should be equipped with NIOSH approved, positive pressure self contained breathing apparatus (SCBA) and full protective clothing.

Unusual Fire And Explosion Hazards:

None

Continued on Next Page

Section 5 - Reactivity Data**Stability:** Stable **Conditions To Avoid:** None**Incompatibility** None
(Materials To Avoid):**Hazardous Decomposition:** Carbon monoxide, aldehydes, acids, oxides of sulfur and nitrogen may be formed.**Hazardous Polymerization:** Will Not Occur**Section 6 - Health Hazard Data****Routes of Entry:** Inhalation N/A **Skin** YES/Secondary **Ingestion** YES/Secondary**Health Hazards:**
None known**Carcinogenicity:** NTP NO IARC NO OSHA Regulated NO**Signs And Symptoms of Exposure:**

EYE: May cause moderate eye irritation.

SKIN: Prolonged and repeated contact may cause skin irritation with local redness.

INGESTION: Very low toxicity if swallowed.

INHALATION: N/A

Medical Conditions Generally Aggravated By Exposure:

None

Emergency And First Aid Procedures:

SKIN CONTACT: After using, wash hands with soap and water. EYE CONTACT: Flush with water for 15 minutes.

Get medical attention. INGESTION: No emergency medical treatment necessary.

Continued on Next Page

Section 7 - Precautions For Safe Handling And Use:**Steps To Be Taken In Case Material Is Released Or Spilled:**

Sweep up in normal manner

Waste Disposal Method:

Non-hazardous landfill

Precautions To Be Taken In Handling And Storing:

None

Other Precautions:

Store in cool, dry, well-ventilated area.

Section 8 - Control Measures:**Respiratory Protection:**

N/A

Ventilation: Local Exhaust Adequate
Mechanical N/A

Special N/A

Gloves: Polyethylene gloves for prolonged u

Other: N/A

Eye Protection: Safety glasses or goggles

Other Protective Clothing: None required

Work/Hygienic Practices Wash thoroughly with warm water and soap after handling.



FACTS
axed
AST!

For Hercules Material Safety Data Sheets by fax anytime, day or night, just call 1-800-942-INFO (1-800-942-4636) from any Touch-Tone phone. Have your fax number ready. Checking the product label for the correct MSDS # will save time.