

Non-Programmable Thermostats





1020 - 1H / 1C

- Single Stage Conventional or Heat Pump Systems
- Millivolt Systems

1220 - 2H / 2C

- Conventional Systems Up to 2H / 2C
- Heat Pump Systems with a Single Compressor and Up to One Auxiliary Stage
- Millivolt Systems

Toll-Free 866.268.5599 (U.S.) +1.630.844.1968 (Outside the U.S.)



Non-Programmable Features

Large 3 sq. in Display with Bright Blue Backlight Easy to view and change settings

Adjustable Temperature Limits Control energy costs with heat / cool setpoint limits

Hardwire or Battery Powered Flexible installation power options

Quick Reference Instruction Card English / Spanish user instructions with FREE Contractor Branding



5-2 Day Programmable Thermostats





2020 - 1H / 1C

- Single Stage Conventional or Heat Pump Systems
- Millivolt Systems

2220 - 2H / 2C

- Conventional Systems Up to 2H / 2C
- Heat Pump Systems with a Single Compressor and Up to One Auxiliary Stage
- Millivolt Systems

Toll-Free 866.268.5599 (U.S.) +1.630.844.1968 (Outside the U.S.)



Programmable Features

5-2 Day Weekday / Weekend Programming Perfect for residential applications

Large 3 sq. in Display with Bright Blue Backlight

Easy to view and change settings

Adjustable Temperature Limits Control energy costs with heat / cool setpoint limits

Hardwire or Battery Powered Flexible installation power options

Quick Reference Instruction Card English / Spanish user instructions with FREE Contractor Branding

Braeburn

Economy Series Thermostats

Braeburn Economy Series thermostats provide an economical solution to temperature control! The bright blue backlight, 3 sq. in. display and easy-to-read characters make it simple for customers to operate. Temperature limits and FREE contractor branding on the quick reference instruction card give contractors and property owners the tools they need to help control rising installation and energy costs.

ABC Heating & Cooling Quick For Service Call 800-555-1234 abcservice/Binternet.com Reference Instruction Card 1. Press PROG to enter program mode. Madel earder is 2. Proces SYSTEM and select Head or Cost. Readed on back 3. Press A or V is set hour Press MEXT. of thermoster. 4. Remeal step 3 to set minute and terms. 5. Repeat steps 3-4 for DRI, EVE and MOHT events. 4. Repeat steps 3-5 for weekend program 7. Press RETURN to each 1. Press HOLD to becaus the program achedule. 2. Press A or V to select your desired temperature. 3. Press HOLD again to resume the current program. for manual for additional programming information 0201-01 Large Characters



INSTRUCTIONS



Braeburn offers a wide variety of indoor air quality control products. From our cost effective thermostat line to our innovative zoning, humidification and air filtration products, we have a solution for your residential or light commercial applications. Visit www.braeburnonline.com.

866.268.5599 (Toll-Free) • +1.630.844.1968 (Outside the U.S.) 866.268.8897 (Fax) • +1.630.844.2497 (Fax outside the U.S.)

Braeburn Systems LLC • 2215 Cornell Avenue • Montgomery, IL 60538 ©2012 Braeburn Systems LLC • All Rights Reserved • 112-250-01