

For Commercial & Residential Applications

Job Name _____

Contractor _____

Job Location _____

Approval _____

Engineer _____

Contractor's P.O. No. _____

Approval _____

Representative _____

LEAD FREE*

Series LFWAMV Brass Angle Meter Valves

Sizes: $\frac{3}{4}$ " x 1" (20 x 25mm)

Series LFWAMV Lead Free* cast copper silicon alloy Angle Meter Valves are designed for residential and light commercial incoming water supply service. The LFWAMV features Lead Free* construction to comply with Lead Free* installation requirements.

Features

- Cast Lead Free* cast copper silicon alloy
- Available with or without waste feature
- Angle pattern models

Models

LFWAMV – $\frac{3}{4}$ " (20mm) flare x $\frac{3}{4}$ " (20mm) female IPS connections or $\frac{3}{4}$ " (20mm) flare x 1" (25mm) female IPS connections


LFWAMV-W – $\frac{3}{4}$ " (20mm) flare $\frac{3}{4}$ " (20mm) female IPS connections with waste feature or 1" (25mm) flare x $\frac{3}{4}$ " (20mm) female IPS connections with waste feature

Pressure — Temperature

Maximum Pressure: 125psi (9 bar)



LFWAMV



Dimensions — Weights

MODEL	SIZE (DN)		DIMENSIONS								WEIGHT			
			A		B		B1		D		K			
	<i>in.</i>	<i>mm</i>	<i>in.</i>	<i>mm</i>	<i>in.</i>	<i>mm</i>	<i>in.</i>	<i>mm</i>	<i>in.</i>	<i>mm</i>	<i>in.</i>	<i>mm</i>	<i>lbs.</i>	<i>kgs.</i>
LFWAMV	¾ FL x ¾ IPS	20 x 20	¾ FL	20	6⅛	156	6⅝	168	3	76	2⅝ ₁₆	58	1.2	0.94
LFWAMV	1 FL x ¾ IPS	25 x 20	1 FL	25	6⅛	156	6⅝	168	3	76	2⅝ ₁₆	58	1.2	0.94
LFWAMV-W	¾ FL x ¾ IPS	20 x 20	¾ FL	20	6⅛	156	6⅝	168	3	76	2⅝ ₁₆	58	1.2	0.94
LFWAMV-W	1 FL x ¾ IPS	25 x 20	1 FL	25	6⅛	156	6⅝	168	3	76	2⅝ ₁₆	58	1.2	0.94

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Watts product specifications in U.S. customary units and metric are approximate and are provided for reference only. For precise measurements, please contact Watts Technical Service. Watts reserves the right to change or modify product design, construction, specifications, or materials without prior notice and without incurring any obligation to make such changes and modifications on Watts products previously or subsequently sold.



USA: Tel: (978) 688-1811 • Fax: (978) 794-1848 • www.watts.com

Canada: Tel: (905) 332-4090 • Fax: (905) 332-7068 • www.watts.ca

ES-LFWAMV 1323



A Watts Water Technologies Company

© 2013 Watts