MATERIAL SAFETY DATA SHEET

MSDS 0221

Section 1 -- PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME
Coil-Rite

PRODUCT CODES
82612, 82614, 82618

CHEMICAL FAMILY
Organic/Inorganic

USE
Coil Cleaner

MANUFACTURER'S NAME
The RectorSeal Corporation
2601 Spenwick Drive
Houston, Texas 77055 USA

DATE OF VALIDATION
May 1, 2012

DATE OF PREPARATION
May 1, 2012

HMIS CODES

Health	2
Flammability	0
Reactivity	0
PPI	B

EMERGENCY TELEPHONE NO.
Chemtrec 24 Hours
(800) 424-9300

TECHNICAL SERVICE TELEPHONE NO.
(800)231-3345 or (713)263-8001

Section 2 -- HAZARDS IDENTIFICATION

GHS CLASSIFICATION
PHYSICAL HAZARDS
None
HEALTH HAZARDS
Acute Toxicity
Oral: Not Classified
Dermal: Not Classified
Inhalation: Not Classified
Skin Corrosion/Irritation: Not Classified
Serious Eye Damage/Eye Irritation: Not Classified
Respiratory or Skin Sensitization: Not Classified
Germ Cell Mutagenicity: Not Classified
Carcinogenicity: Not Classified
Reproductive Toxicology: Not Classified
Target Organ Systemic Toxicity - Single Exposure: Not Classified
Target Organ Systemic Toxicity - Repeated Exposure: Not Classified
Aspiration Toxicity: Not Classified

ENVIRONMENTAL HAZARDS
Hazardous to the Aquatic Environment: Not Classified
Acute aquatic toxicity: Not Classified
Chronic aquatic toxicity: Not Classified
Bioaccumulation potential: Not Classified
Rapid degradability: Not Classified

GHS Label elements, including precautionary statements
Pictogram: Harmful / Irritant
Signal Word: Warning
Hazard Statements
H303 - May be harmful if swallowed.

H313 - May be harmful in contact with skin.
H335 + H336 - May cause respiratory irritation, and drowsiness or dizziness.
Precautionary Statements
P102 - Keep out of reach of children.
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray
P262 - Do not get in eyes, on skin, or on clothing.
P264 - Wash hands thoroughly after handling.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P362 - Take off contaminated clothing and wash before reuse.
EUH066 - Repeated exposure may cause skin dryness or cracking
Precautionary Statements - EU No. 1272/2008

SUMMARY OF ACUTE HAZARDS

Irritation to eyes, nose, and throat; drowsiness, narcosis, tremors, and other CNS effects at high concentrations. Skin irritation, dermatitis, and defatting.

ROUTE OF EXPOSURE, SIGNS AND SYMPTOMS

INHALATION

Nasal and respiratory irritation, dizziness, narcosis, headache, nausea, CNS depression, and unconsciousness.

EYE CONTACT

Watering, blurred vision, inflammation, and irritation which can result in corneal injury.

SKIN CONTACT

Irritation, dermatitis.

INGESTION

Nausea, vomiting; CNS depression; irritation of gastrointestinal tract, liver and peritoneal wall; lung congestion.

SUMMARY OF CHRONIC HAZARDS

Skin irritation, contact dermatitis, and defatting.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE

Individuals with pre-existing or chronic diseases of the eyes, skin, respiratory system, cardiovascular system, gastrointestinal system, liver, or kidneys may have increased susceptibility to excessive exposure.

==========

Section 3 -- COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT: Glycol Ether EB
PERCENTAGE BY WEIGHT: 1-5
CAS NUMBER: 111-76-2
EC# : 203-905-0

==========

Section 4 -- FIRST AID MEASURES

If INHALED:	If overcome by exposure, remove victim to fresh air immediately. Give oxygen or artificial respiration as needed. Obtain emergency medical attention. Prompt action is essential.
If on SKIN:	Immediately wash with soap and water. Remove and wash any contaminated clothing.
If in EYES:	Flush eyes with large amounts of water for 15 minutes. Get medical attention if irritation persists.
If SWALLOWED:	If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician. Never give

anything by mouth to an unconscious person.

Section 5 -- FIRE FIGHTING MEASURES

EXTINGUSING MEDIA
Non-flammable. Use agents appropriate for surrounding fires.
SPECIAL FIRE FIGHTING PROCEDURES: None
UNUSUAL FIRE AND EXPLOSION HAZARDS: None known.

Section 6 -- ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Remove all sources of ignition. Use absorbent materials to prevent footing hazard and to contain. Ventilate area with natural or explosion-proof, forced air ventilation. Avoid flushing into sewers, drains, waterways, and soil. Wear protective clothing and respiratory protection during cleanup.

Section 7 -- HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Use absorbent materials to prevent footing hazard and to contain.

Section 8 -- EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION (SPECIFY TYPE): In confined, poorly ventilated areas, use NIOSH/MSHA approved air purifying or supplied air respirators during soldering operations until fumes have dissipated.
VENTILATION - LOCAL EXHAUST: Acceptable
SPECIAL: Explosion proof
MECHANICAL (GENERAL): Acceptable
OTHER: N/A
PROTECTIVE GLOVES: Wear rubber gloves.
EYE PROTECTION: Safety glasses (ANSI Z-87.1 or equivalent)
OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Chemical resistant coveralls recommended.
WORK/HYGIENIC PRACTICES: Where use can result in skin contact, wash exposed areas thoroughly before eating, drinking, smoking, or leaving work area. Launder contaminated clothing before reuse.

Section 9 -- PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT:	212 F (100 C) @ 760mm Hg
SPECIFIC GRAVITY (H20 = 1):	0.99
VAPOR PRESSURE (mm Hg):	17 @ 68 F (20 C)
MELTING POINT:	N/A
VAPOR DENSITY (AIR = 1):	<1
EVAPORATION RATE (ETHYL ACETATE = 1):	>1
APPEARANCE/ODOR:	Green Liquid / Mild Odor
SOLUBILITY IN WATER:	Soluble
VOLATILE ORGANIC COMPOUNDS(VOC)Content (Theoretical Percentage By Weight):	5% or (50 g/L)
Flash POINT	None SETA CC
LOWER EXPLOSION LIMIT	None
UPPER EXPLOSION LIMIT	None

Section 10 -- STABILITY AND REACTIVITY

STABILITY: Stable
CONDITIONS TO AVOID: None
INCOMPATIBILITY (MATERIALS TO AVOID): Heat, sparks and open flames.
HAZARDOUS DECOMPOSITION PRODUCTS: CO, CO, and fragmented hydrocarbons.
HAZARDOUS POLYMERIZATION: Will not occur.

Section 11 -- TOXICOLOGY INFORMATION

CHRONIC HEALTH HAZARDS

No ingredient in this product is an IARC, NTP or OSHA listed carcinogen.

TOXICOLOGY DATA

Ingredient Name

Glycol Ether EB

Oral-Rat LD50	470 mg/kg
Inhalation-Rat TCLo	200 ppm/6H

Section 12 -- Ecological Information

ECOLOGICAL DATA

Ingredient Name

Glycol Ether EB

Food Chain Concentration Potential	None
WATERFOWL TOXICITY	N/A
BOD	26%
AQUATIC TOXICITY	1000 ppm/24 hr/brine shrimp/TLm

Section 13 -- DISPOSAL CONSIDERATIONS

Waste Classification: Non-regulated liquid waste.
Disposal Method: Dispose of in accordance with local, state and federal regulations.

Section 14 -- TRANSPORTATION INFORMATION

DOT: Non-regulated
OCEAN (IMDG): Non-regulated
AIR (IATA): Non-regulated
WHMIS (CANADA): Non-regulated

Section 15 -- REGULATORY INFORMATION

REGULATORY DATA

Ingredient Name

Glycol Ether EB

SARA 313	Yes
TSCA Inventory	Yes
CERCLA RQ	N/A
RCRA Code	N/A

Section 16 -- OTHER INFORMATION

This document is prepared pursuant to the OSHA Hazard Communication Standard (29 CFR 1910.1200). The information herein is given in good faith,

but no warranty, expressed or implied is made. Consult RectorSeal for further information: (713) 263-8001