

Revision Number: 002.0 Issue date: 09/09/2014

# 1. PRODUCT AND COMPANY IDENTIFICATION

Product name: BONDERITE L-GP 505 CORROSION IDH number:

INHIBITOR known as P3-PREVOX 505

**Product type:** Corrosion Protection Agents for Metals

Restriction of Use: None identified

Company address:

Henkel Corporation
One Henkel Way

Rocky Hill, Connecticut 06067

**IDH number:** 1315616

Region: United States

Contact information: Telephone: (860) 571-5100

MEDICAL EMERGENCY Phone: Poison Control Center

1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT EMERGENCY Phone: CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887

Internet: www.henkelna.com

# 2. HAZARDS IDENTIFICATION

**EMERGENCY OVERVIEW** 

DANGER: CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

MAY CAUSE AN ALLERGIC SKIN REACTION.

HAZARD CLASS	HAZARD CATEGORY
SKIN CORROSION	1C
SERIOUS EYE DAMAGE	1
SKIN SENSITIZATION	1





#### **Precautionary Statements**

Prevention: Do not breathe vapors, mist, or spray. Wash thoroughly after handling. Contaminated work

clothing should not be allowed out of the workplace. Wear protective gloves, eye protection,

and face protection.

Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off

immediately all contaminated clothing. IF INHALED: Remove person to fresh air and keep

comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to remove. Continue rinsing. Immediately call a poison control center or physician. If skin irritation or rash occurs: Get medical attention. Wash contaminated clothing

before reuse.

Storage: Store locked up.

Disposal: Dispose of contents and/or container according to Federal, State/Provincial and local

governmental regulations.

11 % of the mixture consists of ingredient(s) of unknown acute toxicity.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

IDH number: 1315616 Product name: BONDERITE L-GP 505 CORROSION INHIBITOR known as P3-PREVOX 505

Page 1 of 6

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Component(s)	CAS Number	Percentage*
Triethanolamine	102-71-6	10 - 30
Monoethanolamine	141-43-5	10 - 30
Amine compound	Proprietary	10 - 30
Methylbenzotriazole	29385-43-1	1 - 5

<sup>\*</sup> Exact percentage is a trade secret. Concentration range is provided to assist users in providing appropriate protections.

### 4. FIRST AID MEASURES

Inhalation: If mist or vapor of this product is inhaled, remove person immediately to fresh

air. Seek medical attention if symptoms develop or persist.

Skin contact: For skin contact flush with large amounts of water. If symptoms develop and

persist, get medical attention.

Eye contact: Immediately flush eyes with water for at least 15 minutes, while holding

eyelids open. Seek medical attention at once.

Ingestion: If material is ingested, immediately contact a physician or poison control

center. DO NOT induce vomiting unless directed to do so by medical

personnel.

Symptoms: See Section 11.

### 5. FIRE FIGHTING MEASURES

Extinguishing media: Use media appropriate for surrounding material.

Special firefighting procedures: Wear self-contained breathing apparatus and full protective clothing, such as

turn-out gear.

Unusual fire or explosion hazards: None expected.

IDH number: 1315616

Hazardous combustion products: Upon decomposition, this product emits carbon monoxide, carbon dioxide

and/or low molecular weight hydrocarbons. Oxides of nitrogen.

### 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions: Prevent further leakage or spillage if safe to do so. Wear appropriate personal

protective equipment.

Clean-up methods: Absorb spill with inert material. Shovel material into appropriate container for

disposal. Dispose of according to Federal, State and local governmental

regulations.

### 7. HANDLING AND STORAGE

**Handling:** Avoid contact with eyes, skin and clothing. Avoid breathing vapors or mists of

this product. Provide adequate ventilation. Wash thoroughly after handling. Do not take internally. Do not mix this product with fluids which contain

NITRITES/NITRATES. NITROSAMINE may be formed.

Storage: Keep container tightly closed and in a cool, well-ventilated place away from

incompatible materials. Do not freeze.

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Triethanolamine	5 mg/m3 TWA	None	None	None
Monoethanolamine	3 ppm TWA 6 ppm STEL	3 ppm (6 mg/m3) PEL	None	None
Amine compound	None	None	None	None
Methylbenzotriazole	None	None	None	None

Engineering controls: Provide local and general exhaust ventilation to effectively remove and

prevent buildup of any vapors or mists generated from the handling of this

product.

Respiratory protection: If ventilation is not sufficient to effectively prevent buildup of aerosols, mists or

vapors, appropriate NIOSH/MSHA respiratory protection must be provided. When workplace hazards warrant the use of a respirator, appropriate respirators must be used, and a program that follows 29 CFR 1910.134 must be followed. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known; or any other circumstances where air purifying respirators may not provide adequate

protection.

**Eye/face protection:** Wear safety glasses; chemical goggles (if splashing is possible).

**Skin protection:** Chemical resistant, impermeable gloves. Gloves should be tested to

determine suitability for prolonged contact. The breakthrough time of the selected glove must be greater than the intended use period. Suitable glove

materials may include: Neoprene gloves. Nitrile gloves.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:LiquidColor:Light amberOdor:Mild amineOdor threshold:Not available.

**pH:** 9.7 - 10.7 (5% solution)

Vapor pressure: Not determined

**Boiling point/range:** > 100 °C (> 212°F) Aqueous solution

Not determined Melting point/ range: Specific gravity: 1.05 - 1.09 Vapor density: Not determined Flash point: Aqueous solution Flammable/Explosive limits - lower: Not applicable Flammable/Explosive limits - upper: Not applicable Autoignition temperature: Not determined **Evaporation rate:** Not available. Solubility in water: Complete

Partition coefficient (n-octanol/water):

Not determined

VOC content:

4.8 % EPA Method 24

Viscosity: Not available. **Decomposition temperature:** Not available.

# 10. STABILITY AND REACTIVITY

Stability: Stable at normal conditions.

Hazardous reactions: None under normal processing.

Hazardous decomposition products:

Upon decomposition, this product may yield oxides of nitrogen and ammonia, carbon dioxide,

carbon monoxide and other low molecular weight hydrocarbons.

Incompatible materials: Monoethanolamine: reacts violently with acetic acid, acetic anhydride, acrolein, acrylic acid,

acrylonitrile, chlorosulfonic acid, epichlorohydrin, hydrochloric acid, hydrofluoric acid, sulfuric acid, mesityle oxide, nitric acid, oleum, b-propiolactone and vinyl acetate. This product may react with strong acids or oxidizing agents. Do not mix this product with nitrites or other

nitrosating agents because a carcinogenic nitrosamine may be formed.

Reactivity: Not available.

Conditions to avoid: Freezing conditions. Store away from incompatible materials.

### **TOXICOLOGICAL INFORMATION**

Skin, Inhalation, Eyes Relevant routes of exposure:

#### Potential Health Effects/Symptoms

IDH number: 1315616

Inhalation: Inhalation of vapors or mists of the product may be irritating to the respiratory system.

Skin contact: Prolonged and/or repeated skin contact with this product may cause irritation.

This product may be severely irritating to the eyes. Eye contact:

Ingestion: Ingestion of this product is unlikely. However, ingestion of product may produce gastrointestinal

irritation and disturbances.

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects
Triethanolamine	Oral LD50 (RAT) = 8.0 g/kg Dermal LD50 (RABBIT) = > 20,000 mg/kg	Irritant, Allergen
Monoethanolamine	Oral LD50 (RAT) = 10.2 g/kg Dermal LD50 (RABBIT) = 1,025 mg/kg	Irritant, Kidney, Liver, Corrosive, Respiratory, Developmental
Amine compound	None	No Data
Methylbenzotriazole	None	Irritant, Central nervous system

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Triethanolamine	No	No	No
Monoethanolamine	No	No	No
Amine compound	No	No	No
Methylbenzotriazole	No	No	No

# 12. ECOLOGICAL INFORMATION

**Ecological information:** No data available.

### 13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

**Recommended method of disposal:** Follow all local, state, federal and provincial regulations for disposal. This

product contains a chelating agent.

Hazardous waste number: Material, if discarded, is not expected to be a characteristic hazardous waste

under RCRA.

#### 14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

U.S. Department of Transportation Ground (49 CFR)

Proper shipping name: Ethanolamine solutions

Hazard class or division:

Identification number: UN 2491
Packing group: III

International Air Transportation (ICAO/IATA)

Proper shipping name: Ethanolamine solution

Hazard class or division: 8
Identification number: UN 2491
Packing group: III

Water Transportation (IMO/IMDG)

Proper shipping name: ETHANOLAMINE SOLUTION

Hazard class or division: 8

Identification number: UN 2491
Packing group: III

### 15. REGULATORY INFORMATION

**United States Regulatory Information** 

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances Control Act

Inventory.

TSCA 12 (b) Export Notification: None above reporting de minimis

CERCLA/SARA Section 302 EHS: None above reporting de minimis

CERCLA/SARA Section 311/312:
CERCLA/SARA Section 313:

None above reporting de minimis
Immediate Health, Delayed Health
None above reporting de minimis

None above reporting de minimis

California Proposition 65: This product contains a chemical known in the State of California to cause cancer. This

product contains a chemical known in the State of California to cause cancer.

**Export Restrictions:** This product is controlled for export by the United States Department of Commerce. The

Export Classification Control Number (ECCN) is 1C995.a.2.a

**Canada Regulatory Information** 

IDH number: 1315616

CEPA DSL/NDSL Status: Contains one or more components listed on the Non-Domestic Substances List. All other

components are listed on or are exempt from listing on the Domestic Substances List. Components listed on the NDSL must be tracked by all Canadian Importers of Record as required by Environment Canada. They may be imported into Canada in limited quantities.

Please contact Regulatory Affairs for additional details.

Product name: BONDERITE L-GP 505 CORROSION INHIBITOR known as P3-PREVOX 505

Page 5 of 6

### 16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: New Safety Data Sheet format.

Prepared by: John DiCerbo, Sr. Regulatory Affairs Specialist

**Issue date:** 09/09/2014

IDH number: 1315616

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.