Safety Data Sheet



Revision Number: 004.0

Issue date: 09/09/2014

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: Product type: Restriction of Use: None identified Company address: Henkel Corporation One Henkel Way Rocky Hill, Connecticut 06067

Teroson ®Terostat™ 8599™ 1-Component sealant

IDH number: 1377643 Item number: 1377643 Region: **United States** Contact information: Telephone: (860) 571-5100 MEDICAL EMERGENCY Phone: Poison Control Center 1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT EMERGENCY Phone: CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887 Internet: www.henkelna.com

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

NOT CLASSIFIED. READ ENTIRE SAFETY DATA SHEET.

HAZARD CLASS HAZARD CATEGORY None

None

PICTOGRAM(S)

None

Precautionary Statements

Prevention: Not prescribed **Response:** Not prescribed Storage: Not prescribed Disposal: Not prescribed

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

| Hazardous Component(s) | CAS Number | Percentage* |
|---|-------------|-------------|
| Ethoxylated propoxylated glycerol-MDI copolymer | Proprietary | 30 - 60 |
| Diisononyl phthalate | 28553-12-0 | 10 - 30 |
| Calcium carbonate | 471-34-1 | 10 - 30 |
| Carbon black | 1333-86-4 | 10 - 30 |
| Lactone Polymer | Proprietary | 1 - 5 |
| Methylenebis(phenylisocyanate) | 101-68-8 | 0.1 - 1 |

* Exact percentage is a trade secret. Concentration range is provided to assist users in providing appropriate protections.

| 4. FIRST AID MEASURES | | |
|------------------------------------|--|--|
| Inhalation: | If mist or vapor of this product is inhaled, remove person immediately to fresh air. Seek medical attention if symptoms develop or persist. | |
| Skin contact: | Immediately remove soiled or soaked clothing. Immediately wash skin thoroughly with soap and water. Obtain medical attention if irritation persists. | |
| Eye contact: | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms develop and persist, get medical attention. | |
| Ingestion: | Rinse mouth, drink 1-2 glasses of water, do not induce vomiting, consult a doctor. | |
| Symptoms: | See Section 11. | |
| Notes to physician: | Persons with asthmatic-type conditions, chronic bronchitis, other chronic respiratory diseases or recurrent skin eczema or sensitization should be excluded from working with isocyanates. | |
| 5. FIRE FIGHTING MEASURES | | |
| Extinguishing media: | Water spray (fog), foam, dry chemical or carbon dioxide. | |
| Special firefighting procedures: | Wear full protective clothing. Wear self-contained breathing apparatus. | |
| Unusual fire or explosion hazards: | None identified. | |
| Hazardous combustion products: | Irritating and/or toxic fumes and gases may be emitted upon the product's decomposition. carbon oxides. Isocyanate vapors. | |

6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

| Environmental precautions: | Prevent further leakage or spillage if safe to do so. Wear appropriate protective equipment and clothing during clean-up. Do not allow product to enter sewer or waterways. Remove all sources of ignition. |
|----------------------------|---|
| Clean-up methods: | Absorb spill with inert material. Shovel material into appropriate container for disposal. Dispose of according to Federal, State and local governmental regulations. |
| 7. HANDLING AND STORAGE | |

| Handling: | Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Avoid breathing fumes if this product is used at high temperatures. Use only with adequate ventilation. Do not take internally. For industrial use only. |
|-----------|--|
| Storage: | For safe storage, store between 15.0 °C (59°F) and 25.0 °C (77°F) Keep container tightly closed and in a cool, well-ventilated place away from incompatible materials. |

For information on product shelf life contact Henkel Customer Service at (800) 243-4874.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

| Hazardous Component(s) | ACGIH TLV | OSHA PEL | AIHA WEEL | OTHER |
|---|------------------------------------|--|-----------|-------|
| Ethoxylated propoxylated glycerol-MDI copolymer | None | None | None | None |
| Diisononyl phthalate | None | None | None | None |
| Calcium carbonate | 10 mg/m3 TWA Total dust. | 5 mg/m3 PEL Respirable fraction. 15 mg/m3 PEL Total dust. | None | None |
| Carbon black | 3 mg/m3 TWA Inhalable fraction. | 3.5 mg/m3 PEL | None | None |
| Lactone Polymer | None | None | None | None |
| Methylenebis(phenylisocyanate) | 0.005 ppm TWA | 0.02 ppm (0.2 mg/m3) Ceiling | None | None |

Engineering controls:

Respiratory protection:

Eye/face protection:

Skin protection:

Provide local and general exhaust ventilation to effectively remove and prevent buildup of any vapors or mists generated from the handling of this product.

If ventilation is not sufficient to effectively prevent buildup of vapor/mist/fume/dust, appropriate NIOSH/MSHA respiratory protection must be provided.

Wear safety glasses; chemical goggles (if splashing is possible).

Wear impervious gloves for prolonged contact. Gloves should be tested to determine suitability for prolonged contact. Protective clothing that covers arms and legs.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Color: Odor: Odor threshold: pH: . Vapor pressure: Boiling point/range: Melting point/ range: Specific gravity: Vapor density: Flash point: Flammable/Explosive limits - lower: Flammable/Explosive limits - upper: Autoignition temperature: Evaporation rate: Solubility in water: Partition coefficient (n-octanol/water): **VOC content:** Viscosity: **Decomposition temperature:**

paste Black odorless Not available. Not determined Not determined > 100 °C (> 212°F) calculated Not available. 1.2800 at 20.00 °C (68°F) Not determined No flash point up to 100 °C Not available. Not available. Not applicable Not determined Not available. Not available. 0 % 6.500.00 pa.s Not available.

10. STABILITY AND REACTIVITY

| Stability: | Stable at normal conditions. | |
|--------------------------------------|--|--|
| Hazardous reactions: | Will not occur. | |
| Hazardous decomposition products: | Irritating and/or toxic fumes and gases may be emitted upon the product's decomposition. At higher temperatures toxic gases may be generated. Isocyanates. | |
| Incompatible materials: | Reacts with water. Reacts with alcohols and amines. | |
| Reactivity: | Not available. | |
| Conditions to avoid: | Avoid temperatures above 250°C (482°F). Avoid moisture. | |
| 11. TOXICOLOGICAL INFORMATION | | |

Relevant routes of exposure: Skin, Inhalation, Eyes

Potential Health Effects/Symptoms

| Inhalation: | This product is irritating to the respiratory system. As a result of previous repeated overexposures or a single large dose, certain individuals will develop isocyanate sensitization (chemical asthma) which will cause them to react to a later exposure to isocyanate at levels well below the TLV. Chronic overexposure to isocyanates has been reported to cause lung damage. |
|---------------|---|
| Skin contact: | This product may cause irritation to the skin. May cause skin sensitization. |
| Eye contact: | This product may cause irritation to the eyes. |
| Ingestion: | Ingestion of this product is unlikely. However, ingestion of product may produce gastrointestinal irritation and disturbances. |

| Hazardous Component(s) | LD50s and LC50s | Immediate and Delayed Health Effects |
|---|--|--|
| Ethoxylated propoxylated glycerol-MDI copolymer | None | No Records |
| Diisononyl phthalate | Oral LD50 (RAT) = > 40,000 mg/kg Oral LD50 (RAT) = > 10 g/kg Dermal LD50 (RABBIT) = > 3,160 mg/kg Dermal LD50 (RABBIT) = > 3.16 g/kg Inhalation LC50 (RAT, 4 h) = > 4.4 mg/l | Central nervous system, Developmental |
| Calcium carbonate | Oral LD50 (RAT) = 6,450 mg/kg | Nuisance dust |
| Carbon black | Oral LD50 (RAT) = > 8,000 mg/kg | Respiratory, Some evidence of carcinogenicity |
| Lactone Polymer | None | No Records |
| Methylenebis(phenylisocyanate) | Inhalation LC50 (RAT, 4 h) = 0.38 mg/l Inhalation LC50 (RAT, 4 h) = 0.369 mg/l | Irritant, Respiratory, Allergen |

| Hazardous Component(s) | NTP Carcinogen | IARC Carcinogen | OSHA Carcinogen (Specifically Regulated) |
|---|----------------|-----------------|---|
| Ethoxylated propoxylated glycerol-MDI copolymer | No | No | No |
| Diisononyl phthalate | No | No | No |
| Calcium carbonate | No | No | No |
| Carbon black | No | Group 2B | No |
| Lactone Polymer | No | No | No |
| Methylenebis(phenylisocyanate) | No | No | No |

12. ECOLOGICAL INFORMATION

Ecological information:

Not available.

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal:Dispose of according to Federal, State and local governmental regulations.Hazardous waste number:Material, if discarded, is not expected to be a characteristic hazardous waste
under RCRA. Wastes must be tested using methods described in 40 CFR Part
261 to determine if it meets applicable definitions of hazardous wastes.

14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

| U.S. Department of Transportation Ground (4 | 49 CFR) |
|--|---------------|
| Proper shipping name: | Not regulated |
| Hazard class or division: | None |
| Identification number: | None |
| Packing group: | None |
| International Air Transportation (ICAO/IATA) | |
| Proper shipping name: | Not regulated |
| Hazard class or division: | None |
| Identification number: | None |
| Packing group: | None |
| Water Transportation (IMO/IMDG) | |
| Proper shipping name: | Not regulated |
| Hazard class or division: | None |
| Identification number: | None |
| Packing group: | None |

15. REGULATORY INFORMATION

United States Regulatory Information

| TSCA 8 (b) Inventory Status: TSCA 12 (b) Export Notification: | All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory. None above reporting de minimis |
|--|---|
| CERCLA/SARA Section 302 EHS: CERCLA/SARA Section 311/312: CERCLA/SARA Section 313: | None above reporting de minimis Immediate Health, Delayed Health None above reporting de minimis |
| California Proposition 65: | This product contains a chemical known in the State of California to cause cancer. |
| Canada Regulatory Information | |
| CEPA DSL/NDSL Status: | Contains one or more components listed on the Non-Domestic Substances List. All other components are listed on or are exempt from listing on the Domestic Substances List. Components listed on the NDSL must be tracked by all Canadian Importers of Record as required by Environment Canada. They may be imported into Canada in limited quantities. Please contact Regulatory Affairs for additional details. |

16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: New Safety Data Sheet format.

Prepared by: Cheryl Neason, Regulatory Affairs Specialist

Issue date: 09/09/2014

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.