

Product identifier used on the label: MAG 1 ATF DEX 3/1GL Stock Number: MAG00906 Revision Date: 02-23-2019 Replaces:

1. Identification		
Product identifier used on the label: Stock Number:	MAG 1 ATF DEX 3/1GL MAG00906	
Other means of identification: Synonyms:	No data available	
Recommended use of the chemical and re Recommended use:	estrictions on use: Automatic Transmission Fluid	
Restrictions on use:	Uses other than those described above	
Name, address, and telephone number	Warren Distribution, Inc.	
of the chemical manufacturer, importer, or other responsible party:	950 S. 10th St., Suite 300	
	Omaha, NE 68108-3296	
Phone number:	+01 (800) 825-1235 +01 (402) 341-9397	
E-mail address:	sds@wd-wpp.com	
Emergency phone number:	CHEMTREC: +1 (800) 424-9300 International: +01 (703) 527-3887	

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

GHS Classification:	Hazardous to the aquatic environment - Acute Category 3	
	Hazardous to the aquatic environment - Chronic Category 3	
Hazard Statements:	Harmful to aquatic life; Harmful to aquatic life with long lasting effects	
Precautionary Statements: Prevention:	Avoid release to the environment.	
Disposal:	Dispose of contents/container in accordance with local/regional/national/international regulations.	
Hazards not otherwise classified:	No data available	

3. Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS #	%
Lubricating oils, petroleum, hydrotreated spent	No data available	64742-58-1	10 - 30
Petroleum distillates, solvent dewaxed heavy paraffinic	No data available	64742-65-0	1 - 5

Product identifier used on the label: MAG 1 ATF DEX 3/1GL Stock Number: MAG00906 Revision Date: 02-23-2019 Replaces:

One or more hazardous ingredient(s) is claimed as a trade secret under the OSHA Hazard Communication Standard. The hazards of this (these) ingredient(s) are given on this SDS.

4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Inhalation:	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen.	
Eye Contact:	Use eye wash to remove a chemical from the eye. Flush the affected eye for at least fifteen minutes. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Seek medical attention if irritation persists.	
Skin Contact:	Wash with soap and water. Remove contaminated clothing and launder. Get medical attention if irritation develops or persists.	
Ingestion:	No hazard in normal industrial use. Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this SDS.	
Most important symptoms/effects, acute and delayed:		
Indication of immediate medical attention and special treatment needed, if necessary:	No additional first aid information available.	

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media:	Use alcohol resistant foam, carbon dioxide, or dry chemical when fight fires. Water or foam may cause frothing if liquid is burning but it still m be a useful extinguishing agent if carefully applied to the surface of the fire. Do not direct a stream of water into the hot burning liquid.	
Unsuitable extinguishing media:	No data available	
Specific hazards arising from the chemical:	No data available	
Hazardous combustion products:	Carbon monoxide, Sulfur containing gases, Nitrogen containing gases, Aldehydes, oxides of phosphorus, Hydrogen sulfide	

Product identifier used on the label: MAG 1 ATF DEX 3/1GL Stock Number: MAG00906 Revision Date: 02-23-2019 Replaces:

Special protective equipment and	Do not enter fire area without proper protection including self- contained
precautions for fire-fighters:	breathing apparatus and full protective equipment. Use methods for the
	surrounding fire.

Personal precautions, protective equipment and emergency procedures:	Avoid release to the environment.
Methods and materials for containment and cleaning up:	Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center.

Precautions for safe handling:	Harmful or irritating material. Avoid contacting and avoid breathing the material. Use only in a well ventilated area. Empty containers may retain product residues/ vapors. Use proper bonding and grounding during bulk product transfer. Follow all protective equipment recommendations provided in Section 8.
Conditions for safe storage, including any incompatibilities: Safe storage conditions:	Store in a cool dry place. Isolate from incompatible materials.
Materials to Avoid/Chemical Incompatibility:	Strong oxidizing agents

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical component	OSHA PEL	ACGIH TLV	ACGIH STEL	IDLH
Petroleum distillates,	5 mg/m3	5 mg/m3	10 mg/m3	No data available
hydrotreated heavy paraffinic				
Lubricating oils, petroleum, hydrotreated	5 mg/m3	5 mg/m3	10 mg/m3	No data available

Product identifier used on the label: MAG 1 ATF DEX 3/1GL Stock Number: MAG00906 Revision Date: 02-23-2019 Replaces:

spent				
Petroleum distillates,	5 mg/m3	5 mg/m3	10 mg/m3	No data available
solvent dewaxed heavy				
paraffinic				
Appropriate engineering controls: Use local exhaust ventilation or other engineering controls to mini				g controls to minimize
		exposures and maintain operator comfort.		
Individual protection measu	res, such as personal	protective equipmen	nt:	
Respiratory Protection:	handli prefer	Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.		
Respirator Type(s):	concer	None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.		
Eye protection:	No spe	No special requirements under normal industrial use.		
Skin protection:	replace hands	Wear protective gloves. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.		
Gloves:	Neopr	Neoprene, Nitrile		
General hygiene conditions:	Follow	Follow all protective equipment recommendations provided in Section 8		

9. Physical and chemical properties

Appearance (physical state, color etc.):	
Physical state:	Liquid
Color:	Red
Odor:	Mild
Odor Threshold:	Not determined
pH:	No data available
Melting point/freezing point:	
Melting Point:	No data available
Freezing point:	No data available
Flash Point (°C):	215
Evaporation Rate:	No data available

Product identifier used on the label: MAG 1 ATF DEX 3/1GL Stock Number: MAG00906 Revision Date: 02-23-2019 Replaces:

Flammability (solid, gas):	No data available
Upper/lower flammability or explosive limits:	
Upper flammability or explosive limits:	= 10
Lower flammability or explosive limits:	= 1
Vapor pressure:	No data available
Vapor density:	No data available
Relative density:	0.86
Solubility(ies):	Negligible; 0-1%
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Decomposition Temperature:	Not determined
Viscosity:	35.84

10. Stability and reactivity	
Reactivity:	There are no known reactivity hazards associated with this product.
Chemical stability:	Stable under normal conditions.
Possibility of hazardous reactions:	None expected under standard conditions of storage.
Conditions to avoid (e.g., static discharge, shock, or vibration):	Temperatures above the high flash point of this combustible material ir combination with sparks, open flames, or other sources of ignition. Moisture (will lead to product performance degradation).
Incompatible materials:	Strong oxidizing agents
Hazardous decomposition products:	Carbon monoxide, Sulfur containing gases, Nitrogen containing gases, Aldehydes, oxides of phosphorus, Hydrogen sulfide

11. Toxicological information

Description of the various toxicological (health) effects and the available data used to identify those effects:

Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact):	Skin contact, Inhalation, Ingestion, Eye contact
Symptoms related to the physical, chemical and toxicological	No data available

Product identifier used on the label: MAG 1 ATF DEX 3/1GL Stock Number: MAG00906 Revision Date: 02-23-2019 Replaces:

characteristics:

Delayed and immediate effects and also c	hronic effects from short- and long-term exposure:
Ingestion:	No hazard in normal industrial use. Estimated to be > 5.0 g/kg.
Skin Contact:	This material is estimated to be moderately irritating (Primary Irritation Index is 3.0 - 5.0 [rabbits]).Can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause permanent damage.
Absorption:	Estimated to be > 5.0 g/kg; practically non-toxic
Inhalation:	No hazard in normal industrial use. Likely to be practically non-toxic based on animal data.
Eye Contact:	This material is likely to be non-irritating to eyes based on animal data.
Sensitization:	Non-hazardous under Respiratory Sensitization category.
Mutagenicity:	No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.
Carcinogenicity:	Not expected to cause cancer. This product meets the IP-346 criteria of <3% PAH's and is not considered a carcinogen by the International Agency for Research on Cancer.
STOT-single exposure:	Based on available data, the classification criteria are not met.
STOT-repeated exposure:	Based on available data, the classification criteria are not met.
Aspiration hazard:	Based on available data, the classification criteria are not met.
Other information:	None known.

Numerical measures of toxicity (such as acute toxicity estimates):

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Petroleum distillates, solvent dewaxed heavy paraffinic	Oral LD50 Rat > 15000 mg/kg	Dermal LD50 Rabbit > 5000 mg/kg	Inhalation LC50 (4h) Rat = 2.18 mg/L
Lubricating oils, petroleum, hydrotreated spent	Oral LD50 Rat > 2000 mg/kg	Dermal LD50 Rabbit > 4480 mg/kg	

Is the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA:

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
There are no components			
that are known or reported			

Product identifier used on the label: MAG 1 ATF DEX 3/1GL Stock Number: MAG00906 Revision Date: 02-23-2019 Replaces:

to cause cancer.

12. Ecological information

Ecotoxicity (aquatic and terrestrial, where available):

Moderate ecological hazard. This product may be dangerous to plants and/or wildlife.

This material is expected to have essentially no mobility in soil. It absorbs

Ecological Toxicity Data:

Chemical Name	CAS #	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
Alkyl phosphites	ACC # 151872	0.09	0.31	Aquatic LC50 (96h) Rainbow Trout 1.5 mg/L
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	Aquatic LC50 (48h) > 1000 mg/L	No data available	Aquatic LC50 (96h) Rainbow Trout > 5000 mg/L
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	Aquatic LC50 (48h) > 1000 mg/L	No data available	Aquatic LC50 (96h) Rainbow Trout > 5000 mg/L

Bioaccumulative potential: Bioconcentration may occur.

Mobility in soil:

Other adverse effects (such as hazardous to the ozone layer): None known.

strongly to most soil types.

13. Disposal considerations

Description of waste residues and
information on their safe handling and
methods of disposal, including theDispose of contents and container in accordance with
local/regional/national/international regulations.

Contaminated packaging:

packaging:

disposal of any contaminated

Recycle containers whenever possible.

14. Transport information

Product identifier used on the label: MAG 1 ATF DEX 3/1GL Stock Number: MAG00906 Revision Date: 02-23-2019 Replaces:

Carriage of dangerous goods by road (DOT), rail or inland waterways:

DOT Basic Description:

Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO).

International carriage of dangerous goods by sea (IMDG/IMO):					
UN number:	Not regulated by IMDG				
UN Proper shipping name:	Not applicable				
Transport hazard class(es):	Not applicable				
Packing group, if applicable:	Not applicable				

International carriage of dangerous goods by air (IATA):						
UN number:	Not regulated by IATA					
UN Proper shipping name:	Not applicable					
Transport hazard class(es):	Not applicable					
Packing group, if applicable:	Not applicable					
Environmental hazards (e.g., Marine pollutant (Yes/No)):	None.					
Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):	No data available					
Special precautions which a user needs to be aware of or needs to comply with in connection with transport or conveyance either within or outside their premises:	No data available					

15. Regulatory information

Safety, health and environmental regulations specific for the product in question:

TSCA Status:

All components of this material are on the US TSCA Inventory or are exempt.

Regulated Components:

Chemical Name	CAS #	CERCLA	Sara EHS	Sara 313	U.S. HAP
Petroleum distillates, hydrotreated heavy	64742-54-7	Ν	Ν	Ν	Ν

Product identifier used on the label: MAG 1 ATF DEX 3/1GL Stock Number: MAG00906 Revision Date: 02-23-2019 Replaces:

paraffinic					
Lubricating oils, petroleum, hydrotreated spent	64742-58-1	Ν	Ν	Ν	Ν
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	Ν	Ν	Ν	Ν
Alkyl phosphites	ACC # 151872	Ν	Ν	Ν	Ν

Chemical Name	CAS #	California Prop 65 - Cancer	California Prop 65 - Dev. Toxicity	California Prop 65 - Reprod fem	California Prop 65 - Reprod male
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	Ν	Ν	Ν	Ν
Lubricating oils, petroleum, hydrotreated spent	64742-58-1	Ν	Ν	Ν	Ν
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	Ν	Ν	Ν	Ν
Alkyl phosphites	ACC # 151872	Ν	Ν	Ν	Ν

Chemical Name	CAS #	Massachusetts RTK List	New Jersey RTK List	Pennsylvania RTK List	Rhode Island RTK List	Minnesota Hazardous Substance List
Petroleum distillates,						
hydrotreated heavy	64742-54-7	Ν	N	N	N	Ν
paraffinic						
Lubricating oils,						
petroleum,	64742-58-1	Ν	N	N	N	Ν
hydrotreated spent						
Petroleum distillates,						
solvent dewaxed	64742-65-0	Ν	N	N	N	Ν
heavy paraffinic						
Alkyl phosphites	ACC #	# N	Ν	Ν	Ν	Ν
Aikyi phosphiles	151872	IN				IN

Product identifier used on the label: MAG 1 ATF DEX 3/1GL Stock Number: MAG00906 Revision Date: 02-23-2019 Replaces:

16. Other information, including date of preparation or last revision.	
SDS Prepared by:	HAZEMS
Revision Date:	02-23-2019
Revision Number:	34
Reason for revision: References: Other Info:	Activated by Document Formulation Generation No data available No data available
Disclaimer:	This safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either expressed or implied.