

Issue Date 14-May-2018

# SAFETY DATA SHEET

Revision Date 27-Dec-2017

Version 1

# **1. PRODUCT AND COMPANY IDENTIFICATION**

Product identifier Product Name	Calci-Solve
<u>Other means of identification</u> Product Code Synonyms	4134-01, 4134-08, 4134-24 None
Details of the supplier of the safety Company Name	<u>data sheet</u> Nu-Calgon 2611 Schuetz Road St. Louis, MO 63043 (800) 554-5449 http://www.nucalgon.com/
Emergency telephone number Emergency Telephone	Chemtrec 1-800-424-9300

# 2. HAZARDS IDENTIFICATION

## **Classification**

## **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Not classified
Acute toxicity - Inhalation (Gases)	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3

Label elements

#### **Emergency Overview**



Hazard statements Harmful if swallowed Toxic if inhaled Causes severe skin burns and eye damage May cause respiratory irritation. May cause drowsiness or dizziness



#### Appearance Clear Light Red/Orange

Physical state Liquid

Odor Acidic

## **Precautionary Statements - Prevention**

Use only in a well-ventilated area Wear protective gloves/protective clothing/eye protection/face protection Do not breathe dust/fume/gas/mist/vapors/spray Do not eat, drink or smoke when using this product Wash face, hands and any exposed skin thoroughly after handling

#### Precautionary Statements - Response

Specific Treatment (See Section 4 on the SDS) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower If irritation persists or burns occur, get medical attention IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell IF SWALLOWED: Rinse mouth. DO NOT induce vomiting Drink plenty of water Immediately call a POISON CENTER or doctor/physician

#### Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed Store locked up

## Precautionary Statements - Disposal

Disposal should be in accordance with applicable regional, national and local laws and regulations

#### Hazards not otherwise classified (HNOC) Other Information

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No.	Weight-%	Trade Secret
Hydrochloric Acid	7647-01-0	15-40	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

# **4. FIRST AID MEASURES**

First aid measures	
General advice	Immediate medical attention is required.
Skin Contact	Immediate medical attention is required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. For minor skin contact, avoid spreading material on unaffected skin. For severe burns, immediate medical attention is required.
Eye contact	Keep eye wide open while rinsing. Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Do not rub affected area. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes.
Inhalation	Remove to fresh air. Call a physician or poison control center immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Drink plenty of water. Immediate medical attention is required. Remove from exposure, lie down. Clean mouth with water and drink afterwards plenty of water. Call a physician or poison

	control center immediately.	
Self-protection of the first aider	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.	
Most important symptoms and effect	cts, both acute and delayed	
Symptoms	Any additional important symptoms and effects are described in Section 11: Toxicology Information.	
Indication of any immediate medica	l attention and special treatment needed	
Note to physicians	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.	
5. FIRE-FIGHTING MEASURES		

# Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

## Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

#### Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

## Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.			
Environmental precautions				
Environmental precautions	Do not allow into any storm sewer drains, lakes, streams, ponds, estuaries, oceans or other surface water bodies. Should not be released into the environment. Dispose of according to all local city, state and federal rules and regulations.			
Methods and material for containment and cleaning up				
Methods for containment Prevent further leakage or spillage if safe to do so. Cover powder spill with plastic shee tarp to minimize spreading. Dike far ahead of liquid spill for later disposal.				
Methods for cleaning up	Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Prevent product from entering drains. Dam up. After cleaning, flush away traces with water.			

# 7. HANDLING AND STORAGE

## Precautions for safe handling

Advice on safe handling	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems. Avoid breathing vapors or mists. Always add acid to water.				
Conditions for safe storage, including any incompatibilities					
Storage Conditions	Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers. Keep/store only in original container. Do not reuse container.				
Incompatible materials	Incompatible with strong acids and bases. Incompatible with oxidizing agents. Strong bases. Ammonia. Chlorinated compounds. Contact with metals may evolve flammable hydrogen gas. Metals.				
8. EXPOSURE CONTROLS/PERSONAL PROTECTION					

## Control parameters

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydrochloric Acid	Ceiling: 2 ppm	(vacated) Ceiling: 5 ppm	IDLH: 50 ppm
7647-01-0		(vacated) Ceiling: 7 mg/m <sup>3</sup>	Ceiling: 5 ppm
		Ceiling: 5 ppm	Ceiling: 7 mg/m <sup>3</sup>
		Ceiling: 7 mg/m <sup>3</sup>	
Propargyl Alcohol	TWA: 1 ppm	(vacated) TWA: 1 ppm	TWA: 1 ppm
107-19-7	S*	(vacated) TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>
		(vacated) S*	-

'y

**Other Information** 

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

## Appropriate engineering controls

Engineering Controls	Showers, Eyewash stations & Ventilation systems.	
Individual protection measures, su	ch as personal protective equipment	
Eye/face protection	Tight sealing safety goggles. Face protection shield.	
Skin and body protection	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.	
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.	
General Hygiene	When using do not eat, drink or smoke. Keep away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing and wash it before reuse. Wear suitable gloves and eye/face protection.	

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state	Liquid	
Appearance	Clear Light Red/Orange	
Color	Light Red/Orange	
Odor	Acidic	

# **Odor threshold**

No Information available

#### Values <1 1.16 < 25 cP @ 25°C No Information available Melting point/freezing point None Boiling point / boiling range Est 180 °F No Information available No data available No Information available No Information available 39 mm Hg No Information available Complete No Information available

No Information available

No Information available

9.66

< 0.1%

## **Other Information**

**Density Lbs/Gal** VOC Content (%) Remarks • Method

# **10. STABILITY AND REACTIVITY**

#### Reactivity

Property\_

Viscosity

Flash point

Specific Gravity

Evaporation rate

Vapor pressure

Partition coefficient

Vapor density Water solubility

Flammability (solid, gas)

Lower flammability limit:

Autoignition temperature

Decomposition temperature

Flammability Limits in Air Upper flammability limit:

pН

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### **Conditions to avoid**

Exposure to air or moisture over prolonged periods.

#### **Incompatible materials**

Incompatible with strong acids and bases. Incompatible with oxidizing agents. Strong bases. Ammonia. Chlorinated compounds. Contact with metals may evolve flammable hydrogen gas. Metals.

#### **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Hydrogen chloride. Chlorine gas. Thermal decomposition can lead to release of toxic/corrosive gases and vapors. Hydrogen.

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	The primary effects and toxicity of this material are due to it corrosive nature.
Inhalation	Toxic by inhalation. Breathing of vapor can cause respiratory irritation and inflammation. Breathing of mist or liquid can cause burns to the respiratory tract. May cause drowsiness or dizziness.
Eye contact	Avoid contact with eyes. Corrosive to the eyes and may cause severe damage including blindness.
Skin Contact	Avoid contact with skin. Corrosive. Contact with skin may cause severe irritation and burns. May cause sensitization by skin contact.

Ingestion

Harmful if swallowed. Ingestion causes acute irritation and burns to the mucous membranes of the mouth, trachea, esophagus and stomach.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrochloric Acid	= 700 mg/kg (Rat)	> 5010 mg/kg (Rabbit)	= 1.68 mg/L (Rat)1 h
7647-01-0			

Information on toxicological effects

Symptoms	No Informatio	on available.		
Delayed and immediate effects as well as chronic effects from short and long-term exposure				
Corrosivity		s. Extremely corrosive and	destructive to tissue. Risk	of serious damage to
	eyes.			
Sensitization		ensitization by skin contact		
Germ cell mutagenicity	No Informatio		ananay haa liatad any ina	
Carcinogenicity		ow indicates whether each	<u> </u>	
	ACGIH		NTP	OSHA
Hydrochloric Acid 7647-01-0	-	Group 3	-	Х
IARC (International Agency for Re Group 3 -Not classifiable as a human OSHA (Occupational Safety and H X - Present	n carcinogen		f Labor)	·
Reproductive toxicity	No Informatio	on available		
STOT - single exposure	No Informatio			
STOT - repeated exposure	No Informatio			
Chronic toxicity		sure to corrosive fumes/ga	ses may cause erosion of	the teeth followed by jaw
•···••				
	necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure.			
		of irreversible effects.	,	
Target organ effects	EYES, Respiratory system, Skin.			
Aspiration hazard	No Information available.			
Numerical measures of toxicity - I	Product Inform	ation		
Unknown Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity				
The following values are calculated based on chapter 3.1 of the GHS document				
ATEmix (oral) 766.00				
ATEmix (dermal)	16.135.27			
ATEmix (inhalation-gas)	1,812.37			
ATEmix (inhalation-dust/mist)	······································			
12. ECOLOGICAL INFORMATION				

#### **Ecotoxicity**

0.41% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Hydrochloric Acid	-	282: 96 h Gambusia affinis mg/L	-
7647-01-0		LC50 static	
Propargyl Alcohol	-	1.49 - 1.56: 96 h Pimephales	32: 24 h Daphnia magna mg/L
107-19-7		promelas mg/L LC50 flow-through	EC50

## Persistence and degradability

No Information available.

## **Bioaccumulation**

No Information available.

# **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

**Disposal of wastes** 

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Propargyl Alcohol	P102	-	-	-
107-19-7				

Do not reuse container.

# **14. TRANSPORT INFORMATION**

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

DOT	
UN/ID No.	UN 1789
Proper shipping name	Hydrochloric acid solution
Hazard Class	8
Packing Group	II
Special Provisions	A3, A6, B3, B15,I B2, N41, T8, TP1
Description	UN1789, Hydrochloric acid solution, 8, II
Emergency Response Guide	157
Number	

TDG	
UN/ID No.	UN1789
Proper shipping name	Hydrochloric acid solution
Hazard Class	8
Packing Group	11
Description	UN1789, Hydrochloric acid solution, 8,

# **15. REGULATORY INFORMATION**

II

International Inventories	
TSCA	Complies
DSL/NDSL	Complies

Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

#### US Federal Regulations

#### <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Hydrochloric Acid - 7647-01-0	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Hydrochloric Acid 7647-01-0	5000 lb	-	-	Х

## CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Na	ame Hazardous Su	ubstances RQs CERCLA/SA	RA RQ Reportable Quantity (RQ)
Hydrochloric	Acid 500	00 lb 5000 ll	RQ 5000 lb final RQ
7647-01-	0		RQ 2270 kg final RQ

## US State Regulations

#### California Proposition 65

WARNING: This product can expose you to chemicals including Methanol, which is known to the state of California to cause birth defects or other reproductive harm. For More Information go to www.P65Warnings.ca.gov.

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Hydrochloric Acid 7647-01-0	Х	X	Х
Propargyl Alcohol 107-19-7	Х	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION				
NFPA	Health hazards 3	Flammability 0	Instability 0	Physical and Chemical Properties -
HMIS	Health hazards 3	Flammability 0	Physical hazards 0	Personal protection D
Issue Date Revision Date Revision Note No Information available Disclaimer	14-May-2 27-Dec-2			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**