

SAFETY DATA SHEET

1. Identification

Product identifier	Super Degreaser™
Other means of identification	
Product code	03112
Recommended use	General purpose degreaser
Recommended restrictions	None known.
Manufacturer/Importer/Supplier/	Distributor information
Company name	CRC Industries, Inc.
Address	885 Louis Dr.
	Warminster, PA 18974 US
Telephone	
General Information	215-674-4300
Technical	800-521-3168
Assistance	
Customer Service	800-272-4620
24-Hour Emergency	800-424-9300 (US)
(CHEMTREC)	703-527-3887 (International)
Website	www.crcindustries.com

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2
	Carcinogenicity	Category 2
	Reproductive toxicity	Category 1B
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
	Specific target organ toxicity, single exposure	Category 3 narcotic effects
	Specific target organ toxicity, repeated exposure	Category 2 (kidney, liver, nervous system)
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 3
OSHA defined hazards	Not classified.	
Label elements		
Signal word	Danger	
Hazard statement	Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. May cause drowsiness or dizziness. Suspected of causing cancer. May damage fertility or the unborn child. May cause damage to organs (kidney, liver, nervous system) through prolonged or repeated exposure. Harmful to aquatic life.	
Precautionary statement		
Prevention	and understood. Use with adequate ventilation ensure a fresh air supply during use and while	handle until all safety precautions have been read n. Open doors and windows or use other means to e product is drying. If you experience any symptoms re the area. Do not breathe mist or vapor. Wear ction/face protection. Wash thoroughly after

Response	If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If exposed or concerned: Get medical advice/attention.
Storage	Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national regulations.
Hazard(s) not otherwise classified (HNOC)	None known.

Supplemental information

When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as hydrogen bromide.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
n-propyl bromide	1-bromopropane	106-94-5	90 - 100
butylene oxide		106-88-7	1 - 3
t-butanol		75-65-0	1 - 3

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures	
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
Skin contact	Remove contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. If ingestion of a large amount does occur, call a poison control center immediately.
Most important symptoms/effects, acute and delayed	May cause drowsiness and dizziness. Narcosis. Headache. Nausea, vomiting. Behavioral changes. Decrease in motor functions. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Skin irritation. May cause redness and pain. Edema. Jaundice. Prolonged exposure may cause chronic effects.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.
5. Fire-fighting measures	
Suitable extinguishing media	Alcohol resistant foam. Powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed. When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as hydrogen bromide.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions,	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear
	appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do
	not touch damaged containers or spilled material unless wearing appropriate protective clothing.
	Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up	Use water spray to reduce vapors or divert vapor cloud drift. Prevent product from entering drains.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices. For product usage instructions, please see the product label.
Conditions for safe storage, including any incompatibilities	Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	Туре	Value
t-butanol (CAS 75-65-0)	PEL	300 mg/m3
		100 ppm
US. ACGIH Threshold Lin	nit Values	
Components	Туре	Value
n-propyl bromide (CAS 106-94-5)	TWA	0.1 ppm
t-butanol (CAS 75-65-0)	TWA	100 ppm
US. NIOSH: Pocket Guide	e to Chemical Hazards	
Components	Туре	Value
t-butanol (CAS 75-65-0)	STEL	450 mg/m3
		150 ppm
	TWA	300 mg/m3
	IVVA	500 mg/m5
	TWA	100 ppm
US. AIHA Workplace Env	ironmental Exposure Level (WEEL) Gu	100 ppm
US. AIHA Workplace Env Components		100 ppm
	ironmental Exposure Level (WEEL) Gu	100 ppm ides
Components butylene oxide (CAS	ironmental Exposure Level (WEEL) Gu Type	100 ppm ides Value
Components butylene oxide (CAS	ironmental Exposure Level (WEEL) Gu Type	100 ppm ides Value 5.9 mg/m3 2 ppm
Components butylene oxide (CAS 106-88-7)	ironmental Exposure Level (WEEL) Gu Type TWA	100 ppm ides Value 5.9 mg/m3 2 ppm
Components butylene oxide (CAS 106-88-7) logical limit values	ironmental Exposure Level (WEEL) Gu Type TWA No biological exposure limits noted f	100 ppm ides Value 5.9 mg/m3 2 ppm
Components butylene oxide (CAS 106-88-7) logical limit values posure guidelines	ironmental Exposure Level (WEEL) Gu Type TWA No biological exposure limits noted f n designation	100 ppm ides Value 5.9 mg/m3 2 ppm
Components butylene oxide (CAS 106-88-7) logical limit values osure guidelines US - California OELs: Ski	ironmental Exposure Level (WEEL) Gu Type TWA No biological exposure limits noted f n designation \$ 106-94-5) Can Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to mair	100 ppm ides Value 5.9 mg/m3 2 ppm or the ingredient(s). be absorbed through the skin. 0 air changes per hour) should be used. Ventilation rates inplicable, use process enclosures, local exhaust ventilation, tain airborne levels below recommended exposure limits. If
Components butylene oxide (CAS 106-88-7) logical limit values osure guidelines US - California OELs: Ski n-propyl bromide (CAS propriate engineering trols	ironmental Exposure Level (WEEL) Gu Type TWA No biological exposure limits noted f n designation \$ 106-94-5) Can Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to mair exposure limits have not been estab	100 ppm ides Value 5.9 mg/m3 2 ppm or the ingredient(s). be absorbed through the skin.) air changes per hour) should be used. Ventilation rates upplicable, use process enclosures, local exhaust ventilation, tain airborne levels below recommended exposure limits. If ished, maintain airborne levels to an acceptable level. Provide

Skin protection	
Hand protection	Wear protective gloves such as: Viton®. Silver Shield®
Other	Wear appropriate chemical resistant clothing.
Respiratory protection	Use a NIOSH-approved cartridge respirator with an organic vapor cartridge unless exposure is below the TLV. Air monitoring is needed to determine actual employee exposure levels. Use a self-contained breathing apparatus in confined spaces and for emergencies.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

-	
Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Colorless.
Odor	Solvent.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	-266.8 °F (-166 °C) estimated
Initial boiling point and boiling range	145.9 °F (63.3 °C) estimated
Flash point	None (Tag Closed Cup)
Evaporation rate	Fast
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	3.8 % estimated
Flammability limit - upper (%)	9.5 % estimated
Vapor pressure	149.3 hPa estimated
Vapor density	4.3 (air = 1)
Relative density	1.32
Solubility (water)	0.003 g/ml
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	822 °F (438.9 °C) estimated
Decomposition temperature	Not available.
Viscosity (kinematic)	Not available.
Percent volatile	100 %

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials. When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as hydrogen bromide.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Hydrogen bromide. Carbon oxides.

11. Toxicological information

Information on likely routes of exposure

Inhalation	May cause damage to organs through prolonged or repeated exposure by inhalation. May cause drowsiness and dizziness. Headache. Nausea, vomiting. May cause irritation to the respiratory system.
Skin contact	Causes skin irritation.
Eye contact	Causes serious eye irritation.
Ingestion	Health injuries are not known or expected under normal use.
Symptoms related to the physical, chemical and toxicological characteristics	May cause drowsiness and dizziness. Narcosis. Headache. Nausea, vomiting. Behavioral changes. Decrease in motor functions. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Skin irritation. May cause redness and pain. Edema. Jaundice.

Information on toxicological effects

Acute	toxicity
-------	----------

Addie toxioity			
Components	Species	Test Results	
butylene oxide (CAS 106-88-7)			
<u>Acute</u>			
Dermal			
LD50	Rabbit	1760 mg/kg	
Oral			
LD50	Rat	1180 mg/kg	
n-propyl bromide (CAS 106-94-	-5)		
<u>Acute</u>			
Dermal			
LD50	Rabbit	> 2000 mg/kg	
Inhalation			
LC50	Rat	14374 ppm, 4 hours	
Oral			
LD50	Rat	4260 mg/kg	
t-butanol (CAS 75-65-0)			
<u>Acute</u>			
Dermal			
LD50	Rabbit	> 2000 mg/kg	
Inhalation			
LC50	Rat	> 14100 ppm, 4 hours	
Oral			
LD50	Rat	3500 mg/kg	
* Estimates for product ma	y be based on additional component	ent data not shown.	
Skin corrosion/irritation	Causes skin irritation.		
Serious eye damage/eye irritation	Causes serious eye irritation	Causes serious eye irritation.	
Respiratory sensitization	Not a respiratory sensitizer.	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected	to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Suspected of causing cance	Suspected of causing cancer.	
IARC Monographs. Overa	all Evaluation of Carcinogenicit	у	
butylene oxide (CAS 1		2B Possibly carcinogenic to humans.	
n-propyl bromide (CAS		2B Possibly carcinogenic to humans.	
••	Program (NTP) Report on Carci	-	
n-propyl bromide (CAS	n-propyl bromide (CAS 106-94-5) Reasonably Anticipated to be a Human Carcinogen.		

US. OSHA Specifically Regu	ulated Substances (29 CFR 1910.1001-1050)
Not regulated.	
Reproductive toxicity	May damage fertility or the unborn child.
Specific target organ toxicity - single exposure	May cause respiratory irritation. May cause drowsiness and dizziness.
Specific target organ toxicity - repeated exposure	May cause damage to organs (kidney, liver, nervous system) through prolonged or repeated exposure.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	May cause damage to organs through prolonged or repeated exposure. Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

12. Ecological information

toxicity Harmful to aquatic life.		
	Species Test Results	
06-94-5)		
LC50	Fathead minnow (Pimephales promelas)	67.3 mg/l, 96 hours
EC10	Bacteria	2050 mg/l, 18 hours
EC50	Bacteria	11263 mg/l
EC50	Green algae (Chlamydomonas variabilis)	> 976 mg/l
EC50	Water flea (Daphnia magna)	5504 mg/l, 48 hours
LC50	Fathead minnow (Pimephales promelas)	> 961 mg/l, 96 hours
	06-94-5) LC50 EC10 EC50 EC50 EC50	Species 06-94-5) LC50 Fathead minnow (Pimephales promelas) EC10 Bacteria EC50 Bacteria EC50 Green algae (Chlamydomonas variabilis) EC50 Water flea (Daphnia magna)

* Estimates for product may be based on additional component data not shown.

Persistence	and	degradability
1 01313101100	unu	acgradubility

Hydrolysis Half-life (Hydrolysis) n-propyl bromide	26 days	
Bioaccumulative potential		
Partition coefficient n-oc	tanol / water (log Kow)	
n-propyl bromide	2.1	
t-butanol	0.35	
Bioconcentration factor	(BCF)	
n-propyl bromide	23	
Mobility in soil	No data available.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	

13. Disposal considerations

Disposal of waste from residues / unused products	This product is not a RCRA hazardous waste (See 40 CFR Part 261.20 – 261.33). Empty containers may be recycled. Collect and reclaim or dispose in sealed containers at licensed was disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose in accordance with all applicable regulations.	
Hazardous waste code	Not regulated.	
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.	

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. F	Regulatory informatic	on
US fee	deral regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
Т	SCA Section 12(b) Export	Notification (40 CFR 707, Subpt. D)
S	Not regulated. ARA 304 Emergency relea	ise notification
U	Not regulated. S. OSHA Specifically Reg	ulated Substances (29 CFR 1910.1001-1050)
U	Not regulated. S EPCRA (SARA Title III) \$	Section 313 - Toxic Chemical: Listed substance
	butylene oxide (CAS 106 n-propyl bromide (CAS 1 t-butanol (CAS 75-65-0)	06-94-5)
С	ERCLA Hazardous Substa	ance List (40 CFR 302.4)
с	butylene oxide (CAS 106 ERCLA Hazardous Substa	5-88-7) Listed. ances: Reportable quantity
-	butylene oxide (CAS 106	
	Spills or releases resultir	ng in the loss of any ingredient at or above its RQ require immediate notification to the National 24-8802) and to your Local Emergency Planning Committee.
С	lean Air Act (CAA) Section	n 112 Hazardous Air Pollutants (HAPs) List
	butylene oxide (CAS 106	
С	lean Air Act (CAA) Section	n 112(r) Accidental Release Prevention (40 CFR 68.130)
	Not regulated.	
	afe Drinking Water Act SDWA)	Not regulated.
	ood and Drug dministration (FDA)	Not regulated.
S	uperfund Amendments an	d Reauthorization Act of 1986 (SARA)
	Section 311/312 Hazard categories	Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No
	SARA 302 Extremely hazardous substance	No
US sta	ate regulations	
	S. California. Candidate C))	hemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.
·	butylene oxide (CAS 106 n-propyl bromide (CAS 1 t-butanol (CAS 75-65-0)	
U	S. New Jersey Worker and	d Community Right-to-Know Act
	acetonitrile (CAS 75-05-8	
	butylene oxide (CAS 106 n-propyl bromide (CAS 1	
	t-butanol (CAS 75-65-0)	00-54-5)
U	S. Massachusetts RTK - S	ubstance List
	butylene oxide (CAS 106	
	n-propyl bromide (CAS 1	06-94-5)
П	t-butanol (CAS 75-65-0) S. Pennsylvania Worker a	nd Community Right-to-Know Law
5	acetonitrile (CAS 75-05-8	
		,

butylene oxide (CAS 106-88-7) n-propyl bromide (CAS 106-94-5) t-butanol (CAS 75-65-0)

US. Rhode Island RTK

acetonitrile (CAS 75-05-8) butylene oxide (CAS 106-88-7) t-butanol (CAS 75-65-0)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

US - California Proposition 65 - CRT: Listed date/Developmental toxin

n-propyl bromide (CAS 106-94-5) Listed: December 7, 2004

- US California Proposition 65 CRT: Listed date/Female reproductive toxin n-propyl bromide (CAS 106-94-5) Listed: December 7, 2004
- US California Proposition 65 CRT: Listed date/Male reproductive toxin n-propyl bromide (CAS 106-94-5) Listed: December 7, 2004

Volatile organic compounds (VOC) regulations

EPA

VOC content (40 CFR 51.100(s))	100 %
Consumer products (40 CFR 59, Subpt. C)	Not regulated

State

Consumer products	This product is not for retail sale. It is for use in the manufacturing process only.
VOC content (CA)	100 %
VOC content (OTC)	100 %

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	01-04-2016
Revision date	01-23-2017
Prepared by	Allison Cho
Version #	02
Further information	CRC # 435
HMIS® ratings	Health: 2* Flammability: 0 Physical hazard: 0 Personal protection: B

NFPA ratings

NFPA ratings





DisclaimerThe information contained in this document applies to this specific material as supplied. It may not
be valid for this material if it is used in combination with any other materials. This information is
accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be
accurate. Before using any product, read all warnings and directions on the label. For further
clarification of any information contained on this (M)SDS consult your supervisor, a health & safety
professional, or CRC Industries, Inc..Revision InformationProduct and Company Identification: Product and Company Identification
Accidental release measures: Methods and materials for containment and cleaning up
Exposure controls/personal protection: Occupational exposure limits
Other information, including date of preparation or last revision: Disclaimer