# CRC.

# SAFETY DATA SHEET

#### 1. Identification

Product identifier Bulb & Connector Di-Electric Grease

Other means of identification

Product code 05107

Recommended use Lubricates, protects and insulates electrical connections

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufactured or sold by:

Company name CRC Industries, Inc.

Address 885 Louis Dr.

Warminster, PA 18974 US

Telephone

**General Information** 215-674-4300 **Technical** 800-521-3168

**Assistance** 

 Customer Service
 800-272-4620

 24-Hour Emergency
 800-424-9300 (US)

(CHEMTREC) 703-527-3887 (International)
Website www.crcindustries.com

# 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.

Signal word None known.

**Hazard statement** The mixture does not meet the criteria for classification.

**Precautionary statement** 

**Prevention** Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air

supply during use and while product is drying.

**Response** Wash hands after handling.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of contents/container in accordance with local/regional/national regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Polydimethylsiloxane		63148-62-9	70 - 80
Amorphous silica		7631-86-9	5 - 10
Propylene glycol		57-55-6	5 - 10
Nitrogen		7727-37-9	1 - 3

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Material name: Bulb & Connector Di-Electric Grease
05107 Version #: 02 Revision date: 06-04-2015 Issue date: 06-04-2015

## 4. First-aid measures

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Direct contact with eyes may cause temporary irritation.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion If swallowed, do NOT induce vomiting. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Treat symptomatically.

Indication of immediate medical attention and special

treatment needed

**General information** 

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media

Water spray.

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

General fire hazards No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Stop the flow of material, if this is without risk. Following product recovery, flush area with water. Sweep up or vacuum up spillage and collect in suitable container for disposal. For waste disposal, see section 13 of the SDS. Wipe up with absorbent material (e.g. cloth, fleece, vermiculite).

**Environmental precautions** 

Use appropriate containment to avoid environmental contamination.

# 7. Handling and storage

Precautions for safe handling

Use care in handling/storage. For product usage instructions, please see the product label.

Conditions for safe storage. including any incompatibilities

Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Value

#### 8. Exposure controls/personal protection

#### Occupational exposure limits

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Туре	Value
Amorphous silica (CAS 7631-86-9)	TWA	0.8 mg/m3

20 mppcf

#### **US. NIOSH: Pocket Guide to Chemical Hazards** Components Type

Amorphous silica (CAS TWA 6 mg/m3 7631-86-9)

# US. AIHA Workplace Environmental Exposure Level (WEEL) Guides

Components	Туре	Value	Form	
Propylene glycol (CAS 57-55-6)	TWA	10 mg/m3	Aerosol.	

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Occupational Exposure Limits are not relevant to the current physical form of the product. **Exposure guidelines** 

Material name: Bulb & Connector Di-Electric Grease

05107 Version #: 02 Revision date: 06-04-2015 Issue date: 06-04-2015

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear protective gloves such as: Nitrile.Other Wear suitable protective clothing.

NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to

determine actual employee exposure levels.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

# 9. Physical and chemical properties

**Appearance** 

Physical state Solid.
Form Gel.
Color Off-white.

Odor Mild.

Odor threshold Not available. pH Neutral.

Melting point/freezing point  $-74.2 \, ^{\circ}\text{F} \, (-59 \, ^{\circ}\text{C})$  estimated Initial boiling point and boiling  $600 \, ^{\circ}\text{F} \, (315.6 \, ^{\circ}\text{C})$  estimated

range

Flash point > 500 °F (> 260 °C) Tag Closed Cup

Evaporation rate Slow.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

2.6 % estimated

(%)

Flammability limit - upper

(%)

12.6 % estimated

Vapor pressure 55354.1 hPa estimated

Vapor density> 5 (air = 1)Relative density1.01 estimatedSolubility (water)Not available.Partition coefficientNot available.

(n-octanol/water)

Auto-ignition temperature 600 °F (315.6 °C) estimated

Decomposition temperatureNot available.Viscosity (kinematic)Not available.Percent volatileNot available.

# 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

**Conditions to avoid** Heat, flames and sparks. Avoid temperatures exceeding the decomposition temperature. Contact

with incompatible materials.

Incompatible materials

Hazardous decomposition products

Strong oxidizing agents. Strong acids. Carbon oxides. Silicone oxides.

# 11. Toxicological information

Information on likely routes of exposure

InhalationViscous nature may block breathing passages if inhaled.Skin contactProlonged skin contact may cause temporary irritation.Eye contactDirect contact with eyes may cause temporary irritation.

**Ingestion** May cause gastrointestinal irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Not available.

Product Species Test Results

**Bulb & Connector Di-Electric Grease** 

Acute Dermal

LD50 Rabbit 2632 mg/kg estimated

Oral

LD50 Rat 12699 mg/kg estimated

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Amorphous silica (CAS 7631-86-9) 3 Not classifiable as to carcinogenicity to humans.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not expected to be an aspiration hazard.

**Further information** This product has no known adverse effect on human health.

# 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product Species Test Results

**Bulb & Connector Di-Electric Grease** 

Aquatic

Fish LC50 Fish 18.8349 mg/l, 96 hours estimated

Components Species Test Results

Polydimethylsiloxane (CAS 63148-62-9)

Aquatic

Fish LC50 Channel catfish (Ictalurus punctatus) 2.36 - 4.15 mg/l, 96 hours

Material name: Bulb & Connector Di-Electric Grease

05107 Version #: 02 Revision date: 06-04-2015 Issue date: 06-04-2015 4 /

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Components Species Test Results

Propylene glycol (CAS 57-55-6)

**Aquatic** 

Crustacea EC50 Water flea (Daphnia magna) > 10000 mg/l, 48 hours
Fish LC50 Fathead minnow (Pimephales promelas) 710 mg/l, 96 hours

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Nitrogen 0.67 Propylene glycol -0.92

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal considerations

Disposal of waste from residues / unused products

This product is not a RCRA hazardous waste (See 40 CFR Part 261.20 – 261.33). Empty containers may be recycled. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in accordance with all applicable regulations.

Hazardous waste code Not regulated.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

## 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

#### 15. Regulatory information

**US** federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

SARA 304 Emergency release notification

Not regulated.

US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance

Not listed

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

**CERCLA Hazardous Substances: Reportable quantity** 

Not listed.

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Food and Drug Not regulated.

Administration (FDA)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Section 311/312** Immediate Hazard - No Delayed Hazard - No **Hazard categories** Fire Hazard - No

Pressure Hazard - Yes Reactivity Hazard - No

**SARA 302 Extremely** hazardous substance

# **US state regulations**

#### US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

#### US. New Jersey Worker and Community Right-to-Know Act

Nitrogen (CAS 7727-37-9) Propylene glycol (CAS 57-55-6)

## **US. Massachusetts RTK - Substance List**

Amorphous silica (CAS 7631-86-9)

Nitrogen (CAS 7727-37-9)

# US. Pennsylvania Worker and Community Right-to-Know Law

Amorphous silica (CAS 7631-86-9) Nitrogen (CAS 7727-37-9) Propylene glycol (CAS 57-55-6)

#### **US. Rhode Island RTK**

None.

# **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### Volatile organic compounds (VOC) regulations

#### **EPA**

VOC content (40 CFR

51.100(s))

**Consumer products** Not regulated

(40 CFR 59, Subpt. C)

**State** 

Consumer products Not regulated

> 0 % VOC content (CA) **VOC content (OTC)** 0 %

> > Inventory name

#### International Inventories

Country(s) or region

odunity (3) or region	inventory name	On inventory (yes/no)
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

05107 Version #: 02 Revision date: 06-04-2015 Issue date: 06-04-2015

On inventory (yes/no)\*

# 16. Other information, including date of preparation or last revision

Issue date06-04-2015Revision date06-04-2015Prepared byAllison Cho

Version # 02

Further information CRC # 113
HMIS® ratings Health: 0
Flammability: 1

Physical hazard: 0 Personal protection: B

NFPA ratings Health: 0

Flammability: 1 Instability: 0

**NFPA** ratings



#### Disclaimer

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries.