



ISO-9001 Registered Quality System.  
ISO-21469 Compliant.

**Sales, Service & Distribution Center**  
Newark, NJ 07105  
Phone: 973-589-9150 Fax: 973-589-4432

**Manufacturing, Sales, Service & Distribution Center**  
Toledo, OH 43605  
Phone: 419-691-2491 Fax: 419-693-3806

**Sales and Tech Service Support**  
Phone: 1-800-733-4755

## PRODUCT DATA

# LUBRIPLATE PAN DIVIDER OIL

"This product is certified OU Kosher Pareve"  
"This product is Halal certified"

\*NSF International H-1 & 3H Registered  
NSF ISO21469 Certification

## DESCRIPTION

LUBRIPLATE Pan Divider Oil Meets U.S. FDA Regulation 21 CFR 172.878 for direct contact with food.

## APPLICATIONS

It is recommended for pan divider oil applications.

## ADVANTAGES

"LUBRIPLATE Pan Divider Oil contains no components derived from TSE/BSE relevant animal species; therefore, it is compliant with the requirements of the TSE Note for Guidance EMA/410/01 Rev. 3 July 2011".

## STORAGE RECOMMENDATIONS

1. Products should be stored between 40°F-120°F.
2. Products should be stored in a dry covered environment.
3. Products should not be stored in warm, direct sunlight.
4. improper storage conditions can significantly alter the shelf life of the product. Such conditions would include temperature, moisture, open containers, etc.

## Typical Test Data

PROPERTY	TEST METHOD	TYPICAL RESULTS*
Viscosity cSt @ 40°C	ASTM D-445	15.6
Viscosity SUS @ 100°F	ASTM D-2161	85
Viscosity SUS @ 210°F	ASTM D-2161	38.0
Gravity °API	ASTM D-4052	33.7
Specific Gravity @ 25°C	ASTM D-1298	0.851
Flash Point	ASTM D-92	375°F/190°C
Pour Point	ASTM D-97	10°F/-12°C
Color, Saybolt	ASTM D-156	+30, Clear

## PACKAGING AVAILABLE

55 Gallon Drum  
5 Gallon Pail

## Part No.

L0747-062  
L0747-060

\***NSF International H1 & 3H Registration No. 139787**  
(Meets former USDA 1998 Guidelines)

\*Registered H-1 by NSF International for use in food processing facilities as a lubricant or anti-rust agent on equipment in which there may be incidental contact involving the lubricated part and the edible product.

\*Registered 3H by NSF International - This product is acceptable for use as a Release Agent on grills, ovens, loaf pans, boning benches, chopping boards or other hard surfaces in contact with meat and poultry food products to prevent food from adhering during processing.

