STANCHIONS & SUPPORTS



Fig. 258

Pipe Saddle Support

Size Range: 4" through 36"

Material: Sizes 4" through 12" are Cast Iron. Sizes 14" through 36" are Carbon Steel.

Sizes 4" through 12" are available in Carbon Steel by special request only.

Finish: Plain or Zinc Plated (Hot-Dip Galvanized optional)

Service: Stanchion type support for stationary pipe.

Approvals: Complies with Federal Specification A-A-1192A (Type 36), WW-H-171-E (Type 36 & 37), ANSI/MSS SP-69 and MSS SP-58 (Type 36).

Installation: Slip saddle base into riser pipe.

Ordering: Specify size to be supported, figure number, name, finish and material.

Order Separately: Figure 63P Square Cut End Stanchion. Specify "H" and pipe

size to be supported by Figure 258.




Fabricated Steel


Cast

FIG. 258: DIMENSIONS (IN) • WEIGHTS (LBS)					
Pipe Size	Weight	Α	В	Width C	Max Load
4	9.1	3	43/16	35%	3,800
5	10.8		413/16		
6	11.8		5 ⁷ / ₁₆		
8	14.3		615/16		
10	19.3		87/16		
12	23.1		915/16		
14	15.0		10 ¹ / ₂	4	5,300
16	16.0		111/2		
18	23.0	4	13 ¹ / ₂	5	6,700
20	24.0		141/2		
22	26.0		15½		7,300
24	30.0		171/2		
26	32.0		18½		
30	41.0		205/8		
32	42.0		215/8		
36	46.0		235/8		

^{*}Standard Wall Pipe

The above load ratings are applicable to the saddle only and are not applicable to the stanchion or other means used to support the saddle.





Square Cut End for use with Figure 258 or 259 Pipe Saddle Support

PROJECT INFORMATION	APPROVAL STAMP	
Project:	☐ Approved	
Address:	Approved as noted	
Contractor:	☐ Not approved	
Engineer:	Remarks:	
Submittal Date:		
Notes 1:		
Notes 2:		