


NEW!


Zinc and Aluminum Grounding Connectors

Versatile Termination for Grounding Electrode Conductors



Installs from the OUTSIDE

Zinc
GC50
1/2" KO



Aluminum
GC75
3/4" KO

Patent pending

NEW!
Larger
size

Arlington's **Grounding Electrode Connectors** offer flexibility, convenience – *and cost savings*.

They install from *inside or outside* a metal panel or metal enclosure, through one of the existing knockouts. There's no need to modify the box or enclosure to accommodate the connector! Both provide excellent strain relief for grounding conductors.


Listed for use with stranded and solid copper and aluminum wire, these connectors cover an *extra-wide cable range with **LESS INVENTORY** – No need to stock 7 different connectors.* **These TWO connectors accommodate the entire range, from #8 to 3/0 conductors.**

Best of all, they're **half the cost** of other listed connectors now on the market.

- Usable for bonding and grounding separately derived systems

Zinc and Aluminum Grounding Connectors
for terminating grounding electrode conductors

Catalog Number	UPC/DEI/NAED Mfg. #018997	KO	Cable Range/Cable Types	Unit/Std Pkg
GC50 Zinc	09738	1/2"	#8 to #2 Stranded and solid copper and aluminum	25
GC75 Aluminum	09739	3/4"	#1 to 3/0 Stranded and solid copper and aluminum	10



*...or INSIDE
of a Metal Box or Enclosure*



Arlington

1 Stauffer Industrial Park
Scranton, PA 18517
800/233.4717
Fax 570/562.0646
www.aifittings.com