

FEATURES & SPECIFICATIONS

INTENDED USE

For use with housings L7X, L7XR, LC6, LCP, L7XP, L7XPR, L7XF and L7XFR.

CONSTRUCTION

Aluminum white sphere regressed inside full reflector.

Polyester powder coat paint.

Regressed sphere inside outer shroud.

25 degree vertical tilt standard.

White finish has integral flange.

INSTALLATION

Socket to trim interface.

Retaining clips installed at factory to top of trim to hold trim inside housing.

LISTINGS

U.L. Listed to U.S. and Canadian safety standards.

Damp location listed.

WARRANTY

1-year limited warranty. Complete warranty terms located at

www.acuitybrands.com/CustomerResources/Terms_and_conditions.aspx

Actual performance may differ as a result of end-user environment and application.

Note: Specifications subject to change without notice.


Catalog Number
Notes
Type

6" Full Reflector Trim

7RE1

STANDARD REGRESSED EYEBALL

Wide Flange




Specifications

Height: 4 (10.2)

Lamp opening: 4-7/8 (12.4)

Diameter: 7-5/8 (19.4)

All dimensions are inches (centimeters) unless otherwise indicated.



ORDERING INFORMATION

Lead times will vary depending on options selected. Consult with your sales representative.

Example: 7RE1

7RE1		
Series	Finish	
7RE1	(blank)	White regressed eyeball
	MW	Matte white

Accessories: Order as separate catalog number.	
CRT6	6" goof ring, white

Housing Compatibility: Housing and trim ordered separately.			
Application	Source	Maximum wattage	Housing
IC	Incandescent	50 PAR30	L7X, L7XR, LCP, LC6, L7XP, L7XPR
		65 BR30	
	Fluorescent	18TRT	L7XF, L7XFR

7RE1 6" Standard Regressed Eyeball Full Reflector Trim

For BR and PAR reflector lamps, see lamp manufacturer's published raw lamp data for photometrics.