

Oil-Only Bilge Boom #WBB318 - 3" x 18" 20/package



Absorb the pollutants that build up in a boat's bilge to avoid potential fines and environmental damage. Oil-Only Bilge Booms repel water but soak up oil, gas and diesel before they can spread into navigable waters.

- Sized to fit into bilges, engine compartments, sumps, tanks and more; attach rope to metal clip to easily deploy and retrieve
- Chemical-resistant poly skin is filled with highly-sorbent poly blend; Booms won't shed or sink, even when saturated with oil
- Poly blend is hydrophobic repels water (and floats) while only absorbing oils and other hydrocarbons
- Oil stands out on bright white Boom; easy to see saturation level, so you save money by not throwing it away too soon

WBB318 Specifications

Dimensions: ext. dia. 3" x 18" L **Shipping** 17" W x 25.25" L x 12" H

Dimensions:

Sold as: 20 per package

Color: White

Composition: Poly Blend Filler/Polyester

Netting/Metal Hardware

Recycled Content: 97% Post-Industrial Recycled Poly

Blend Filler

Absorbency: Up to 6.25 gal. per package

Absorbency per: Up to 40 oz.

Weight: 8 lbs.
per Pallet: 30
Incinerable: Yes
Ship Class: 175

Metric Equivalent Specifications

Dimensions: ext. dia. 7.6cm x 45.7cm L

Shipping 43.2cm W x 64.1cm L x 30.5cm H

Dimensions:

Absorbency: Up to 23.7 L per package

Absorbency per: Up to 1.2 L **Weight:** 3.6 kg



Online: spilltech.com

Phone: 1-800-228-3877 (N.Am.) 1-770-475-3877 (Other) Fax: 1-800-872-3764 (N.Am.) 1-770-410-1812 (Other) Email: sales@spilltech.com

WBB318 Technical Information

Warnings & Restrictions:

There are no known warnings and restrictions for this product.

Regulations and Compliance:

40 CFR 263.31 - Transporters, "must clean up any hazardous waste discharge that occurs during transportation...so that the hazardous waste discharge no longer presents a hazard to human health or the environment."

40 CFR 122.26 - Facilities must have a detailed plan in place to prevent illegal discharge of pollutants into waterways.

40 CFR 112.7(c)(1) - Facilities must have "appropriate containment and/or diversionary structures to prevent discharge oil from reaching a navigable water course."

33 CFR 154.1047(c)(2) - Concerning navigation and navigable waters, a facility which handles, stores or transports Group V petroleum oils must identify response plan resources such as containment booms and other methods.

Technical Documents:

(Available at **spilltech.com**)
Product Data Sheet (PDS)
Safety Data Sheet (SDS)



Phone: 1-800-228-3877 (N.Am.) 1-770-475-3877 (Other) Fax: 1-800-872-3764 (N.Am.) 1-770-410-1812 (Other)

Email: sales@spilltech.com