


SUBMITTAL DATA SHEET

Pump Repair Parts

DuraMAC™ Booster Repair Parts

20 GPM | Residential



17035R020PC1

- 6010-003 - 17035R020P-1 Pump 120V
Pump +35 | 20 GPM | 1/2 HP | 120V
- 6010-001 - Repair Control | 120V with Tee
- 6010-009 - Repair Control | 120V (Black box)
- 6010-026 - Transducer | TDL32K | 150PSI | 5V
- 6127-337 - Two gallon diaphragm tank
- 6010-027 - Check Valve | 1" MNPT x 1" MNPT
- 6010-554 - Seal kit
- 6010-028 - Pressure Gauge | 0 - 100 | 2" Dry

17052R020PC1

- 6010-004 - 17052R020P-1 Pump 120V
Pump +52 | 20 GPM | 3/4 HP | 120V
- 6010-001 - Repair Control | 120V with Tee
- 6010-009 - Repair Control | 120V (Black box)
- 6010-026 - Transducer | TDL32K | 150PSI | 5V
- 6127-337 - Two gallon diaphragm tank
- 6010-027 - Check Valve | 1" MNPT x 1" MNPT
- 6010-554 - Seal kit
- 6010-028 - Pressure Gauge | 0 - 100 | 2" Dry

17070R020PC2

- 6010-005 - 17070R020P-2 Pump 230V
Pump +70 | 20 GPM | 1 HP | 230V
- 6010-002 - Repair Control | 230V with Tee
- 6010-010 - Repair Control | 230V (Black box)
- 6010-026 - Transducer | TDL32K | 150PSI | 5V
- 6127-337 - Two gallon diaphragm tank
- 6010-027 - Check Valve | 1" MNPT x 1" MNPT
- 6010-554 - Seal kit
- 6010-028 - Pressure Gauge | 0 - 100 | 2" Dry

NO-LEAD: The weighted average of the wetted surface of this no-lead product contacted by consumable water contains less than one quarter of one percent (0.25%) lead.



A.Y. McDonald Mfg. Co.
P.O. Box 508
Dubuque, IA 52004-0508

Toll Free: 1-800-292-2737
Fax: 1-800-832-9296
Hours: 7:00 a.m. - 5:00 p.m., CST

sales@aymcdonald.com
www.aymcdonald.com

A.Y. McDonald considers the information on this assembly drawing correct when published. Item and option availability, including specifications, are subject to change without notice.


Submitted by:

SUBMITTAL DATA SHEET

Pump Repair Parts

DuraMAC™ Booster Repair Parts

35 GPM | Light Commercial



17040C035PC2

- 6010-011 - 17040C035P-2 Pump 230V
Pump +40 | 35 GPM | 1 HP | 230V
- 6010-002 - Repair Control | 230V with Tee
- 6010-010 - Repair Control | 230V (Black box)
- 6010-026 - Transducer | TDL32K | 150PSI | 5V
- 6127-337 - Two gallon diaphragm tank
- 6010-029 - Check Valve | 1 1/4" MNPT x 1 1/4" FNPT
- 6010-554 - Seal kit
- 6010-028 - Pressure Gauge | 0 - 100 | 2" Dry

17062C035PC2

- 6010-012 - 17062C035P-2 Pump 230V
Pump +62 | 35 GPM | 1 HP | 230V
- 6010-002 - Repair Control | 230V with Tee
- 6010-010 - Repair Control | 230V (Black box)
- 6010-026 - Transducer | TDL32K | 150PSI | 5V
- 6127-337 - Two gallon diaphragm tank
- 6010-029 - Check Valve | 1 1/4" MNPT x 1 1/4" FNPT
- 6010-554 - Seal kit
- 6010-028 - Pressure Gauge | 0 - 100 | 2" Dry

17078C035PC2

- 6010-013 - 17078C035P-2 Pump 230V
Pump +78 | 35 GPM | 1 1/2 HP | 230V
- 6010-002 - Repair Control | 230V with Tee
- 6010-010 - Repair Control | 230V (Black box)
- 6010-026 - Transducer | TDL32K | 150PSI | 5V
- 6127-337 - Two gallon diaphragm tank
- 6010-029 - Check Valve | 1 1/4" MNPT x 1 1/4" FNPT
- 6010-554 - Seal kit
- 6010-028 - Pressure Gauge | 0 - 100 | 2" Dry

NO-LEAD: The weighted average of the wetted surface of this no-lead product contacted by consumable water contains less than one quarter of one percent (0.25%) lead.



A.Y. McDonald Mfg. Co.
P.O. Box 508
Dubuque, IA 52004-0508

Toll Free: 1-800-292-2737
Fax: 1-800-832-9296
Hours: 7:00 a.m. - 5:00 p.m., CST

sales@aymcdonald.com
www.aymcdonald.com

A.Y. McDonald considers the information on this assembly drawing correct when published. Item and option availability, including specifications, are subject to change without notice.


Submitted by:

SUBMITTAL DATA SHEET

Pump Repair Parts

DuraMAC™ Booster Repair Parts

70 GPM | Dual Mode - Modular, Simplex, & Duplex



Dual-Mode Simplex

17044C070PC2-M | 17044C070PC2-S | 17044C120PC2-D

- 6010-017 - 17044C070P-2 Pump 230V
Pump +44 | 70 GPM | 230V
- 6010-026 - Transducer | TDL32K | 150PSI | 5V
- 6011-009 - Dual-Mode Control | Repair (Black box)
- 6011-012 - Paddle Switch
- 6127-341 - 16020MV4F - Pressure Tank
- 6011-011 - Pressure Gauge | 0 - 100 | 2 1/2" Liquid filled
- 6010-555 - Seal kit
- 5424-401 - Ball Valve | 1/4" MNPT x 1/4" FNPT (Test Cock)

17060C070PC2-M | 17060C070PC2-S | 17060C120PC2-D

- 6010-018 - 17060C070P-2 Pump 230V
Pump +60 | 70 GPM | 230V
- 6010-026 - Transducer | TDL32K | 150PSI | 5V
- 6011-009 - Dual-Mode Control | Repair (Black box)
- 6011-012 - Paddle Switch
- 6127-341 - 16020MV4F - Pressure Tank
- 6011-011 - Pressure Gauge | 0 - 100 | 2 1/2" Liquid filled
- 6010-555 - Seal kit
- 5424-401 - Ball Valve | 1/4" MNPT x 1/4" FNPT (Test Cock)

NO-LEAD: The weighted average of the wetted surface of this no-lead product contacted by consumable water contains less than one quarter of one percent (0.25%) lead.



A.Y. McDonald Mfg. Co.
P.O. Box 508
Dubuque, IA 52004-0508

Toll Free: 1-800-292-2737
Fax: 1-800-832-9296
Hours: 7:00 a.m. - 5:00 p.m., CST

sales@aymcdonald.com
www.aymcdonald.com

A.Y. McDonald considers the information on this assembly drawing correct when published. Item and option availability, including specifications, are subject to change without notice.

Submitted by: