

A brand you can trust with products built to last.

When accidents happen, it's important to have safety products you can count on. Chicago Faucets safety products reflect our unsurpassed commitment to quality and meet the latest ANSI standards.

Extreme Durability

- Brass, Galvanized steel pipe, or ABS reinforced plastic used for waterways
- Galvanized pipe is coated with a highly durable plastic to prevent corrosion

Easy Visibility

- Our safety fittings feature a high visibility yellow color scheme
- Photo-luminescent signage for easy identification

· Safe, Reliable Operation


- Low-pressure aerated outlets designed to comfortably flush face and eyes
- Eyewash outlets feature rounded contours for added safety
- Dust covers move out of the way automatically when activated
- Anti-seize valves prevent obstruction, even after long periods of inactivity
- Drench shower heads resist lime scale or other contaminants

• Built-in Compliance

 Tested and certified to meet the ANSI Z358.1 Standard for Emergency Eyewash and Shower Equipment

Products When You Need Them

 Same day shipping available on orders received before 12:00 p.m. CST



Combination Eye Wash Faucet

Dual aerated spray heads with flip top caps

Tethered dust caps protect spray heads between uses and flip off automatically when activated. The 3.3 GPM at 50 PSI flow rate provides soft and wide streams for both eyes.

Durable and reliable construction

Chicago Faucets durable brass construction, reliable ceramic cartridge operation.



Faucet options

2.2 GPM aerated and 1.0 GPM laminar flow rate faucet.



Separate water supply for eyewash

Independent supply line for eyewash allows connection to an ASSE 1071 thermostatic mixing valve to meet code and provide user safety.

Retrofit Eye Wash & Faucet

Combination Eye Wash and Faucet

Chicago Faucets incorporates an independently operated eye wash into this stylish gooseneck faucet. Available as a retrofit spout or with a choice of 2-handle or single handle configurations, this faucet adds a new level of style and safety to any sink. Simply push to activate the two soft streams of temperate water for eye washing.

Eye Wash & Faucet Retrofit Spout

- Solid brass, lead-free construction
- Fully functioning 2-handle faucet with separate line for emergency eyewash
- Two high-flow aerated water spray heads operate at low pressure with automatic opening anti-dust covers

Model	Description	
8450-ABCP	Retrofit spout	



Dual Handle Combination Eye Wash & Faucet

- F
- Solid brass, lead-free construction
- Fully functioning 2-handle faucet with separate line for emergency eyewash
- Two high-flow aerated water spray heads operate at low pressure with automatic opening anti-dust covers

Model	Description	
8452-ABCP	4" Wristblade Handles	

Deck Mounted Eye/Face Wash

- Anti-corrosive polyamide 11 plastic coating in high-visibility yellow color
- Eyewash assembly in ABS plastic
- Two high-flow aerated water spray heads operate at low pressure with automatic opening anti-dust covers

Model	Description	
8404-LHNF	Left Hand Operation	
8404-RHNF	Right Hand Operation	

Wall Mounted Eye/Face Wash



- Anti-corrosive polyamide 11 plastic coating in high-visibility yellow color
- Eyewash assembly in ABS plastic
- Eyewash bowl in stainless steel or ABS plastic
- Two high-flow aerated water spray heads operate at low pressure
- Automatic opening anti-dust covers

Model	Description	
8401-NF	Stainless Steel Bowl	
8408-NF	ABS Plastic Bowl	

Single Handle Combination Eye Wash & Faucet

- Solid brass, lead-free construction
- Fully functioning single control faucet with separate line for emergency eyewash
- Two high-flow aerated water spray heads operate at low pressure with automatic opening anti-dust covers

Model	Description	
8451-ABCP	Sidemix, 4" Wristblade Handle	






- Anti-corrosive polyamide 11 plastic coating in high-visibility yellow color
- Eyewash assembly in ABS plastic
- Two high-flow aerated water spray heads operate at low pressure with automatic opening anti-dust covers

Model	Description	
8410-NF	Vertical Operation	
8411-NF	Horizontal Operation	

Floor Mounted Eye/Face Wash



- Eyewash assembly in ABS plastic
- Eyewash bowl in stainless steel
- Two high-flow aerated water spray heads operate at low pressure
- Automatic opening anti-dust covers







Floor Mounted Eye/Face Wash and Drench Shower

- Anti-corrosive polyamide 11 plastic coating in high-visibility yellow color
- Eyewash assembly in ABS plastic
- Eyewash bowl in stainless steel
- High-flow aerated spray heads operate at low pressure, automatic opening anti-dust covers
- Pull handle for activation

Model	Description	
8402-NF	Stainless Steel Shower Head	
8405-NF	ABS Plastic Shower Head	
8416-NF	Wheel Chair Accessible w/ABS Plastic Shower Head	

Barrier Free, Eye/Face Wash and Drench Shower

- Anti-corrosive polyamide 11 plastic coating in high-visibility yellow color
- Eyewash assembly in ABS plastic
- Eyewash bowl in stainless steel
- High-flow aerated spray heads operate at low pressure, automatic opening anti-dust covers
- Pull handle for activation
- Shower head in stainless steel

Model	Description	
8420-NF	Wheel Chair Accessible	

Single Outlet Eye/Face/Body Drench Hose

- Anti-corrosive polyamide 11 plastic coating in high-visibility yellow color
- Eyewash assembly in ABS plastic
- High-flow aerated spray at low pressure with automatic opening anti-dust cover
- Lever handle for actuation
- 59" Flexible hose in stainless steel

Model	Description	
8407-NF	Deck Mounted	
8409-NF	Wall Mounted	



Drench Shower



- Horizontal wall mounted
- Pull rod for activation



Mixing Valves

Thermostatic Mixing Valve with Cold Water Bypass

- 9.8 GPM flow rate for tempered water*
- 6.5 GPM flow rate for cold water bypass*
- Internal cartridge style checks with screens to prevent backflow and filter debris from valve
- Commercial quality paraffin actuator provides repeatable, reliable performance



Model	Description	Tempered Water Flow Rate	Cold Water Bypass Flow Rate
132-LFABNF	Valve Only		
132-LFSABNF	Valve, Shut-Offs	9.8 GPM	6.5 GPM
132-LFTABNF	Valve, Temperature Gauge		
132-LFSTABNF	Valve, Shut-Offs, Gauge		
132-HFABNF	Valve Only		
132-HFSABNF	Valve, Shut-Offs	35.1 GPM	25 GPM
132-HFTABNF	Valve, Temperature Gauge	35.1 GPIVI	
132-HFSTABNF	Valve, Shut-Offs, Gauge		

^{*} GPM (LPM) flow rates @ 30 PSID in accordance to ASSE 1071 as certified by IAPMO



We are a member of the U.S. Green Building Council and support the Leadership in Energy and Environmental Design (LEED) Green Building Rating System™, to measure the efficiency and sustainability of buildings in the U.S. and Canada. If you are trying to achieve LEED Certification for your building, our low-flow outlets, metering cartridges, and sensoroperated faucets can contribute points in these areas: Water Efficiency Credit 2: Innovative Wastewater Technologies and Water Efficiency Credit 3: Water Use Reduction





We are proud to be a partner with WaterSense®, sponsored by the EPA and designed to protect the future of our nation's water supply by promoting efficiency and enhancing the market for water efficient products, programs, and practices.



We are a charter sponsor of the Alliance for Water Efficiency, a non-profit organization that is dedicated to the efficient and sustainable use of water. It brings together a diverse range of stakeholders to advocate water efficiency and conservation.

Chicago Faucets, a member of the Geberit Group, is the leading brand of commercial faucets and fittings in the United States, offering a complete range of products for schools, laboratories, hospitals, office buildings, food service, airports, and sports facilities. Whatever your requirements may be, Chicago Faucets offers standard and made-to-order products that are designed to meet any commercial application.

> The Chicago Faucet Company 2100 South Clearwater Drive Des Plaines, IL 60018 Phone: 847/803-5000 Fax: 847/803-5454

Technical: 800/832-8783 www.chicagofaucets.com