

# SAFETY DATA SHEET

### 1. Identification

Product identifier	Ultra Vinyl Cleaner
Other means of identification	
Product code	MK2718
Recommended use	Vinyl cleaner
Recommended restrictions	None known.
Manufacturer/Importer/Supplier/	Distributor information
Company name	CRC Industries, Inc.
Address	885 Louis Dr.
	Warminster, PA 18974 US
Telephone	
General Information	215-674-4300
Technical	800-521-3168
Assistance	
Customer Service	800-272-4620
24-Hour Emergency	800-424-9300 (US)
(CHEMTREC)	703-527-3887 (International)
Website	www.crcindustries.com

#### 2. Hazard(s) identification

Gases under pressure	Liquefied gas
Serious eye damage/eye irritation	Category 1
Sensitization, skin	Category 1
Hazardous to the aquatic environment, acute hazard	Category 2
Hazardous to the aquatic environment, long-term hazard	Category 3
Not classified.	
Danger	
Contains gas under pressure; may explode if l serious eye damage. Toxic to aquatic life. Har	heated. May cause an allergic skin reaction. Causes mful to aquatic life with long lasting effects.
	Serious eye damage/eye irritation Sensitization, skin Hazardous to the aquatic environment, acute hazard Hazardous to the aquatic environment, long-term hazard Not classified. Not classified.

**Precautionary statement** Prevention

Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 49°C/120°F. Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. If you experience any symptoms

listed on this label, increase ventilation or leave the area. Avoid breathing mist or vapor. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves and eye/face protection. Avoid release to the environment.

Response If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical attention. Wash contaminated clothing before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Storage

Protect from sunlight. Store in a well-ventilated place. Exposure to high temperature may cause can to burst. Disposal

Dispose of contents/container in accordance with local/regional/national regulations.

### 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
water		7732-18-5	80 - 90
liquefied petroleum gas		68476-86-8	3 - 5
dipropylene glycol monomethyl ether		34590-94-8	1 - 3
orange, sweet, ext.		8028-48-6	1 - 3
ethoxylated alcohol		68439-50-9	< 1
tetrasodium ethylenediaminetetraacetate		64-02-8	< 1

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
Ingestion	In the unlikely event of swallowing contact a physician or poison control center. Rinse mouth.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause an allergic skin reaction. Dermatitis. Rash.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

### 5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). None known.
Specific hazards arising from the chemical	Pressurized container may rupture when exposed to heat or flame. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment/instructions	In case of fire: Stop leak if safe to do so. Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up.
General fire hazards	Contents under pressure. Pressurized container may rupture when exposed to heat or flame.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Emergency personnel need self-contained breathing equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. This product is miscible in water. Prevent product from entering drains. Stop the flow of material, if this is without risk. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.

Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Use caution around energized equipment. The metal container will conduct electricity if it contacts a live source. This may result in injury to the user from electrical shock and/or flash fire. Do not get this material in contact with eyes. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices. For product usage instructions, please see the product label.
Conditions for safe storage, including any incompatibilities	Level 1 Aerosol.
	Contents under pressure. Do not expose to heat or store at temperatures above 120°F/49°C as can may burst. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

### 8. Exposure controls/personal protection

**Occupational exposure limits** This mixture has no ingredients that have PEL, TLV, or other recommended exposure limit.

Components	Туре	Value
dipropylene glycol monomethyl ether (CAS 34590-94-8)	PEL	600 mg/m3
		100 ppm
US. ACGIH Threshold Lin		
Components	Туре	Value
dipropylene glycol monomethyl ether (CAS 34590-94-8)	STEL	150 ppm
	TWA	100 ppm
US. NIOSH: Pocket Guid	e to Chemical Hazards	
Components	Туре	Value
dipropylene glycol monomethyl ether (CAS 34590-94-8)	STEL	900 mg/m3
,		150 ppm
	TWA	600 mg/m3
		100 ppm
logical limit values	No biological exposure limits i	noted for the ingredient(s).
posure guidelines		
US - California OELs: Sk	•	
dipropylene glycol mo US - Tennessee OELs: S	nomethyl ether (CAS 34590-94-8) kin designation	Can be absorbed through the skin.
	nomethyl ether (CAS 34590-94-8) nit Values: Skin designation	Can be absorbed through the skin.
	nomethyl ether (CAS 34590-94-8) to Chemical Hazards: Skin desig	Can be absorbed through the skin. nation
	nomethyl ether (CAS 34590-94-8) its for Air Contaminants (29 CFR	Can be absorbed through the skin. 1910.1000)
dipropylene glycol mo	nomethyl ether (CAS 34590-94-8)	Can be absorbed through the skin.
propriate engineering htrols	should be matched to condition or other engineering controls	cally 10 air changes per hour) should be used. Ventilation rates ns. If applicable, use process enclosures, local exhaust ventilation, o maintain airborne levels below recommended exposure limits. If established, maintain airborne levels to an acceptable level. Provid

#### Individual protection measures, such as personal protective equipment Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield. Skin protection Hand protection Wear protective gloves such as: Nitrile. Rubber. Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a **Respiratory protection** NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to determine actual employee exposure levels. Thermal hazards Wear appropriate thermal protective clothing, when necessary. When using do not smoke. Always observe good personal hygiene measures, such as washing **General hygiene** after handling the material and before eating, drinking, and/or smoking. Routinely wash work considerations clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

### 9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Aerosol.
Color	Light yellow.
Odor	Citrus.
Odor threshold	Not available.
рН	10.9
Melting point/freezing point	-140.8 °F (-96 °C) estimated
Initial boiling point and boiling range	212 °F (100 °C) estimated
Flash point	None (Tag Closed Cup)
Evaporation rate	Slow.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	osive limits
Flammability limit - lower (%)	0.7 % estimated
Flammability limit - upper (%)	25 % estimated
Vapor pressure	259.1 hPa estimated
Vapor density	> 1 (air = 1)
Relative density	0.98 estimated
Solubility (water)	Soluble.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	404.6 °F (207 °C) estimated
Decomposition temperature	Not available.
Viscosity (kinematic)	Not available.
Percent volatile	96.9 % estimated

#### 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Heat, flames and sparks. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents. Strong reducing agents. Strong acids. Strong bases. Peroxides. Halogens. Vinyl chloride. Iodine pentafluoride.

### 11. Toxicological information

Inhalation	Prolonged inhalation may be harmful.
Skin contact	May cause an allergic skin reaction.
Eye contact	Causes serious eye damage.
Ingestion	Health injuries are not known or expected under normal use.
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause an allergic skin reaction. Dermatitis. Rash.

#### Information on toxicological effects

Acute toxicity	Not known.	
Components	Species	Test Results
dipropylene glycol monomethyl eth	-	
Acute		
Dermal		
LD50	Rabbit	9510 mg/kg
Inhalation		
LC50	Rat	552 ppm
Oral		
LD50	Rat	5135 mg/kg
orange, sweet, ext. (CAS 8028-48-	-6)	
Acute		
Dermal		
LD50	Rabbit	> 5 g/kg
tetrasodium ethylenediaminetetraa	cetate (CAS 64-02-8)	
Acute		
Oral		
LD50	Rat	> 2000 mg/kg
* Estimates for product may be	e based on additional component data not shown.	
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.	
Serious eye damage/eye irritation	Causes serious eye damage.	
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	May cause an allergic skin reaction.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.	
IARC Monographs. Overall I	Evaluation of Carcinogenicity	
Not listed.		
US. National Toxicology Pro	gram (NTP) Report on Carcinogens	
Not listed.		
	llated Substances (29 CFR 1910.1001-1050)	
Not regulated.	This word, at is not expected to serve a reproductive	an developmental offecto
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	

Ecotoxicity	<b>totoxicity</b> Toxic to aquatic life. Harmful to aquatic life with long lasting effects.		
Components		Species	Test Results
dipropylene glycol monome	thyl ether (CA	S 34590-94-8)	
Aquatic			
Acute			
Crustacea	EC50	Daphnia	> 5000 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas	s) 10000 mg/l, 96 hours
tetrasodium ethylenediamir	etetraacetate	(CAS 64-02-8)	
Aquatic			
Fish	LC50	Bluegill (Lepomis macrochirus)	472 - 500 mg/l, 96 hours
orange, sweet, ext. Mobility in soil Other adverse effects		4.23 available. adverse environmental effects (e.g. ozone de endocrine disruption, global warming potentia	
13. Disposal considerat	ions		
Disposal of waste from residues / unused products	Empty co waste dis this mate	ensed liquid product is not a RCRA hazardous ntainer can be recycled. Collect and reclaim of posal site. Contents under pressure. Do not p rial to drain into sewers/water supplies. Do no nical or used container. Dispose in accordanc	or dispose in sealed containers at licensed ouncture, incinerate or crush. Do not allow ot contaminate ponds, waterways or ditches
Hazardous waste code	Not regul	ated.	
Contaminated packaging	Empty co	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.	

## 14. Transport information

DOT
-----

DOI	
UN number	UN1950
UN proper shipping name	Aerosols, non-flammable, Limited Quantity
Transport hazard class(es)	
Class	2.2
Subsidiary risk	-
Label(s)	2.2
Packing group	Not applicable.
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Packaging exceptions	306
Packaging non bulk	None
Packaging bulk	None
ΙΑΤΑ	
UN number	UN1950
UN proper shipping name	Aerosols, non-flammable, Limited Quantity
Transport hazard class(es)	
Class	2.2
Subsidiary risk	-
Packing group	Not applicable.
ERG Code	2L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

Other information	
Passenger and cargo	Allowed with restrictions.
aircraft	
Cargo aircraft only	Allowed with restrictions.
IMDG	
UN number	UN1950
UN proper shipping name Transport hazard class(es)	AEROSOLS, Limited Quantity
Class	2
Subsidiary risk	-
Packing group	Not applicable.
Environmental hazards	
Marine pollutant	No.
EmS Special precautions for use	Not available. r Read safety instructions, SDS and emergency procedures before handling.
15. Regulatory informatio	n
US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
• • •	Notification (40 CFR 707, Subpt. D)
Not regulated. SARA 304 Emergency relea	se notification
	ulated Substances (29 CFR 1910.1001-1050)
	Section 313 - Toxic Chemical: Listed substance
Not listed. CERCLA Hazardous Substa	inces: Reportable quantity
Not listed. CERCLA Hazardous Substa	Ince List (40 CFR 302.4)
Not listed.	
	ig in the loss of any ingredient at or above its RQ require immediate notification to the National 24-8802) and to your Local Emergency Planning Committee.
· · ·	n 112 Hazardous Air Pollutants (HAPs) List
	n 112(r) Accidental Release Prevention (40 CFR 68.130)
Not regulated.	Not regulated.
Safe Drinking Water Act (SDWA)	
Food and Drug Administration (FDA)	Not regulated.
-	d Reauthorization Act of 1986 (SARA)
Section 311/312 Hazard categories	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - Yes Reactivity Hazard - No
SARA 302 Extremely hazardous substance	No
US state regulations	
US. California. Candidate C (a))	hemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.
liquefied petroleum gas ( US. New Jersey Worker and	CAS 68476-86-8) I Community Right-to-Know Act
US. Massachusetts RTK - S	
	methyl ether (CAS 34590-94-8)
Matarial name: Ultra Vinul Classer	

#### US. Pennsylvania Worker and Community Right-to-Know Law

ammonia (CAS 7664-41-7) dipropylene glycol monomethyl ether (CAS 34590-94-8) sodium hydroxide (CAS 1310-73-2)

#### **US. Rhode Island RTK**

ammonia (CAS 7664-41-7) dipropylene glycol monomethyl ether (CAS 34590-94-8) sodium hydroxide (CAS 1310-73-2)

#### **US. California Proposition 65**

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

#### US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

formaldehyde (CAS 50-00-0)

Listed: January 1, 1988

#### Volatile organic compounds (VOC) regulations

#### **EPA**

VOC content (40 CFR 51.100(s))	7.7 %
Consumer products (40 CFR 59, Subpt. C)	Compliant

#### State

**Consumer products** This product is regulated as a General Purpose Cleaner (aerosol). This product is compliant for use in all 50 states.

VOC content (CA) 7.7 % 7.7 % VOC content (OTC)

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information, including date of preparation or last revision

Issue date	08-20-2015
Revision date	11-15-2016
Prepared by	Allison Cho
Version #	03
Further information	CRC # 450C
HMIS® ratings	Health: 3 Flammability: 1 Physical hazard: 0 Personal protection: D
NFPA ratings	Health: 3 Flammability: 1 Instability: 0



DisclaimerThe information contained in this document applies to this specific material as supplied. It may not<br/>be valid for this material if it is used in combination with any other materials. This information is<br/>accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be<br/>accurate. Before using any product, read all warnings and directions on the label. For further<br/>clarification of any information contained on this (M)SDS consult your supervisor, a health & safety<br/>professional, or CRC Industries, Inc..Revision InformationThis document has undergone significant changes and should be reviewed in its entirety.