

SPECIFICATIONS

Features/Benefits





- 1.75 gpm (6.6 L/min) Max Flow @ 60 psi
- 6 5/8" (168mm) Spout Height & 12 1/16" (307mm) Spout Reach
- Compression Cartridges
- Two Hole Wall Installation

Available Color/Finishes

 Chrome

Please see gerber-us.com or current price list for available finishes.
Finish is defined by additional suffix.

Standards & Certifications



Submittal Information:

Name: _____ Contractor: _____
Location: _____ Contact #: _____

CARACTÉRISTIQUES

Caractéristiques et avantages





- À débit maximal de 1,75 gpm (6,6 L/min) à 60 psi
- Bec de 6 5/8 po (168mm) de hauteur, portée de 12 1/16 po (307mm)
- Cartouche de compression
- Installation murale à deux trous

Couleurs/finis offerts

Chrome

Veuillez consulter le site Web
www.gerber-us.com/en-CA/ ou la liste de
prix courants pour connaître les finis offerts.
Le fini offert est défini par un suffixe
supplémentaire.

Normes et certifications



Renseignements pour la soumission :

Nom :

Entrepreneur :

Emplacement :

Numéro de téléphone :

ESPECIFICACIONES



Características/Beneficios



- Flujo máximo de 1,75 gpm (6,6 l/min) a 60 psi
- Altura del caño de 6 5/8" (168mm); alcance del caño de 12 1/16" (307mm)
- Cartucho de compresión
- Instalación en paredes de dos orificios

Colores/Acabados disponibles

Cromo

Visite gerber-us.com o consulte la lista actual de precios para conocer los acabados disponibles. Los acabados se diferencian mediante un sufijo adicional.

Estándares y certificación



Información a presentar:

Nombre: _____
Ubicación: _____

Contratista: _____
N.º de contacto: _____