



Quality Products. Service Excellence.

Type 4X Polyester Single/Two Door Freestanding Enclosure *PJFS Series*

Continuous Hinge Door with Handle



Application

- Designed for use as instrument enclosures, electric, hydraulic or pneumatic control housings, electrical junction boxes or terminal wiring enclosures.
- Provides outstanding insulation and protection where equipment may be hosed down or be very wet.
- Ideal in applications with high temperatures or highly corrosive environments.

Standards



- UL/cUL 508A Type 1, 2, 3, 4, 4X, 12 and 13
- CSA Type 1, 2, 3, 4, 4X, 12 and 13
- Complies with
 - NEMA Type 1, 2, 3, 4, 4X, 12 and 13
 - IEC 60529, IP66

Construction



- Fiberglass polyester enclosure with matching door is easily punched, cut, or drilled.
- Enhanced UV inhibitors protect against outdoor weathering.
- Collar Studs are provided for optional inner panel.
- Mounting hardware included.
- Heavy duty continuous 304 SS Hinge.
- Flexible self-gripping gasket compresses over flange for tight seal.
- 3-point SS handle with pad lock provision.
- Molded in drip shield.
- Fiberglass mounting strut side walls on double door unit.
- Operating temperatures between 130°C and -40°C (266°F to -40°F).
- Impact index of 6.78J (5 ft/lb).
- For corrosion resistance information, please refer to table in the Technical Information section.

Finish

- Fiberglass polyester material has a gray finish.
- Optional inner panels are available in white powder coated finished steel.





**Front View
(with Single Door Open)**





SECTION B-B

Internal View



**Front View
(with Double Doors Open)**



SECTION B-B

Internal View

Enclosure					Panel				Notes	Finish
Part No.	Height	Width	Depth	Ship Wt (lbs)	Panel Part No.	Height	Width			
PJFS722525	72.00	25.00	24.50	215	18P5721	57.00	21.00	Qty 1 Required		White

Enclosure					Panel				
Part No.	Height	Width	Depth	Ship Wt (lbs)	Panel Part No.	Height	Width	Notes	Finish
PJFS724925DD	72.00	48.00	24.50	430	18P5721	57.00	21.00	Qty 2 Required	White

Data subject to change without notice

© 2017. Hammond Manufacturing Ltd. All rights reserved.