

Revision Number: 002.0 Issue date: 02/09/2015

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product name: BONDERITE L-FG F 90 FORGING IDH number: 1362766

**LUBRICANT ACHESON known as** 

**DELTAFOR GE F-90** 

Product type: Lubricant

Pastriction of Use: None identified

Restriction of Use: None identified Company address:

Henkel Corporation
One Henkel Way

Rocky Hill, Connecticut 06067

WARNING:

Region: United States

Contact information:

Telephone: (860) 571-5100

MEDICAL EMERGENCY Phone: Poison Control Center

1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT EMERGENCY Phone: CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887

Internet: www.henkelna.com

## 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW CAUSES SKIN IRRITATION.

MAY CAUSE AN ALLERGIC SKIN REACTION.

CAUSES SERIOUS EYE IRRITATION.

HAZARD CLASS	HAZARD CATEGORY
SKIN IRRITATION	2
EYE IRRITATION	2A
SKIN SENSITIZATION	1

#### PICTOGRAM(S)



#### **Precautionary Statements**

Prevention: Avoid breathing vapors, mist, or spray. Wash thoroughly after handling. Contaminated work

clothing should not be allowed out of the workplace. Wear eye and face protection. Wear

protective gloves.

**Response:** IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if present and easy to remove. Continue rinsing. If skin irritation or rash occurs: Get medical attention. If eye irritation persists: Get medical

attention. Take off contaminated clothing.

Storage: Not prescribed

Disposal: Dispose of contents and/or container according to Federal, State/Provincial and local

governmental regulations.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

IDH number: 1362766 Product name: BONDERITE L-FG F 90 FORGING LUBRICANT ACHESON known as DELTAFOR GE

Hazardous Component(s)	CAS Number	Percentage*
Carboxylic acid salt	Proprietary	30 - 60
Tris(2-hydroxyethyl)hexahydro triazine	4719-04-4	0.1 - 1

<sup>\*</sup> Exact percentage is a trade secret. Concentration range is provided to assist users in providing appropriate protections

## 4. FIRST AID MEASURES

Inhalation: If mist or vapor of this product is inhaled, remove person immediately to fresh

air. Seek medical attention if symptoms develop or persist.

Skin contact: Remove contaminated clothing and footwear. Rinse with running water and

soap. If symptoms develop and persist, get medical attention.

Eye contact: In case of contact with the eyes, rinse immediately with plenty of water for 15

minutes, and seek immediate medical attention.

**Ingestion:** Get immediate medical attention. Do not induce vomiting.

Symptoms: See Section 11.

**Notes to physician:**Treat symptomatically and supportively.

#### 5. FIRE FIGHTING MEASURES

Extinguishing media: Use media appropriate for surrounding material.

Special firefighting procedures: Wear full protective clothing. Wear self-contained breathing apparatus.

Unusual fire or explosion hazards: In case of fire, keep containers cool with water spray. Closed containers may

rupture (due to build up of pressure) when exposed to extreme heat.

Hazardous combustion products: Thermal decomposition can lead to release of irritating gases and vapors.

#### 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

**Environmental precautions:** Prevent further leakage or spillage if safe to do so. Wear appropriate

protective equipment and clothing during clean-up.

Clean-up methods: Absorb spill with inert material. Shovel material into appropriate container for

disposal.

## 7. HANDLING AND STORAGE

Handling: Avoid contact with eyes, skin and clothing. Do not inhale vapors and fumes.

Use only with adequate ventilation. Wash thoroughly after handling. Do not

take internally.

Storage: For safe storage, store between 5.0 °C (41°F) and 32 °C (89.6 °F)

Keep container tightly closed and in a cool, well-ventilated place away from incompatible materials. Protect from freezing. Protect from direct sunlight.

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

IDH number: 1362766 Product name: BONDERITE L-FG F 90 FORGING LUBRICANT ACHESON known as DELTAFOR GE

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Carboxylic acid salt	None	None	None	None
Tris(2-hydroxyethyl)hexahydro triazine	None	None	None	None

Engineering controls: Ventilation should effectively remove and prevent buildup of any

vapor/mist/fume/dust generated from the handling of this product.

Respiratory protection: If ventilation is not sufficient to effectively prevent buildup of aerosols, mists or

vapors, appropriate NIOSH/MSHA respiratory protection must be provided.

Eye/face protection: Wear chemical goggles; face shield (if splashing is possible).

Skin protection: Wear impervious gloves for prolonged contact. Gloves should be tested to

determine suitability for prolonged contact. Use of impervious apron and boots

are recommended.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:

Color:

Blue
Odor:

Odor threshold:

Not available.

Physical state:

Liquid

None

None

None

pH: 9.0 - 10.5 Vapor pressure: 17 mm hg

Boiling point/range:>=  $100 \, ^{\circ}\text{C}$  (>=  $212 \, ^{\circ}\text{F}$ )Melting point/ range:<=  $0 \, ^{\circ}\text{C}$  (<=  $32 \, ^{\circ}\text{F}$ )Specific gravity:1.212Vapor density:Not available.Flash point:Not applicable

Flammable/Explosive limits - upper: Not available. Autoignition temperature: Not applicable **Evaporation rate:** Not applicable Solubility in water: Complete Partition coefficient (n-octanol/water): Not available. **VOC** content: Not applicable Viscosity: 200 - 600 cp **Decomposition temperature:** Not available.

## 10. STABILITY AND REACTIVITY

Not available.

Stability: Stable at normal conditions.

**Hazardous reactions:** None under normal processing.

**Hazardous decomposition** 

products:

Thermal decomposition can lead to release of irritating gases and vapors.

Incompatible materials: Acids.

Flammable/Explosive limits - lower:

Reactivity: Not available.

Conditions to avoid: Store away from incompatible materials. Protect from direct sunlight. Excessive heat. Freezing

conditions.

## 11. TOXICOLOGICAL INFORMATION

Relevant routes of exposure: Skin, Inhalation, Eyes

**Potential Health Effects/Symptoms** 

**Inhalation:** May cause respiratory tract irritation.

Skin contact: This product may cause irritation to the skin. Prolonged or repeated contact may worsen

irritation. A component in this product may be absorbed through the skin, especially if skin is

damaged.

**Eye contact:** This product may be severely irritating to the eyes.

**Ingestion:** Ingestion can cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects
Carboxylic acid salt	None	Blood, Irritant, Kidney, Liver, Nervous System, Respiratory
Tris(2-hydroxyethyl)hexahydro triazine	None	Irritant, Allergen

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Carboxylic acid salt	No	No	No
Tris(2-hydroxyethyl)hexahydro triazine	No	No	No

## 12. ECOLOGICAL INFORMATION

Ecological information: Not available.

## 13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

**Recommended method of disposal:**Dispose of according to Federal, State and local governmental regulations.

**Hazardous waste number:**Wastes must be tested using methods described in 40 CFR Part 261 to

determine if it meets applicable definitions of hazardous wastes.

# 14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

U.S. Department of Transportation Ground (49 CFR)

Proper shipping name: Not regulated

Hazard class or division:
Identification number:
None
Packing group:
None

International Air Transportation (ICAO/IATA)

Proper shipping name: Not regulated Hazard class or division: None Identification number: None Packing group: None

Water Transportation (IMO/IMDG)

Proper shipping name:Not regulatedHazard class or division:NoneIdentification number:NonePacking group:None

IDH number: 1362766 Product name: BONDERITE L-FG F 90 FORGING LUBRICANT ACHESON known as DELTAFOR GE F-90

## 15. REGULATORY INFORMATION

**United States Regulatory Information** 

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances Control Act

Inventory.

TSCA 12 (b) Export Notification: None above reporting de minimis

CERCLA/SARA Section 302 EHS:
CERCLA/SARA Section 311/312:
CERCLA/SARA Section 313:

None above reporting de minimis
Immediate Health, Delayed Health
None above reporting de minimis

California Proposition 65: No California Proposition 65 listed chemicals are known to be present.

**Canada Regulatory Information** 

IDH number: 1362766

CEPA DSL/NDSL Status: All components are listed on or are exempt from listing on the Canadian Domestic

Substances List.

#### 16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: New Safety Data Sheet format.

Prepared by: John DiCerbo, Sr. Regulatory Affairs Specialist

**Issue date:** 02/09/2015

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

Product name: BONDERITE L-FG F 90 FORGING LUBRICANT ACHESON known as DELTAFOR GE