

Tool Pouches, Carriers, Belts & Suspenders

Just as Klein offers a variety of tools designed for specific needs, Klein offers a variety of tool pouches, carriers, belts, and suspenders that suit virtually every preference and need.

For Professionals...
Since 1857™



Tool Pouches

7-Pocket Tool Pouch

- Black leather construction.
- Riveted to assure long life.
- Heavy-duty chain tape thong securely fastened with a rivet.

Cat. No.	Pockets (Total No.)	Specialty Add-Ons	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5166	7	chain tape thong	tunnel	2-1/4" (57 mm)	7" x 9-1/2" (178 mm x 241 mm)	.92



5166

8-Pocket Tool Pouch

- Black leather construction.
- Roomy pouch for electricians and maintenance workers.
- Riveted and stitched for extra durability.
- Heavy-duty chain tape thong securely fastened with a rivet.
- Stainless steel clip holder accepts most tape clips up to 1-1/4" wide.

Cat. No.	Pockets (Total No.)	Specialty Add-Ons	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5178	8	knife snap, chain tape thong, metal tape measure holder	tunnel	2-1/2" (64 mm)	11" x 10" (279 mm x 254 mm)	1.03



5178

Single-Pocket Tool Pouch

- Black leather construction.
- Perfect for carrying pliers and other tools in the hip pocket.
- Prevents wear and tearing of clothes, discomfort, and possible injury.
- Riveted to assure long life.



5111

Cat. No.	Pockets (Total No.)	Overall Size	Weight (lbs.)
5111	1	4-1/2" x 7" (114 mm x 178 mm)	.23

Strap-Leather Bag

- Leather construction.
- Soft, pliable cushion-leather gussets allow expansion to 3-1/4" (83 mm).
- Ventilating eyelet in bottom.



5140K

Cat. No.	Belt Connection	Belt Capacity	Length	Width	Depth	Weight (lbs.)
5140K	latigo thongs	up to 3" (76 mm) wide	7" (178 mm)	9" (229 mm)	3-1/4" (83 mm)	.65

3-Pocket Utility Pouch

- Black leather construction.
- Features 1" (25 mm) reinforced gusset.
- Has 2" (51 mm) outside pockets.
- Riveted for extra durability.



5145

Cat. No.	Pockets (Total No.)	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5145	3	tunnel	1" (25 mm)	5-1/4" x 7" (133 mm x 178 mm)	.46

4-Pocket Tool Pouch

- Black leather construction.
- Riveted and stitched for extra durability.



5119

Cat. No.	Pockets (Total No.)	Specialty Add-Ons	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5119	4	knife snap	slotted	2" (51 mm)	6-1/2" x 8-1/2" (165 mm x 216 mm)	.39

All dimensions are in inches and (millimeters) unless otherwise specified.

www.kleintools.com



Tool Pouches

5-Pocket Tool Pouches

- Cat. No. 5125 is constructed of #4 canvas, leather back, pockets and loops.
- Cat. No. 5125L is constructed of leather.
- General-purpose pouches.
- Heavy-duty chain tape thong securely fastened with a rivet.
- Riveted and stitched for extra durability.



5125

5125L

Cat. No.	Pockets (Total No.)	Specialty Add-Ons	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5125	5	leather tape thong	loops	2-1/4" (57 mm)	7-1/2" x 8-1/2" (191 mm x 216 mm)	.63
5125L	5	leather tape thong	loops	2-1/4" (57 mm)	7-1/2" x 8-1/2" (191 mm x 216 mm)	.75

5-Pocket Tool Pouch

- Black leather construction.
- Riveted to assure long life.



5126

Cat. No.	Specialty Add-Ons	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5126	knife snap	slotted	2" (51 mm)	6" x 8-3/4" (152 mm x 222 mm)	.74

Leather Back Pocket Pouch

- Black leather construction.
- Stitched and riveted to assure long life.
- Snap loop option for belt.
- Six pockets, including scissors pocket on back flap.



5481

Cat. No.	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5481	snap loop	up to 2" (51 mm)	10" H x 5-3/4"W x 2-1/2"D (254 mm x 146 mm x 64 mm)	.47

6-Pocket Tool Pouches

- Black leather construction.
- Riveted to assure long life.

Cat. No.	Pockets (Total No.)	Specialty Add-Ons	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5127	6	knife snap	slotted	2" (51 mm)	7" x 10" (178 mm x 254 mm)	.79
5127T	6	knife snap	tunnel	2-1/2" (64 mm)	7" x 10" (178 mm x 254 mm)	.87



5127



5127T

8-Pocket Extra-Capacity Tool Pouch


- Black leather construction.
- Extra-capacity multi-purpose pouch.
- Stitched and riveted to assure long life.

Cat. No.	Pockets (Total No.)	Specialty Add-Ons	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5162T	8	knife snap, leather tape thong	tunnel	3" (76 mm)	8-1/2" x 10-3/4" (216 mm x 273 mm)	1.71



5162T

All dimensions are in inches and (millimeters) unless otherwise specified.



Tool Pouches

8-Pocket Tool Pouches

- Black leather construction.
- Riveted to assure long life.

Cat. No.	Pockets (Total No.)	Specialty Add-Ons	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5164	8	knife snap	slotted	2" (51 mm)	6-3/4" x 9-3/4" (171 mm x 248 mm)	1.16
5164T	8	knife snap	tunnel	2-1/2" (64 mm)	6-3/4" x 9-3/4" (171 mm x 248 mm)	1.21



5164



5164T

10-Pocket Tool Pouch

- Black leather construction.
- Stitched and riveted to assure long life.

Cat. No.	Pockets (Total No.)	Specialty Add-Ons	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5165	10	knife snap	slotted	2" (51 mm)	10" x 10" (254 mm x 254 mm)	1.26



5165

10-Pocket Tool Pouch

- Black leather construction.
- Versatile pouch favored by many telephone installers.
- Riveted throughout to assure long life.
- Ten separate compartments with places for a wide variety of pliers, screwdrivers, and other tools.
- Slotted-leather tape thong allows easy removal of 1" (25 mm) I.D. tape rolls.

Cat. No.	Pockets (Total No.)	Specialty Add-Ons	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5190	10	leather tape thong	slotted	1-3/4" (44 mm)	6" x 8-3/4" (152 mm x 222 mm)	.75



5190

11-Pocket Tool Pouch

- Black leather construction.
- Multi-pocketed pouch made for electricians and other professionals.
- Stitched and riveted to assure long life.
- Stainless steel clip holder accepts most tape clips up to 1-1/4" (32 mm) wide.
- Heavy-duty chain tape thong securely fastened with a rivet.

Cat. No.	Pockets (Total No.)	Specialty Add-Ons	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5167	11	knife snap, chain tape thong, metal tape measure holder	slotted	2-3/4" (70 mm)	10" x 10-1/2" (254 mm x 267 mm)	1.43



5167

All dimensions are in inches and (millimeters) unless otherwise specified.

www.kleintools.com



Tool Pouches

Back Pocket Pouch

- Four pockets, including two open pockets on the front for longer tools such as screwdrivers.
- Cordura® ballistic nylon, a high-performance fabric resistant to abrasions, tears and scuffs.
- Riveted and stitched for extra durability.
- Snap loop option for belt.



5482

Cat. No.	Belt Connection	Belt Width	Length	Width	Depth	Weight
5482	snap loop	up to 2" (51 mm)	9-7/8" (251 mm)	5" (127 mm)	2" (51 mm)	.26 lbs. (0.12 kg)

Cordura® is a registered trademark of INVISTA for durable fabrics.

All-Purpose Bag

- Soft, pliable cushion leather construction.
- Bag is ideal for carrying loose tools and small parts.
- Adjustable belt strap for attaching to belts.



5146

Leather Bolt Bag

- Split-leather construction.
- Bolt bag with bull-pin loop on each side.



42247

Cat. No.	Belt Connection	Belt Capacity	Length	Width	Depth	Weight (lbs.)
5146	belt strap	up to 3" (76 mm) wide	9" (229 mm)	8" (203 mm)	3" (76 mm)	.60

Cat. No.	Belt Connection	Belt Capacity	Length	Width	Depth	Weight (lbs.)
42247	tunnel	up to 3" (76 mm) wide	5" (127 mm)	8-1/2" (216 mm)	8-1/2" (216 mm)	.75

Canvas Utility Bag

- Heavy No. 8 natural canvas.
- Includes interior pocket (Cat Nos. 5141P and 5142P).
- Inside bottom is reinforced with cushion leather & ventilating eyelet.
- Metal snaps provided on loops for easy attachment to belts up to 3" (76 mm) wide.
- Top edge reinforced with 1/4" (6 mm) rope.



5141P



5142

Cat. No.	Belt Connection	Belt Capacity	Length	Width	Depth	Weight
5141P	loops	up to 3" (76 mm) wide	10" (254 mm)	12" (305 mm)	5" (127 mm)	.88 lbs. (0.40 kg)
5142	loops	up to 3" (76 mm) wide	9" (229 mm)	10" (254 mm)	8" x 3" (203 mm x 76 mm)	.60 lbs. (0.27 kg)
5142P	loops	up to 3" (76 mm) wide	9" (229 mm)	10" (254 mm)	8" x 3" (203 mm x 76 mm)	.65 (0.29 kg)

Nut & Bolt Pouch

- Includes interior pocket.
- Top sides of pouch reinforced with leather to maintain shape of pouch opening.
- Inside bottom is reinforced with leather and ventilating eyelet.
- Metal snaps provided on loops for easy attachment to belts up to 3" (76 mm) wide.
- Top edge reinforced with 1/4" (6 mm) rope.

Cat. No.	Interior Pockets	Color	Length	Width	Depth	Weight
51A	1	black	9" (229 mm)	10" (254 mm)	3.5" (90 mm)	1 lbs. (0.45 kg)



51A

All dimensions are in inches and (millimeters) unless otherwise specified.



Tool Pouches

Water-Repellent Canvas Pouches

- One-piece tan 12-oz. water-repellent mildew resistant canvas.
- Top edge reinforced with 1/4" (6 mm) rope.

Cat. No.	Belt Connection	Belt Capacity	Length	Width	Top Diameter	Weight
5179	loops	up to 4-1/2" (114 mm) wide	7-1/2" (191 mm)	3-1/2" (89 mm)	7" (178 mm)	.30 lbs. (0.14 kg)
5179S	snap	up to 4-1/2" (114 mm) wide	7-1/2" (191 mm)	3-1/2" (89 mm)	7" (178 mm)	.30 lbs. (0.14 kg)



5179S

5179

Bull-Pin and Bolt Bags

NEW!

- No. 4 canvas or split-leather, with double bottom.
- Cat. No. 5416TFR is made of flame-resistant No. 4 canvas and meets the performance requirement of NFPA -701.
- Bolt bag with bull-pin loop on each side.



5416TFR

FR



5416TCP



5416TC



5416

Cat. No.	Belt Connection	Belt Capacity	Length	Width	Depth	Weight
Canvas						
5416	loops	up to 3" (76 mm) wide	5" (127 mm)	9" (229 mm)	10" (254 mm)	.85 lbs. (0.30 kg)
5416T	tunnel	up to 3" (76 mm) wide	5" (127 mm)	9" (229 mm)	10" (254 mm)	.90 lbs. (0.4 kg)
5416TFR	tunnel	up to 3" (76 mm) wide	5" (127 mm)	9" (229 mm)	10" (254 mm)	.90 lbs. (0.4 kg) NEW!
Canvas - Top Closing						
5416TC	tunnel	up to 3" (76 mm) wide	5" (127 mm)	9" (229 mm)	10" (254 mm)	.87 lbs. (0.39 kg)
5416TCP	tunnel	up to 3" (76 mm) wide	5" (127 mm)	9" (229 mm)	12" (305 mm)	1 lbs. (0.45 kg)
Leather						
5416L	tunnel	up to 3" (76 mm) wide	5" (127 mm)	9" (229 mm)	10" (254 mm)	1.10 lbs. (0.14 kg)

Bull-Pin and Bolt Bags



NEW!

- Two D-rings on the front of the pouch and four on the inside offer plenty of space to connect tethers.
- Top buckle to keep the top closed.
- Double bottom for added strength.
- Loop on each side for bull pins or spud wrenches.



5416OCTO

Cat. No.	Belt Capacity	Belt Connection	Length	Width
5416OCTO	up to 3" (76 mm) wide	loop	5" (127 mm)	9" (229 mm)

Canvas Electrode Bag

NEW!

- Made of tough No. 4 canvas.
- Heat-resistant, hard leather bottom.
- Cat. No. 5471FR is made of flame-resistant No. 4 canvas, features a flame retardant, hard-leather bottom and meets the performance requirement of NFPA -701.
- Web loop for sliding over belt.



FR

5471FR

5471

Cat. No.	Diameter	Front Depth	Back Depth	Weight (lbs.)
5471	2-1/2" (64 mm)	12" (305 mm)	15-1/2" (394 mm)	.25
5471FR	2-1/2" (64 mm)	12" (305 mm)	15-1/2" (394 mm)	.25 NEW!

All dimensions are in inches and (millimeters) unless otherwise specified.

www.kleintools.com

Tool Pouches, Carriers,
Belts & Suspenders



Tool Pouches

6-Pocket Nail/Screw and Tool Pouch

- Split-leather construction.
- Heavy hammer-loops on both sides, allowing for convenient use by right- or left-handed workers.
- Riveted and stitched for extra durability.

Cat. No.	Pockets (Total No.)	Specialty Add-Ons	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
42241	6	2 hammer loops	tunnel	3" (76 mm)	11" x 11-3/4" (279 mm x 298 mm)	.86



42241

Tool Combination Aprons

One-Piece Nail/Screw and Tool Pouch Apron

- Split-leather construction.
- Versatile, roomy double-pouch apron for construction workers, carpenters, and other professionals.
- Riveted and stitched for extra durability.
- Four slots for punches or nail sets.
- Two heavy-duty hammer loops.
- Double-pouch design allows unrestricted leg movement.
- Apron is reinforced throughout with rivets.
- The large pockets and nail/bolt pockets have rolled-over, doubled edges for long wear.
- Heavy-duty 2" (51 mm) wide polypropylene web belt has rugged metal buckle.



42242

Cat. No.	Pockets (Total No.)	Size Adjustable	Weight (lbs.)
42242	10	32" – 48" (813 mm – 1219 mm)	1.81

Nail/Screw and Tool Pouch Combinations

- Split-leather construction.
- Large pockets have rolled-over doubled edges for extra-long life.
- All pouches slide along belt for convenient working position.
- Left- and right-hand nail-and-tool pouches.
- Heavy-duty 2" (51 mm) wide polypropylene web belt has rugged metal buckle.
- Tape-rule holder for 20' (6 m) and 25' (7.5 m) tape measures with belt clips.
- Heavy hammer loops.



42244

Cat. No.	Description	Weight (lbs.)
42244	complete combination: belt (Cat. No. 5225 mm), left-hand (Cat. No. 42246 mm) and right-hand (Cat. No. 42245 mm) nail-and-tool pouches, and tape-rule holder (Cat. No. 5195 mm)	2.02
42245	right-hand nail-and-tool pouch only. Tunnel loop fits any belt up to 3" (76 mm) width.	.70
42246	left-hand nail-and-tool pouch only. Tunnel loop fits any belt up to 3" (76 mm) width.	.72
5225	poly-web belt only. Adjustable from 32" (813 mm) to 48" (1219 mm). Tunnel loop fits any belt up to 3" (76 mm) width.	.42
5195	tape-rule holder only for 20' and 25' tapes.	.18

All dimensions are in inches and (millimeters) unless otherwise specified.

⚠ WARNING: The tool belt is not an occupational protective belt.



Tool Combination Aprons

Electrician's Tool Apron



- Deep pockets to fit your tools.
- Loops for extra tool storage.
- Tape measure holder.
- Special pockets for writing utensils.
- Made of heavy-duty canvas.
- Riveted to assure long life.

42200

Cat No.	Size	Fits Waist Sizes	Weight
42200	M/L	32" - 46" (813 mm - 1,168 mm)	.86 lbs. (0.39 kg)
42201	XL/2XL	38" - 54" (965 mm - 1,372 mm)	.93 lbs. (0.42 kg)

⚠WARNING: The tool belt is not an occupational protective belt.

Tool Holders

Scissors Holder – Tunnel

- Black leather construction.
- Designed for Klein's cutting tools (Cat. Nos. 22000, or 22001, 22002, 22003 and 22008)
- Stitched and riveted to assure long life.



5100M

Cat. No.	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5100M	tunnel	up to 2" (50.8)	2" x 8" (51 mm x 203 mm)	.15

Scissors Holder – Tunnel

- Black leather construction.
- Designed to hold Klein electrician's scissors, Cat. Nos. 2100-5 and 2100-7.
- Riveted to assure long life.



5101

Cat. No.	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5101	tunnel	up to 1.5" (38 mm)	2" x 7" (51 mm x 178 mm)	.11

Scissors and Cable-Splicer's Knife Holders

- Black leather construction.
- Specially designed to hold a pair of Klein electrician's scissors (Cat. Nos. 2100-5 or 2100-7, 2100-8, 2100-9), and Cat. No. 44200 cable-splicer's knife.
- Stitched and riveted to assure long life.



5187

5187T

Cat. No.	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5187	slotted	up to 2-1/4" (57 mm)	2" x 7-1/4" (51 mm x 184 mm)	.11
5187T	tunnel	up to 2-1/4" (57 mm)	2" x 7-1/4" (51 mm x 184 mm)	.13

Lineman's Knife Holder

- Black leather construction.
- Designed for Klein skinning knives Cat. Nos. 1570-3, 1570-3LR, and 1560-3.
- Riveted to assure long life.



5163

Cat. No.	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5163	slotted	up to 2" (51 mm)	3-1/2" x 9-3/8" (89 mm x 238 mm)	.21

All dimensions are in inches and (millimeters) unless otherwise specified.

www.kleintools.com



Tool Holders

Knife Holder

- Black leather construction.
- Designed for utility knives and Klein Cat. Nos. 44100 and 44105.
- Corners riveted and stitched for long life.

Cat. No.	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5185	slotted	up to 2-1/2" (64 mm)	2-5/8" x 8-1/4" (67 mm x 210 mm)	.11



5185

Cable-Splicer's Knife Holders

- Black leather construction.
- Designed to hold Cat. No. 44200 cable-splicer's knife.
- Riveted and stitched for long life.

Cat. No.	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5188	slotted	up to 2-1/4" (57 mm)	2-1/8" x 7-3/4" (54 mm x 197 mm)	.08
5188T	tunnel	up to 2-1/4" (57 mm)	2-1/8" x 7-1/4" (54 mm x 184 mm)	.11



5188



5188T

Pliers Holders – Open Bottom

- Black leather construction.
- Riveted to assure long life.
- Cat. No. 5107-6 holds 6" (152 mm) or 7" (178 mm) long-nose or diagonal-cutting pliers.
- Cat. No. 5107-9 holds 8" (203 mm) or 9" (229 mm) long-nose or diagonal-cutting pliers.



5107-6

Cat. No.	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5107-6	slotted	up to 2" (51 mm)	3-1/2" x 8-1/2" (89 mm x 216 mm)	.17
5107-9	slotted	up to 2" (51 mm)	3-3/4" x 11" (95 mm x 279 mm)	.26

Pliers Holder – Closed Bottom

- Black leather construction.
- Nose of pliers does not protrude from closed bottom.
- Bottom is vented to prevent collection of dirt or water.
- Riveted to assure long life.
- Holds 7" (178 mm), 8" (203 mm), and 9" (229 mm) side-cutting pliers.



5112

Cat. No.	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5112	slotted	up to 2" (51 mm)	3-1/4" x 11" (83 mm x 279 mm)	.21

Pliers, Folding Rule, Screwdriver, and Wrench Holder

- Black leather construction.
- No exposed rivets in back.
- Riveted to assure long life.
- Pockets for 7" (178 mm), 8" (203 mm), and 9" (229 mm) side-cutting pliers, most screwdrivers, 6' (1.8 m) folding rules, and open-end wrenches from 9/16" to 13/16" (14 mm to 21 mm).
- Nickel plated alloy snap.



5118C

Cat. No.	Pockets (Total No.)	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5118C	4	slotted	up to 2" (51 mm)	6-1/2" x 11" (165 mm x 279 mm)	.78

Pliers, Rule, and Screwdriver Holders

- Black leather construction.
- Three pockets for pliers, folding rule, and screwdriver.
- S5118PRS has a two-way knife snap.
- Riveted to assure long life.
- Pockets for 7" (178 mm), 8" (203 mm) and 9" (229 mm) side-cutting pliers, most screwdrivers, 6' (1.8 m) folding rules, and open-end wrenches from 9/16" to 13/16" (14 mm to 21 mm).



5118PRS

Cat. No.	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5118PRS	slotted	up to 2" (51 mm)	6-3/4" x 10" (171 mm x 254 mm)	.49
S5118PRS	slotted	up to 2" (51 mm)	6-3/4" x 10" (171 mm x 254 mm)	.56



Tool Holders

4 and 5 Pocket Pouches Lineman's Pouches

- Black leather construction with double leather back for durability.
- Rivet hole for belt connection.
- Riveted to assure long life.
- Includes knife snap, pockets for pliers, most screwdrivers, 6' (1.8 m) folding rule and open-ended wrenches.



5118P4



5118P5

Cat. No.	Pockets (Total No.)	Belt Connection	Approx. Overall Size	Weight (lbs.)
5118P4	4	rivet hole	8" x 11" (203 mm x 279 mm)	.91
5118P5	5	rivet hole	10" x 11" (254 mm x 279 mm)	1.13

Pliers and Folding Rule Holders

- Leather construction.
- Riveted to assure long life.
- Pockets for 7" (178 mm), 8" (203 mm) and 9" (229 mm) side-cutting pliers and 6' (1.8 m) folding rule.

Cat. No.	Pockets (Total No.)	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5118R	2	slotted	up to 2" (51 mm)	4-3/4" x 8" (121 mm x 203 mm)	.43
5118RT	2	tunnel	up to 3-3/4" (95 mm)	4-1/2" x 12-1/2" (114 mm x 318 mm)	.50



5118R



5118RT

Pliers and Screwdriver Holder

- Black leather construction.
- Riveted to assure long life.
- Pockets for 7" (178 mm), 8" (203 mm) and 9" (229 mm) and most screwdriver sizes.

Cat. No.	Pockets (Total No.)	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5118S	2	slotted	up to 2" (51 mm)	4-1/4" x 10-3/4" (108 mm x 273 mm)	.35



5118S

Hammer Holders

- Black leather construction.
- Heavy-metal hammer loop riveted to panel.
- Riveted and stitched to assure long life.
- Holds Klein® hammers except lineman's and mining/specialty hammers.

Cat. No.	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5456	slotted	up to 2-1/2" (64 mm)	4-5/16" x 7-7/8" (110 mm x 200 mm)	.33
5456T	tunnel	up to 4" (102 mm)	4-5/16" x 10" (110 mm x 254 mm)	.42
5456TS	tunnel	up to 4" (102 mm)	4-5/16" x 10" (110 mm x 254 mm)	.42



5456



5456T



5456TS

All dimensions are in inches and (millimeters) unless otherwise specified.

www.kleintools.com



Tool Holders

Flashlight Holder

- Black leather construction.
- Designed for a standard two-cell flashlight.
- Riveted to assure long life.



Cat. No.	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5129	slotted	up to 2-1/4" (44 mm)	3" x 9-1/2" (76 mm x 241 mm)	.22

Cordura® Ballistic Nylon Flashlight Holder

- Cordura® ballistic nylon for exceptional resistance to abrasions, punctures and tears.
- Metal belt clip attaches to belts up to 2" (51 mm) wide.
- Secure snap closure.



Cat. No.	Applicable Model	Dimensions H x W x D	Weight (oz.)
1106	X35	9" x 2.75" x 1.88" (22.9 cm x 6.99 cm x 4.78 cm)	3.4

Cordura® is a registered trademark of INVISTA for durable fabrics.

Tape-Rule Holders

- Leather construction.
- Cut-out sides for easy access to tape.
- Slotted for attaching to belts up to 2-1/2" (63 mm) wide.
- Riveted to assure long life.



Cat. No.	Description	Overall Size	Weight (lbs.)
5194	small	4" x 6" (102 mm x 152 mm)	.16
5195	medium	4-1/2" x 7" (114 mm x 178 mm)	.18
5196	large	5" x 7" (127 mm x 178 mm)	.21

Klein Tape-Rule Sizing Guide

Tape Measure	Cat. No.	Description
93116	5194	small leather pouch
	5707	nylon tape measure clip/holder
93025, 93125	5195	medium leather pouch
	5707	nylon tape measure clip/holder
93225, 93275	5196	large leather pouch
	5707	nylon tape measure clip/holder
93430	5712	nylon pouch



5195

Erection Wrench Holder

- Cotton web tunnel loop and leather construction.
- Holds two erection wrenches.
- Riveted to assure long life.
- Holds erection wrenches and adjustable head construction wrench Cat. No. 3239.

Cat. No.	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5461T	cotton web tunnel	up to 2" (51 mm)	6" x 10" (152 mm x 254 mm)	.26



5461T

Bull-Pin Holders

- Leather construction.
- Riveted to assure long life.
- Holds all standard bull pins.



Cat. No.	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5417	slotted	up to 2" (51 mm)	3-1/4" x 11" (83 mm x 279 mm)	.22
5417T	tunnel	up to 3-1/2" (89 mm)	3-1/4" x 12-1/4" (83 mm x 311 mm)	.32

Erection Wrench Holders

- Leather construction.
- Has tool slots for two erection wrenches.
- Tunnel loop on Cat. No. 5459T is riveted to assure long life.
- Holds erection wrenches and adjustable head construction wrench Cat. No. 3239.



Cat. No.	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5460	slotted	up to 2" (51 mm)	6" x 8-1/2" (152 mm x 216 mm)	.19
5459T	tunnel	up to 3-1/2" (89 mm) or to slide over D-rings, buckles, and other accessories	6" x 9-1/2" (152 mm x 241 mm)	.32

All dimensions are in inches and (millimeters) unless otherwise specified.



Tool Holders

Tie-Wire Reel Pad

- Worn on the belt under the Klein® tie-wire reel (Cat. No. 27400).
- Made of 3/16" (5 mm) thick rigging leather.
- Slots accommodate belts up to 2" (51 mm) wide.
- Underside has a sponge-rubber pad to minimize hip fatigue.



27450

Cat. No.	Length	Width	Weight (lbs.)
27450	7" (178 mm)	7" (178 mm)	.300

Tie-wire reel and ironworker's heavy-duty tie-wire belts also available.

Connecting Bar Holder with Lock Collar

- Lock Collar fits Klein® 7/8" (22 mm) connecting Bars (Cat. Nos. 3246 & 3248).
- Leather construction.
- Tunnel loop allows for weight distribution on belt.
- Fits belts up to 3-1/2" (89 mm) wide.
- Replacement lock collar (Cat. No. 5459C) is available.



5459C

5459SLVR

Cat. No.	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5459SLVR	tunnel loop	up to 3-1/2" (89 mm)	3" x 6-3/4" (76 mm x 171 mm)	.40

WARNING: Lock collar should ONLY be used on Klein 7/8" connecting bars. Lock collar must be installed on connecting bar before using holder.

Tape Thong

- Leather strap with fiber bar.
- Fits all standard electrical tape rolls.

Cat. No.	Belt Connection	Length	Weight (lbs.)
5130	slotted	12" (305 mm)	.03



5130

Two-Way Snap

- Black leather construction.
- Screw-type rivets for easy attachment to belts.



5131

Cat. No.	Belt Connection	Length	Weight (lbs.)
5131	screw rivets	4-1/2" (114 mm)	.10

Snap Loop

- Black leather construction.
- Designed for tools with hang holes.
- Loop with snap hook for carrying an adjustable wrench, welder's igniter or other tool with hang hole.
- Riveted to assure long life.



5458

Cat. No.	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5458	slides on	up to 4" (102 mm)	1-1/2" x 8-1/2" (38 mm x 216 mm)	.15

Tool Guards

Axe Guard

- Protect both tool and user with a Klein guard for your edged tools.
- Made of 1/16" (1.6 mm) vulcanized hard fiber, securely riveted and equipped with adjustable web straps to hold the tool.



5509

Cat. No.	Description	Weight (lbs.)
5509	axe guard	.22

Splitting-Knife Guards

- Leather construction.



5574L

5574S

Cat. No.	Description	Weight (lbs.)
5574L	leather splitting or chipping-knife guard. Fits Klein knife, Cat. No. 1515-1	.13
5574S	leather splitting or chipping-knife guard. Fits Klein knife, Cat. No. 1515-S	.05

All dimensions are in inches and (millimeters) unless otherwise specified.



Tradesman Pro™ Organizer – Electrician's Tool Belt



55427

- 26 pockets for easy tool storage.
- Wide open pockets for tools, drills and spare parts.
- Removable pouches allow you to carry only the tools needed.
- Handles for easy carrying.
- Loop tape measure holder.
- Padded belt with mesh interior is breathable and comfortable.
- Rugged leather belt ends.
- Attachments for Tradesman Pro™ padded suspenders (Cat. No. 55400).



Drill bit pocket

Cat. No.	Size	Weight
55427	31" – 34" (787 mm – 864 mm)	4.15 lbs. (1.88 kg)
55428	35" – 39" (889 mm – 991 mm)	4.16 lbs. (1.89 kg)
55429	40" – 44" (1016 mm – 1118 mm)	4.30 lbs. (1.95 kg)

⚠WARNING: This is NOT an occupational protective belt. NOT for fall arrest or back support.

Padded Suspenders

- Made of tear resistant Cordura®.
- Fully adjustable.
- Durable nylon web straps for long wear.
- Heavy duty padding for comfort.
- Easy snap hook fastening system.
- Designed for use with Tradesman Pro™ Organizer electrician's tool belt (Cat. Nos. 55427, 55428, 55429).

Cat. No.	Size	Weight
55400	one size fits most	.84 lbs. (.38 kg)

Cordura® is a registered trademark of INVISTA for durable fabrics.

⚠WARNING: This is NOT an occupational protective belt. NOT for fall arrest or back support.




55400

Drill Pouch

- Fits most impact and battery drills.
- Strap closure keeps drill in place.
- Pockets for tools and drill bits.
- Compatible with belts up to 2" (51 mm) wide.

Cat. No.	Size	Weight
5183	one size fits most	.47 lbs. (.21 kg)



5183

All dimensions are in inches and (millimeters) unless otherwise specified.



Mobile Phone Holders

- Cat. Nos. 55460 and 55562 fit iPhone® 4 and 5, and similar sized phones.
- Cat. No. 55563 Fits Samsung Galaxy S® 3 and 4, iPhone® 6 and similar sized phones.
- Cat. No. 55464 Fits iPhone® 6 Plus and Samsung® Note Edge.
- Metal clip for attaching to belts up to 2" wide.
- Magnetic flap closure.
- Constructed of 1680d ballistic weave.

NEW!

Cat. No.	Width	Height	Depth	Weight
55460	2.87" (73 mm)	5.75" (146 mm)	1.50" (38 mm)	0.22 lbs. (0.10 kg)
55461	3.31" (84 mm)	5.875" (149 mm)	1.50" (38 mm)	0.26 lbs. (0.12 kg)
Realtree® Camouflage NEW!				
55562	2.87" (73 mm)	5.75" (146 mm)	1.50" (38 mm)	0.22 lbs. (0.10 kg)
55563	3.31" (84 mm)	6" (152 mm)	1.50" (38 mm)	0.26 lbs. (0.12 kg)
55564	3.75" (95 mm)	6.75" (171 mm)	1.50" (38 mm)	0.26 lbs. (0.12 kg)

iPhone® is a registered trademark of Apple, Inc.
Galaxy S® and Note Edge® are registered trademarks of Samsung Electronics Co., Ltd.



Realtree AP-XTRA Camouflage Design
© 2012 of Jordan Outdoor Enterprises, Ltd., all rights reserved.

Camo Knife Holder

NEW!

- Holds up to a 4.5" knife.
- Metal clip attaches securely to belt or pocket.
- Magnetic closure keeps top flap firmly in place.

Cat. No.	Width	Height	Weight
55561	2-1/4" (57 mm)	5-3/4" (146 mm)	0.22 lbs. (0.10 kg)



Realtree AP-XTRA Camouflage Design
© 2012 of Jordan Outdoor Enterprises, Ltd., all rights reserved.



55561

Carrying Cases

- Two layers of padding protect even delicate instruments.
- Heavy-duty zipper and rugged PVC coated polyester for durability.
- One interior and one exterior pocket for quick access and organization.
- Sturdy handle with box stitching for secure transportation and convenient hanging. Constructed of 1680d ballistic weave.
- Cat. Nos. 69406 and 69407 recommended for meters, testers, infrared guns and small tools.
- Cat. No. 69408 is recommended for meters, testers, borescopes, infrared guns and tools.



Cat. No.	Pockets	Width	Height	Depth	Weight
69406	1	4.50" (114 mm)	9.25" (235 mm)	2.25" (57 mm)	0.38 lbs. (0.17 kg)
69407	2	6.00" (152 mm)	10.25" (260 mm)	2.25" (57 mm)	0.53 lbs. (0.24 kg)
69408	2	7.00" (178 mm)	10.25" (260 mm)	2.25" (57 mm)	0.66 lbs. (0.30 kg)

Hard Cases

- Hard shell protects tools, meters, small parts and tech devices.
- Soft interior lining.
- Durable zipper closure.

Cat. No.	Width	Height	Depth	Weight
5184	6.5" (165 mm)	8.75" (222 mm)	2.25" (57 mm)	0.63 lbs. (0.29 kg)
5189	5.5" (140 mm)	10.25" (260 mm)	2.25" (57 mm)	0.63 lbs. (0.29 kg)



5189

5184

All dimensions are in inches and (millimeters) unless otherwise specified.



Features:

Tool Pouches, Carriers, Belts & Suspenders

Constructed of double layered 1000 denier washable Cordura® fabric.

Double nylon-stitched and rivet reinforced for extra durability.

Lightweight and comfortable in warm climates, soft and pliable in cold climates.

Oversized pockets and reinforced bottom for extra carrying capacity, as well as durability.

**PowerLine™
Series**

Exceptional resistance to abrasion, punctures, and tearing.

No break-in period; naturally forms and hugs the body, making it easy to wear for everyday use.

Heavy-duty, nylon webbing.

Washable.



Made in USA of US and imported parts.

Cordura® is a registered trademark of INVISTA for durable fabrics.

Tool Pouches



Cat. No.	Pockets (Total No.)	Overall Size	Weight (lbs.)
5700	9	11" x 12" (279 mm x 305 mm)	.92
5701	8	11" x 12" (279 mm x 305 mm)	.83
5702	2	11" x 12" (279 mm x 305 mm)	.64
5703	3	11" x 12" (279 mm x 305 mm)	.75
5718	8	11" x 12" (279 mm x 305 mm)	.74
5719	18	11" x 12" (279 mm x 305 mm)	.87

Cordura® is a registered trademark of INVISTA for durable fabrics.

All dimensions are in inches and (millimeters) unless otherwise specified.



Closeable Pouch

Additional Feature:

- Closeable pouch helps protect supplies and tools.



5714

Cat. No.	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5714	tunnel	up to 2-1/4" (57 mm)	7-1/2" x 6-3/4" (190 mm x 171 mm)	.24

Tape Measure Holder

Additional Features:

- Holds most tape measures with belt clips.
- Stainless steel clip holder accepts most tape clips up to 1-3/4" (44 mm) wide.



5707

Cat. No.	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5707	tunnel	up to 2-1/4" (57 mm)	4-1/8" x 3-3/4" (104 mm x 95 mm)	.10

Tape Measure Pouch

Additional Features:

- Holds most 35-foot (11 m) tape measures, fasteners, nails, or wire nuts.
- Two inside elastic loops fit screwdrivers, pencils, markers, etc.



5712

Cat. No.	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5712	tunnel	up to 2-1/4" (57 mm)	8-1/4" x 4-1/2" (210 x 114 mm)	.24

Utility Knife Holder

Additional Feature:

- Holds standard utility knife or other small tools.



5716

Cat. No.	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5716	tunnel	up to 2-1/4" (57 mm)	7-3/4" x 2-1/2" (197 mm x 64 mm)	.15

Hammer Holder

Additional Feature:

- Heavy-metal hammer loop riveted for additional strength.



5706

Cat. No.	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5706	tunnel	up to 2-1/4" (57 mm)	4-1/8" x 5" (105 mm x 127 mm)	.19

Multi-Purpose Holder

Additional Feature:

- Holds a flashlight, cellular phone, or electrical tester



5708

Cat. No.	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5708	tunnel	up to 2-1/4" (57 mm)	3-1/4" x 8-1/2" (83 mm x 216 mm)	.13

Flashlight Holder

Additional Feature:

- Accommodates most "D" cell size battery flashlights up to 1-7/8" (48 mm) in diameter.
- Heavy-duty, 1-1/2" (38 mm) wide nylon webbing for extra strength.



5713

Cat. No.	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5713	tunnel	up to 2-1/4" (57 mm)	4-1/4" x 2-3/8" (108 mm x 60 mm)	.06

Adjustable Web Work Belt

Additional Feature:

- Heavy-duty, 2" (51 mm) wide nylon webbing for extra strength.
- Accommodates tunnel loop and slotted tool pouches and holders.
- Rugged metal buckle for quick release and adjustment.



5705

⚠ WARNING: This is NOT an occupational protective belt. NOT for fall arrest or back support.

Cat. No.	Size	Width	Weight (lbs.)
5705	one size fits up to 54" waist	2" (51 mm)	.56



PowerLine™ Series

PowerLine™
Series

Padded Tool Belts

Additional Features:

- 5" (17 mm) cushioned pad for stability and comfort.
- Tapered front for comfort while bending.
- Heavy-duty 2" (51 mm) wide nylon web belt with rugged metal buckle.



5704L

Cat. No.	Size	Width	Weight (lbs.)
5704M	32" - 36" (813 mm - 914 mm)	2" (51 mm)	.95
5704L	36" - 40" (914 mm - 1016 mm)	2" (51 mm)	1.00
5704XL	40" - 44" (1016 mm - 1118 mm)	2" (51 mm)	1.05

Padded Suspenders

Additional Features:

- Fully adjustable length – front & back.
- Heavy-duty, 1-1/2" (38 mm) wide nylon web strap for extra strength and long wear.
- Convenient fastening system features genuine VELCRO® brand touch fasteners.
- Heavy-duty padding for user comfort.



5717

Cat. No.	Size	Weight (lbs.)
5717	one size fits most	.84

Velcro® is a registered trademark of Velcro Industries B.V.

4-Piece Combo Sets

Set consists of the following pieces:

- 8-Pocket Tool Pouch (Cat. No. 5701).
- 3-Pocket Utility Pouch (Cat. No. 5703).
- Hammer Holder (Cat. No. 5706).
- Padded Tool Belt (Cat. No. 5704).



5709L

Cat. No.	Size	Width of Belt	Weight (lbs.)
5709M	32" - 36" (813 mm - 914 mm)	2" (51 mm)	2.71
5709L	36" - 40" (914 mm - 1016 mm)	2" (51 mm)	2.77
5709XL	40" - 44" (1016 mm - 1118 mm)	2" (51 mm)	2.80

4-Piece Electrician's Combo Sets

Set consists of the following pieces:

- 8-Pocket Tool Pouch (Cat. No. 5718).
- 19-Pocket Tool Pouch (Cat. No. 5719).
- Hammer Holder (Cat. No. 5706).
- Padded Tool Belt (Cat. No. 5704).



5710M

Cat. No.	Size	Width of Belt	Weight (lbs.)
5710M	32" - 36" (813 mm - 914 mm)	2" (51 mm)	2.75
5710L	36" - 40" (914 mm - 1016 mm)	2" (51 mm)	2.80
5710XL	40" - 44" (1016 mm - 1118 mm)	2" (51 mm)	3.05

All dimensions are in inches and (millimeters) unless otherwise specified.

⚠ WARNING: This is NOT an occupational protective belt.

⚠ WARNING: NOT for fall arrest or back support.

www.kleintools.com



Tool Belts

Lightweight Tool Belt

- Black leather construction.
- Designed to carry lightweight tool pouches.

Cat. No.	Size	Width	Weight (lbs.)
5201	33" – 45" (838 mm – 1143 mm)	1" (25 mm)	.30



5201

General-Purpose Belts

- Strong, heavy-duty black leather construction.
- Removable single-tongue buckle held by two heavy-duty snaps.

Cat. No.	Size	Width	Weight (lbs.)
5202M	32" – 40" (813 mm – 1016 mm)	1-1/2" (38 mm)	.40
5202L	38" – 46" (965 mm – 1168 mm)	1-1/2" (38 mm)	.45
5202XL	46" – 54" (1168 mm – 1372 mm)	1-1/2" (38 mm)	.50



5202L

Lightweight Utility Belt

- Strong, lightweight polypropylene web.
- Quickly adjusts for waist sizes through 52" (1321 mm).
- Accepts tunnel-loop and slotted pouches and holders.
- Tough, molded, non-metallic, slide-action buckle provides single-handed, quick release and adjustment.

Cat. No.	Color	Size	Width	Weight (lbs.)
5204	blue	one size fits all	2" (51 mm)	.20



5204

Adjustable Web Tool Belt

- Fits waist sizes up to 48" (1219 mm).
- Accommodates tunnel loop and slotted tool pouches and holders.
- 2" (51 mm) wide polypropylene webbing.
- Rugged metal buckle for quick release and easy adjustment.
- Corrosion resistant hardware.

Cat. No.	Size	Width	Weight (lbs.)
5225	48" (1219 mm)	2" (51 mm)	.60



5225

Heavy-Duty Embossed Tool Belts

- Strong, heavy-duty leather.
- Equipped with a double-tongue buckle.

Cat. No.	Size	Width	Weight (lbs.)
5415S	32" – 40" (813 mm – 1016 mm)	2" (51 mm)	.63
5415	36" – 44" (914 mm – 1118 mm)	2" (51 mm)	.64
5415L	40" – 48" (1016 mm – 1219 mm)	2" (51 mm)	.64
5415XL	44" – 52" (1118 mm – 1321 mm)	2" (51 mm)	.65



5415



All dimensions are in inches and (millimeters) unless otherwise specified.

WARNING: This is NOT an occupational protective belt.

WARNING: NOT for fall arrest or back support.

Tool Belts

Cotton/Polyester Blend Tool Belt w/Quick-Release Buckle

- NOT an occupational protective belt. ONLY use as a tool belt.
- Features a forged, quick-release buckle for emergency situations where the user has to quickly disengage the belt (for example, when working over water or in grain elevators).
- Must be worn over the user's harness and clothing so it will drop free when released.
- Belt is made of a mildew-resistant blend of cotton/polyester webbing for comfort and strength.




5425M

Cat. No.	Size	Weight (lbs.)
5425M	30" - 44" (762 mm - 1118 mm)	1.53
5425XL	38" - 58" (965 mm - 1473 mm)	1.67

Designed for Quick Release

1. Pull free end of release strap to disengage other end from retainer.
2. Pulling action rotates clasp to open position.
3. Disengaged clasp allows belt to separate.



Ironworker's Heavy-Duty Tie-Wire Belts

Ironworker's Heavy-Duty Tie-Wire Belts

- Leather construction.
- Rugged 2" (51 mm) wide belt.
- Has separate reel-strap with its own buckle that lets you quickly and conveniently put on or take off a Klein® tie-wire reel and optional pad without removing the belt or your tool pouch.
- Strong double-tongue buckle with keeper.
- Embossed basket-weave pattern.



5420L

Cat. No.	Waist Size	Belt Size Range	Width	Weight (lbs.)
5420S	36" (914 mm)	32" - 40" (813 mm - 1016 mm)	2" (51 mm)	.85
5420	40" (1016 mm)	36" - 44" (914 mm - 1118 mm)	2" (51 mm)	.95
5420L	44" (1118 mm)	40" - 48" (1016 mm - 1219 mm)	2" (51 mm)	1.05
5420XL	48" (1219 mm)	44" - 52" (1118 mm - 1321 mm)	2" (51 mm)	1.15

Tie-wire reel and tie-wire pad also available.

Sets

10 Pocket Tool Pouch and Belt Set

- Combines the popular Cat. No. 5165 black leather 10 pocket pouch and Cat. No. 5202 general purpose black leather belt.
- Belt is embossed to guide cutting and reduce size from large to medium.
- Belt fits 32" to 46" waist sizes (813 mm - 1,168 mm) and is 1-1/2" (38 mm) wide.
- Four large capacity utility pockets, two pliers pockets, four screwdriver loops and knife snap.
- Pouch is riveted and stitched to assure long life.
- Top grain leather construction.

Cat. No.	Belt Width	Overall Size	Pockets	Size	Specialty Add-Ons	Weight (lbs.)
55210	1-1/2" (38 mm)	10" x 10" (254 mm x 254 mm)	10	32" - 46" (813 mm - 1168 mm)	knife snap	1.2



55210

All dimensions are in inches and (millimeters) unless otherwise specified.

⚠️WARNING: This is NOT an occupational protective belt.

⚠️WARNING: NOT for fall arrest or back support.



Suspenders

Suspenders

- Clips and slides are nickel-plated for corrosion resistance.
- Extra-strong belt clips have alligator teeth for added gripping power.
- One size fits all.

Cat. No.	Color	Strap Width	Leather-Back Strap Spreader	Weight (lbs.)
Nylon-Web Suspenders				
60210B	blue	2" (51 mm)	adjustable	.63
Elastic-Back Suspenders				
60223B	blue	2" (51 mm)	non-adjustable	.60



60223B

Suspender Accessories

Leather Cushion Belt Pads

- Deluxe leather pad is 4" (102 mm) wide.
- Thick leather back with four snap-open straps for easy attachment to any belt up to 2" (51 mm) wide.
- Sponge-padded leather liner has rounded edges, and is permanently stitched to the back.
- Durable and comfortable pad to wear for prolonged work periods.
- When sizing a belt to accommodate this pad, add 2" (51 mm) to 4" (102 mm) to the belt waist size.

Cat. No.	Length	Width	Weight (lbs.)
87904	22" (559 mm)	4" (102 mm)	.99
87906	30" (762 mm)	4" (102 mm)	1.04



87904



All dimensions are in inches and (millimeters) unless otherwise specified.

WARNING: This is NOT an occupational protective belt.

WARNING: NOT for fall arrest or back support.

Tool Bags

Contractor's Zipper Portfolios

- Great for transporting contracts, quotations, work orders, plans, and schedules.
- Holds clipboards, binders, and mobile phones.
- Convenient storage for pliers, wrenches, screwdrivers, nut drivers, other tools and spare parts.
- Heavy-duty zipper.
- Overall size: 17" (432 mm) long x 12" (305 mm) high.

Cat No.	Material	Color	Zipper	Weight (lbs.)
5136	Top Grain Leather	brown	brass	.84
5236	Cordura® Ballistic Nylon	black	nylon	.51
5336	No. 10 Canvas	natural	brass	.40

Cordura® is a registered trademark of INVISTA for durable fabrics.



5136

Camo Zipper Bags – 2 Pack

- Two bags: 12.5" x 7" (318 mm x 178 mm) and 10" x 5.5" (254 mm x 140 mm).
- Handy storage for pliers, wrenches, screwdrivers, and other tools and parts.
- Bright orange interior for easy visibility of bag contents.
- Black aluminum carabiner included (not for human support).

Cat. No.	Material	Weight (lbs.)
55560	1680d ballistic weave	.39

Realtree AP-XTRA Camouflage Design © 2012 of Jordan Outdoor Enterprises, Ltd., all rights reserved.

NEW!



55560

Zipper Bags



5139



5139B



5139C

- Constructed of No. 10 canvas with heavy-duty brass zipper (Cat. No. 5139).
- Convenient storage for pliers, wrenches, screwdrivers, nut drivers, other tools, and spare parts.
- Constructed of Cordura® ballistic nylon, a high-performance fabric resistant to abrasions, tears, and scuffs (Cat. Nos. 5139B, 5139C).
- Cat. No. 5139C features the jungle stalker digitized camouflage pattern for maximum concealment
- Heavy-duty nylon stitching and zipper ensure durability and long life (Cat. Nos. 5139C).
- Heavy-duty nylon zipper. (Cat. Nos. 5139B, 5139).

Cat. No.	Material	Length	Height	Weight (lbs.)
5139	canvas	12-1/2" (318 mm)	7" (178 mm)	.19
5139B	Cordura® Ballistic Nylon	12-1/2" (318 mm)	7" (178 mm)	.24
5139C	Cordura® Camouflage	12-1/2" (318 mm)	7" (178 mm)	.14
5139L	top-grain leather	12-1/2" (318 mm)	7" (178 mm)	.23

Cordura® is a registered trademark of INVISTA for durable fabrics.



5139L

Padded Cordura® Zipper Bag

- Constructed of Cordura® washable fabric, a high performance fabric resistant to abrasions, tears and scuffs.
- Three-layer padding provides additional protection to contents.
- Heavy-duty nylon zipper.
- Overall size: 12-1/2" (318 mm) x 7" (178 mm).

Cat. No.	Material	Length	Height	Color	Weight (lbs.)
5139PAD	Cordura® Ballistic Nylon	12-1/2" (318 mm)	7" (178 mm)	black	.28

Cordura® is a registered trademark of INVISTA for durable fabrics.



5139PAD

All dimensions are in inches and (millimeters).