

# Secure Connectivity


Secure RJ & Secure LC Systems




Prevent unauthorized or accidental network moves, adds or changes with **Leviton Copper Secure RJ** and **Fiber Secure Keyed LC Solutions**. Both provide physical security with cable assemblies and port blockers that lock into industry standard ports and can only be removed with a keyed extraction tool.

## Physical Security for Critical Network Ports

- Protects mission critical networks, including SIPRNet, JWICS, and other government applications; data center; educational; retail; financial; and healthcare
- Most cost-effective solution for retrofitting networks and new builds for improved security
- Patented locking mechanism, built into the body of each duplex fiber LC and copper RJ connector, cannot be released without matching color extraction tool
- Available in eight colors to reserve, identify, segregate, and secure network ports
- Secure port blockers lock and protect unused LC and RJ ports from the unauthorized insertion of a cable assembly or connector







### Cable Assembly Removal

- Color coded extraction tools feature easy push-and-pull motion to remove connectors, even in high density adapter plates
- Dust caps must be inserted onto Secure LC connectors in order to remove extraction tool from connectors; this protects fiber and ensures good fiber practice



### Work Area Applications

- **Secure RJ:** Use with QuickPort® connectors in standard wallplates, surface-mount boxes, and multimedia outlet system
- **Secure Keyed LC:** Use with Multimedia Outlet System (MOS) wallplates and inserts for fiber to the desk applications



# Secure Keyed LC Fiber System

## Pre-terminated Secure Keyed LC Trunk Cables

- Duplex LC connectors can only be removed with matching color extraction tool
- Choose from eight colors to segregate and secure networks
- Duplex LC connectors plug into any industry-compliant LC adapter or interface
- Standard polarity: A-B or MTP® Method C; others available
- Standard breakout lengths can be staggered for better cable routing and management
- Trunks over 125' long are shipped on spools, or upon request for shorter lengths
- Pulling eye option available



Secure Keyed LC to  
Secure Keyed LC  
12-fiber, 50/125 µm

### Make-to-Order! Secure Keyed LC Fiber Trunk Cable Options

KEYED COLOR	FIBER TYPE	CABLE TYPE	FIBER COUNT	TERMINATION	CABLE LENGTH	1ST & 2ND BREAK-OUT (INCHES)	BREAKOUT LEG	POLARITY	LABELING
<ul style="list-style-type: none"> <li>• White</li> <li>• Yellow</li> <li>• Orange</li> <li>• Red</li> <li>• Blue</li> <li>• Green</li> <li>• Slate</li> <li>• Black</li> </ul>	<ul style="list-style-type: none"> <li>• OM1</li> <li>• OM2</li> <li>• OM3</li> <li>• OM4</li> <li>• OS2</li> </ul>	<ul style="list-style-type: none"> <li>• Riser I/O Dry Loose Tube</li> <li>• Plenum I/O Dry Loose Tube (standard)</li> <li>• Plenum Armor I/O Dry Loose Tube</li> <li>• Riser Distribution</li> <li>• Plenum Distribution</li> </ul>	<ul style="list-style-type: none"> <li>• 4</li> <li>• 6</li> <li>• 12</li> <li>• 24</li> <li>• 36</li> <li>• 48</li> <li>• 72</li> <li>• 96</li> <li>• 144</li> </ul>	<b>FIRST END</b> <ul style="list-style-type: none"> <li>• Secure Keyed LC Duplex (uniboot)</li> </ul> <b>SECOND END</b> <ul style="list-style-type: none"> <li>• LC (duplex clip)</li> <li>• LC/APC</li> <li>• LC Duplex (uniboot)</li> <li>• SC (duplex clip)</li> <li>• SC/APC</li> <li>• ST</li> <li>• MU</li> <li>• Secured Keyed LC</li> <li>• MTP (female)</li> <li>• MTP (male)</li> <li>• Pigtail</li> </ul>	<ul style="list-style-type: none"> <li>• 001-999 ft.</li> </ul>	<ul style="list-style-type: none"> <li>• 12-99 (36" is typical)</li> </ul>	<ul style="list-style-type: none"> <li>• 900 µm buffered fiber</li> <li>• 2 mm jacketed fiber</li> <li>• 3 mm jacketed fiber</li> </ul>	<ul style="list-style-type: none"> <li>• MTP Method A</li> <li>• MTP Method B</li> <li>• MTP Method C (standard)</li> </ul>	<ul style="list-style-type: none"> <li>• Standard</li> <li>• Custom</li> </ul>

For assistance customizing your trunk cables, please visit [leviton.com/configurator](http://leviton.com/configurator) or call Tech Support at 800.824.3005.

## Secure Keyed LC Harnesses

- Duplex LC connectors can only be removed with matching color extraction tool
- Choose from eight colors to segregate and secure networks
- Duplex LC connectors plug into any industry-compliant LC adapter or interface
- Polarity is A to A
- Harnesses are part of Leviton's Make-to-Order (MTO) program



Secure Keyed MTP-LC Harness

### Make-to-Order! Secure Keyed LC MTP-LC Harness Options

KEYED COLOR	FIBER TYPE	CABLE TYPE	FIBER COUNT (STRANDS)	TERMINATION	CABLE LENGTH (FEET)	1ST & 2ND BREAKOUT (INCHES)
<ul style="list-style-type: none"> <li>• White</li> <li>• Yellow</li> <li>• Orange</li> <li>• Red</li> <li>• Blue</li> <li>• Green</li> <li>• Slate</li> <li>• Black</li> </ul>	<ul style="list-style-type: none"> <li>• OS2</li> <li>• OM2</li> <li>• OM1</li> <li>• OM3</li> <li>• OM4</li> </ul>	<ul style="list-style-type: none"> <li>• Harness</li> </ul>	<ul style="list-style-type: none"> <li>• 12</li> <li>• 24</li> </ul>	<b>FIRST END</b> <ul style="list-style-type: none"> <li>• MTP (female) (standard)</li> <li>• MTP (male)</li> </ul> <b>SECOND END</b> <ul style="list-style-type: none"> <li>• Secure Keyed LC Duplex (uni-body)</li> </ul>	<ul style="list-style-type: none"> <li>• 3</li> <li>• 5</li> <li>• 6</li> <li>• 8</li> <li>• Other</li> </ul>	<ul style="list-style-type: none"> <li>• 0-48</li> </ul>

For assistance customizing your harnesses, please visit [leviton.com/configurator](http://leviton.com/configurator) or call Tech Support at 800.824.3005.



## Secure Keyed LC Patch Cords & Pigtails

- Duplex LC connectors can only be removed with matching color extraction tool
- Choose from eight colors to segregate and secure networks
- Duplex LC connector plugs into any industry-compliant LC adapter or interface
- All connectors are heat cured and use ceramic ferrules for optimal performance
- Polarity options of A to B or A to A



### Make-to-Order! Secure Keyed LC Fiber Patch Cord & Pigtail Options

KEYED COLOR	FIBER TYPE	CABLE TYPE / POLARITY	TERMINATION	CABLE LENGTH
<ul style="list-style-type: none"> <li>• White</li> <li>• Yellow</li> <li>• Orange</li> <li>• Red</li> <li>• Blue</li> <li>• Green</li> <li>• Slate</li> <li>• Black</li> </ul>	<ul style="list-style-type: none"> <li>• OM1</li> <li>• OM2</li> <li>• OM3</li> <li>• OM4</li> <li>• OS2</li> </ul>	<ul style="list-style-type: none"> <li>• Duplex Riser-Rated A to B Polarity</li> <li>• Duplex Plenum-Rated A to B Polarity</li> <li>• Duplex Riser-Rated A to A Polarity</li> <li>• Duplex Plenum-Rated A to A Polarity</li> <li>• Pigtail Riser-Rated</li> </ul>	<b>FIRST END</b> <ul style="list-style-type: none"> <li>• Keyed Duplex LC (uniboot)</li> </ul> <b>SECOND END</b> <ul style="list-style-type: none"> <li>• Keyed Duplex LC (uniboot)</li> <li>• Standard LC (duplex clips)</li> </ul> <div> <ul style="list-style-type: none"> <li>• SC</li> <li>• ST</li> <li>• MU</li> </ul> <ul style="list-style-type: none"> <li>• MT-RJ</li> <li>• FC</li> <li>• None (for pigtail)</li> </ul> </div>	<ul style="list-style-type: none"> <li>• 1-999</li> </ul>

For assistance customizing your patch cords and pigtails, please visit [leviton.com/configurator](http://leviton.com/configurator) or call Tech Support at 800.824.3005.

## Secure Keyed LC Connectors & System Accessories

- Field installable duplex LC connectors lock into any industry-compliant LC adapter or interface
- Anaerobic adhesive-style, requires hand polishing
- Connectors can only be removed with matching color extraction tool
- Extraction tools allow for easy connector removal from adapter plates and wallplates
- 900 µm boots identify fiber type
- Port protection plugs enable unused LC ports to be locked
- Dust caps protect connectors upon removal from a port, promoting good fiber discipline

### SECURE KEYED LC FIELD-INSTALLABLE CONNECTORS

DESCRIPTION	PART NO.
<b>[A]</b> Secure Keyed LC Field-Installable Connector, 900 µm, MM/SM (boot sold separately)	4999K-xLC
<b>[B]</b> 900 µm Boots (bag of 50)	4999K-ttt

### SECURE KEYED LC ACCESSORIES


DESCRIPTION	PART NO.
<b>[C]</b> Port Blocker w/ Dust Cap	PPRTN-xLG
<b>[D]</b> Extraction Tool w/ Dust Cap	ETRTN-xTL
Dust Caps (bag of 10)	DUSTK-CAP

x = colors: Choose from any of the colors below.




White (W) Yellow (Y) Orange (O) Red (R) Blue (L) Green (V) Slate (G) Black (E)



ttt = Beige (BGE), Black (BLK), Aqua (AQU), Blue (BLU)



Secure Keyed LC to Secure Keyed LC, 50/125 µm LOMM



Single-Mode Pigtail SC UPC Polish



Field Installable Duplex LC Connector Components

#### How to Assemble Leviton's Secure Keyed LC Connector Housing



Watch the training video at [leviton.com/videos](http://leviton.com/videos): "How to Assemble Leviton's Secure Keyed LC Connector Housing."


# Secure RJ Copper System

- Compatible with industry standard RJ ports in most network equipment, devices, patch panels, and work area outlets
- Works with high-density network equipment including 1RU 48-port patch panels
- Transparent housing allows color coding without blocking visibility to Link/Status LEDs on electronic equipment
- CAT 6A and CAT 6 options available
- Color coded to allow for network priority management


Installed Secure RJ Patch Cord

Uninstalled Secure RJ Patch Cord

Secure RJ Extraction Tool




**CAT 6 SlimLine Patch Cord**  
(with Secure RJ housing on both ends)  
Part No.: SRJ6+-xx\*




**Secure RJ Port Blocker**  
(pack of 12)  
Part No.: SRJPB-00+

Secure RJ Copper Systems




Watch the training video at  
[leviton.com/videos](http://leviton.com/videos):  
"Secure RJ Copper Systems."

**8 Color Options**



**Secure RJ Extraction Tool**  
(pack of 1)  
Part No.: SRJET-00+





## SECURE RJ SYSTEM

DESCRIPTION	PART NO.
CAT 6 SlimLine Patch Cord, with Secure RJ housing on both ends	SRJ6 <sup>†</sup> -xx*
Secure RJ Port Blocker, pack of 12	SRJPB-00 <sup>†</sup>
Secure RJ Extraction Tool, pack of 1	SRJET-00 <sup>†</sup>



## Make-to-Order! Secure RJ Patch Cord Options

CATEGORY	CABLE RATING	CABLE COLOR	CABLE LENGTH	SECURE HOUSING COLOR	SECURE HOUSING PLACEMENT
CAT 6A FTP	CM (PVC)	White, Yellow, Red, Blue, Green, Grey, Black, Orange	3-72 feet	White, Yellow, Red, Blue, Green, Purple, Black, Orange	Both Ends One End
CAT 6 UTP	CM (PVC)	White, Yellow, Red, Blue, Green, Grey, Black	1-72 feet	White, Yellow, Red, Blue, Green, Purple, Black, Orange	Both Ends One End


All patch cords utilize stranded cable.

For assistance customizing your patch cords, please visit [leviton.com/configurator](http://leviton.com/configurator) or call Tech Support at 800.824.3005.

<sup>†</sup> = Patch cord housing, port blocker, and extraction tool colors: Choose from the transparent colors shown on page 5.

xx = Length: (05), (10), or (20) feet. Minimum orders and extended lead-time may apply. Contact Inside Sales at 800.722.2082 for more details.

\* = Patch cord jacket colors: Choose from the colors below.



# THE SMART CHOICE FOR A BETTER NETWORK

**High-performance connectivity backed by the  
industry's best service and support**

We invent the industry's best technologies. We build them to last. And we stand behind every product and every installation – delivering industry-leading performance and unbeatable service and support – throughout the life of your structured cabling system. Add in the peace of mind that comes from working with a stable, century-old supplier and you get far and away the highest return on investment in the industry.

## Leviton Network Solutions Division Headquarters [leviton.com/networksolutions](http://leviton.com/networksolutions)

2222-222nd Street S.E., Bothell, WA 98021 USA

### Inside Sales

T 800.722.2082

E [insidesales@leviton.com](mailto:insidesales@leviton.com)

### Technical Support

T 800.824.3005 / +1.425.486.2222

E [appeng@leviton.com](mailto:appeng@leviton.com)

### International Inside Sales

T +1.425.486.2222

E [intl@leviton.com](mailto:intl@leviton.com)

## Leviton International Offices

### Asia / Pacific

T +1.631.812.6228

E [infoasean@leviton.com](mailto:infoasean@leviton.com)

### China

T +852.2774.9876

E [infochina@leviton.com](mailto:infochina@leviton.com)

### India / SAARC

T +91.80.4322.5678

E [infoindia@leviton.com](mailto:infoindia@leviton.com)

### Middle East & Africa

T +971.4.886.4722

E [lmeinfo@leviton.com](mailto:lmeinfo@leviton.com)

### Canada

T +1.514.954.1840

E [pcservice@leviton.com](mailto:pcservice@leviton.com)

### Colombia

T +57.1.743.6045

E [infocolombia@leviton.com](mailto:infocolombia@leviton.com)

### Latin America

T +52.55.5082.1040

E [lsamarketing@leviton.com](mailto:lsamarketing@leviton.com)

### South Korea

T +82.2.3273.9963

E [infokorea@leviton.com](mailto:infokorea@leviton.com)

### Caribbean

T +1.954.593.1896

E [infocaribbean@leviton.com](mailto:infocaribbean@leviton.com)

### Europe

T +33.6.8869.1380

E [infoeurope@leviton.com](mailto:infoeurope@leviton.com)

### Mexico

T +52.55.5082.1040

E [lsamarketing@leviton.com](mailto:lsamarketing@leviton.com)

## All Other International Inquiries

E [international@leviton.com](mailto:international@leviton.com)

