



Catalog Number See Table
UPC Number
Description One Conductor One Hole
 Copper Mechanical Lug
 Offset Tang

Features

- Manufactured from High Strength High Conductivity Copper Alloy
- Rated For Copper Conductors
- One Conductor One Hole Configuration
- Offset Tang

General

Material: Extruded Copper Alloy
Screw Type: Steel Plated Hex Head
Wire Range: #14 - 1000 MCM

Dimension Information

See Table

Specifications

Temperature Rating: 90° C
Voltage Rating: 600
Flammability Rating: N/A
Amp Rating: To Conductor

Packaging

Box Qty: See Table






Certifications

UL UL 486A
CSA Yes
RoHS Yes

Cat. No.	Rating	Wire Range	L	W	H	Bolt	Box Qty	Each
90514	35A	6-14	1.19	0.38	0.75	0.2	100	
90515	70A	4-14	1.31	0.5	0.81	0.27	100	
90516	90A	2-8	1.22	0.5	1	0.27	50	
90518	125A	1/0 - 2	1.97	0.63	1.34	0.27	50	
90520	175A	3/0 - 4	2.19	0.75	1.56	0.41	25	
90522	225A	4/0 - 2	2.63	1	1.81	0.41	25	
90524	300A	350MCM - 1/0	3.19	1	2.63	0.41	18	
90526	400A	500MCM - 4/0	4.25	1.5	2.75	0.41	3	
90528	650A	1000MCM - 600MCM	4.63	2	3.69	0.53	1	

www.morrisproducts.com

Morris Products Inc. 53 Carey Rd. Queensbury NY 12804



Ammedment No.-1

Date : 30/05/2004



Morris Products Inc.

53 Carey Rd. Queensbury NY 12804

	NAME	DATE
DRAWN	<i>(Signature)</i>	17/07/2003
CHECKED	V.G.Patel	17/07/2003
APPROVED	V.G.Patel	17/07/2003
MATERIAL-	Copper	
TOLERANCE-	±0.50	

TITEL- **Pad for Copper Offset Tongue Lugs**






[350-1/0]

SCALE- **N.T.S.**

TREATMENT-

All dimensions are in mm

Drawing No.- **90524 - C**



Both side same Degrees

Ammedment No :1

Date : 30/05/2004



Morris Products Inc.

53 Carey Rd. Queensbury NY 12804

	NAME	DATE
DRAWN	<i>(Signature)</i>	17/07/2003
CHECKED	V.G.Patel	17/07/2003
APPROVED	V.G.Patel	17/07/2003
MATERIAL-	Copper	
TOLERANCE-	±0.50	

TITEL- **Clamp for Copper Offset Tongue Lugs**


[350-1/0]

SCALE- **N.T.S.**

TREATMENT-

All dimensions are in mm

Drawing No.- **90524 - B**



Morris Products Inc.


53 Carey Rd. Queensbury NY 12804

	NAME	DATE
DRAWN	<i>(Signature)</i>	17/07/2003
CHECKED	R.S.Gada	17/07/2003
APPROVED	R.S.Gada	17/07/2003
MATERIAL- -----		
TOLERANCE- -----		

TITEL- **Assembled View of Copper Offset Tongue Lugs** [350-1/0]

SCALE- **N.T.S.** TREATMENT- All dimensions are in mm

Drawing No.- 90524



Ammedment No.-1

Date : 30/05/2004



Morris Products Inc.

53 Carey Rd. Queensbury NY 12804

	NAME	DATE
DRAWN	<i>(Signature)</i>	17/07/2003
CHECKED	R.S.Gada	17/07/2003
APPROVED	R.S.Gada	17/07/2003
MATERIAL- EN8, 8.8 Temper		
TOLERANCE- ±0.50		

TITEL- **Screw for Copper Offset Tongue Lugs**

[350-1/0]

SCALE- **N.T.S.**

FINISH- **Yellow Zinc Passivated**

All dimensions are in mm

Drawing No.- **90524 - D**