



PROTECTIVE INDUSTRIAL PRODUCTS

HEAD PROTECTION SOLUTIONS

www.pipusa.com

QUICK REFERENCE GUIDE



Innovative head protection

Trusted head protection



PROTECTIVE INDUSTRIAL PRODUCTS


SECOND TO NONE IN HEAD PROTECTION

Manufacturing capabilities

STATE-OF-THE-ART ROBOTIC ASSEMBLY FOR MANUFACTURING PRECISION AND COST EFFECTIVENESS

Dynamic® products are manufactured in our modern facility that has the capacity to produce more than 10,000 hard hats each day.

PIP® is a leading manufacturer of hard hats in North America for a variety of customers.



Innovation

By partnering with JSP®, a global leader in head protection technology, we deliver the pinnacle of cutting-edge hard hat styles.

- > The Vista® Series features an integrated face shield and eyewear
- > The JSP® Evolution® 6151 and EVO® 6151 Ascend® feature an EXTRA PROTECTION ZONE providing the wearer with approximately 10% more coverage on both the sides and the back of the hard hat when compared to a standard hard hat design

Quality

As a leading manufacturer, we engineer excellence from the ground up. Superior raw materials, robotic manufacturing and high-quality standards ensure we exceed industry norms.

- > Dynamic® hard hats meet ANSI Z89.1-2014 and/or CSA Z94.1-15 North American standards
- > JSP® hard hats and safety helmets meet globally recognized ANSI and EN standards

Choice

PIP® offers an extensive line of safety helmets and hard hats that protect workers from falling objects in multiple industries. From heavy-duty mining to residential construction, PIP® has the right hard hat for the job with more than 20 styles to choose from. PIP® is second to none in head protection.

Type

- > **SAFETY HELMETS** include a chin strap and a foam inner liner which is designed to attenuate impact energy from the top and side.
- > **TRADITIONAL TYPE I HARD HATS** rely on a suspension system to attenuate impact energy from the top
- > **TYPE II HARD HATS** incorporate a foam liner for ANSI rated top and side impact attenuation

SAFETY HELMETS

Work At Heights



CONSTRUCTION,
INDUSTRIAL & UTILITIES

WIND ENERGY > SCAFFOLDING > TELECOM > UTILITIES

PREMIUM COMFORT +
EYE & FACE PROTECTION



JSP® EVO® VISTAlens™
Ascend™
280-EVLV-CH

- Fully adjustable 4-point chin strap
 - Adjustable integrated eye protection
 - ANSI Type I; Class C
- Tested to mandatory EN 12492
shock and penetration requirements*

COLORS AVAILABLE



JSP® EVO® VISTAshield™
Ascend™
280-EVSV-CH

- Fully adjustable 4-point chin strap
 - Adjustable integrated face protection
 - ANSI Type I; Class C
- Tested to mandatory EN 12492
shock and penetration requirements*

COLORS AVAILABLE



LIGHT, VERSATILE &
COMFORTABLE



JSP® EVO® 6151
Ascend™
280-EV6151S-CH

- Short brim shell with 4-point chin strap
 - Shock absorbing EPS liner
 - ANSI Type I; Class E or C
- Tested to mandatory EN 12492
shock and penetration requirements*

COLORS AVAILABLE



WARNING: Reproductive Harm - www.P65Warnings.ca.gov



**JSP® EVO® 6161
Ascend™
280-EV6161-CH**

- Full brim shell with 4-point chin strap
 - Shock absorbing EPS liner
 - ANSI Type I; Class E or C
- Tested to mandatory EN 12492 shock and penetration requirements*

COLORS AVAILABLE



⚠ WARNING: Reproductive Harm - www.P65Warnings.ca.gov

ALL-AROUND PROTECTION



**Dynamic® Rocky™
280-HP142**

- Super lightweight ABS/Polycarbonate shell
- Foam lateral impact protection
- ANSI/CSA Type II; Class E

COLORS AVAILABLE



SUPER LIGHTWEIGHT
POLYCARBONATE/ABS
SHELL



INTEGRATED HI-DENSITY
INNER SHELL FOAM LINER



ADJUSTABLE
4-POINT SUSPENSION,
WITH SURE-LOCK
WHEEL RATCHET
& CHIN STRAP



SIDE IMPACT PROTECTION

HARD HATS

Heavy-Duty



INDUSTRIAL, CONSTRUCTION & UTILITIES

MINING > TUNNELING > DEMOLITION > UTILITIES > METAL WORK

PREMIUM ALL-AROUND PROTECTION



JSP® MK8 Evolution®
280-AHS150

- High strength outer shell
- Premium lateral impact protection
- ANSI Type II; Class E or C

COLORS AVAILABLE

* Class C color available



JSP® MK8 Evolution® Linesman
280-AHS240

- High strength outer shell with chin strap
- Premium lateral impact protection
- ANSI Type II; Class E or C

COLORS AVAILABLE

* Class C color available



WITHSTANDS HEAT



ELEVATED HEAT
APPLICATIONS

Dynamic® Wolfjaw™
280-HP1481R

- Lightweight fiberglass shell
- Radiant heat protection up to 350°F
- Wheel ratchet size adjustment
- ANSI Type I; Class G

COLORS AVAILABLE





ALL-AROUND PROTECTION



Dynamic® Mont-Blanc™
280-HP542

- Lightweight HDPE shell
- Foam lateral impact protection
- ANSI/CSA Type II; Class E

COLORS AVAILABLE



EXTREME PERFORMANCE



ELEVATED HEAT
APPLICATIONS 

Dynamic® Vesuvio™
280-HP851

- Ambient heat protection up to 400°F
- Wheel ratchet size adjustment
- ANSI/CSA Type I; Class E

COLORS AVAILABLE



PROVEN PERFORMANCE



Dynamic® Stromboli™
280-HP841

- ABS/Polycarbonate shell with matte finish
- Wheel ratchet or swing ratchet adjustment
- ANSI/CSA Type I or 2; Class E

COLORS AVAILABLE





CAP STYLE
HARD HATS

General



CONSTRUCTION & INDUSTRIAL

BUILDING CONSTRUCTION > ROADWORK
EXCAVATION > GENERAL INDUSTRIAL

NEXT GENERATION HARD HAT



JSP® EVO® VISTAlens™ 280-EVLV

- Lightweight ABS shell
- Adjustable integrated eye protection
- ANSI Type I; Class C

COLORS AVAILABLE



ENGINEERED PERFORMANCE



Dynamic® Whistler™ 280-HP241

- Classic cap styling
- Wheel ratchet or pin lock size adjustment
- ANSI/CSA Type I; Class E or C

COLORS AVAILABLE





JSP® EVO® VISTAshield™
280-EVSV

- Lightweight ABS shell
- Adjustable integrated face protection
- ANSI Type I; Class C

COLORS AVAILABLE



EXTRA PROTECTION COVERAGE



JSP® Evolution® Deluxe 6151
280-EV6151

- 10% extra protection zone - Standard brim
- Wheel ratchet size adjustment
- ANSI Type I; Class E or C

COLORS AVAILABLE

* Class C color available



WARNING: Reproductive Harm - www.P65Warnings.ca.gov

JSP® Evolution® Deluxe 6151 Short Brim
280-EV6151S

- 10% extra protection zone - Short brim
- Wheel ratchet size adjustment
- ANSI Type I; Class E or C

COLORS AVAILABLE



WARNING: Reproductive Harm - www.P65Warnings.ca.gov

PERFORMANCE AVAILABLE IN THREE STYLES



Dynamic® Dom™
280-HP341

- Smooth dome shape
- Wheel ratchet or swing ratchet adjustment
- ANSI/CSA Type I; Class E


COLORS AVAILABLE



Dynamic® Tremblant™
280-HP741

- Curved and fluid style
- Wheel ratchet size adjustment
- ANSI/CSA Type I; Class E

COLORS AVAILABLE



FULL BRIM
HARD HATS

General



CONSTRUCTION & INDUSTRIAL

> ADDED PROTECTION FROM THE ELEMENTS

PREMIUM DESIGN



COLORS AVAILABLE



⚠ **WARNING:** Reproductive Harm - www.P65Warnings.ca.gov

JSP® Evolution® Deluxe 6161 280-EV6161

- Popular style for outdoor work
- Wheel ratchet size adjustment
- 6-point suspension system
- ANSI Type I; Class E or C

ENGINEERED PERFORMANCE




COLORS AVAILABLE



Dynamic® Kilimanjaro™ 280-HP641

- Sleek and attractive HDPE shell
- Wheel ratchet size adjustment
- 4-point suspension system
- ANSI/CSA Type I or II; Class E or C

HARD HAT ACCESSORIES



281-CR2 Cap Style

CR2 Reflective Kits

- Upon application the hard hat will have 360° reflective coverage



281-CR2FB Full Brim



250-EVS

EVOSpec™ Integrated Eyewear

- Retracts into helmet shell when not in use



281-CL-SET

Lamp & Goggle Clip Set

- Contains 2 side clips and 2 rear clips



281-CS-2PT 2 Point



281-CS-4PT 4 Point

Chin Straps

- Standard 2-Point and adjustable 4-Point elastic chin straps are compatible with Evolution® 6100 series hard hats and EVO®Vista™ style safety helmets.

Not compatible with Ascend™ series safety helmets



281-SSE-CAP Cap Style



281-SSE-FB Full Brim

Sun Shade Extensions

- Extends the brim all the way around to help protect the wearer's ears and neck from the sun's rays



251-01-6230-JSP

Aluminum Face Shield Bracket

- Compatible with JSP® Evolution® 6151 cap style helmets only



251-01-6225

Surefit™ Hard Hat Adapter

- Meets ANSI Z87+ requirements when worn with safety glasses or goggles



251-01-6201 Clear Polycarbonate

Surefit™ Safety Visor

- Clear polycarbonate



251-01-6211 Clear Acetate

Surefit™ Safety Visor

- Clear acetate



262-AEK010-HV
InterGV™ Cap Mounted
NRR 20



262-AEK020-HV
InterEM™ Cap Mounted
NRR 24

Hi-Vis Cap Mounted Ear Muffs

- Twin-point-mounted ear cups for even pressure distribution



262-AEJ030-50
NRR 21

SureFit™ Contour Cap Mounted Ear Muffs

- Easy to attach and detach from helmet

STYLE NUMBER	DESCRIPTION	PROP 65
281-CR2	Reflective Kits Cap	
281-CR2FB	Reflective Kits Full Brim	
280-EVS	Integrated Eyewear	⚠️ R
251-01-6225	Faceshield Bracket- Cap Style Surefit	
251-01-6201	JSP Visor Surefit PC	⚠️ R
251-01-6211	JSP Visor Surefit Acetate	⚠️ R
251-01-6230-JSP	Faceshield Bracket Aluminum Cap	
262-AEJ030-50	Cap Mount Ear Muff	
262-AEK010-HV	Cap Mount Ear Muff	
262-AEK020-HV	Cap Mount Ear Muff	
281-CS-2PT	Chin Strap 2 pt	
281-CS-4PT	Chin Strap 4 pt	
281-CL-SET	Lamp/Goggle Clip	
281-SSE-CAP	Sunshade Extension Cap	
281-SSE-FB	Sunshade Extension Full Brim	

DYNAMIC®

HARD HAT ACCESSORIES



263-NP112
Spittire™
NRR 20



263-NP114
Hercules™
NRR 25



263-NP116
Mirage™
NRR 23



263-NP118
B62™
NRR 25



263-NP119
Buffalo™
NRR 26

Cap Mount Dielectric Ear Muff

- Dielectric for protection from electric shock
- Mounts directly onto virtually all slotted hat hats
- Easily adjustable for quick and convenient positioning for maximum hearing protection

Cap Mount Wire Ear Muff

- Mounts directly onto virtually all slotted cap style hat hats
- Wire guides easily adjustable for quick and convenient positioning for maximum hearing protection

Full Brim Mount Wire Ear Muff

- Mounts directly onto virtually all slotted full brim hat hats
- Wire guides easily adjustable for quick and convenient positioning for maximum hearing protection



251-EPB103

Rocky™

Dielectric Hard Hat Bracket

- Designed specifically for the short brim shell design of the Dynamic® Rocky™ safety helmet
- Face shield mounting pattern is compatible with most safety visors



280-HPSLH

Rocky™ Lamp/Goggle Clip

- 4 clips per pack
- Holds the lamp strap in place
- Compatible with Dynamic® Rocky™ and most styles of hard hats



280-HP241C
2-point, elastic with plastic hooks



280-HP542C
4-point, elastic with plastic hooks

Chin Straps

- Made to hold the hard hat on the head of the user
- 10 per pack
- Adjustable



280-HP1X4

Dyna-Brite™ Reflective Strips

- Available in white, yellow and orange
- 16 strips per pack

STYLE NUMBER	DESCRIPTION
263-NP112	Cap Mount Ear Muff Dielectric, NRR 20
263-NP114	Cap Mount Ear Muff Dielectric, NRR 25
263-NP116	Cap Mount Ear Muff Wire, NRR 23
263-NP118	Cap Mount Ear Muff Wire, NRR 25
263-NP119	Full Brim Mount Ear Muff, NRR 26
251-EPB103	Rocky Hard Hat Bracket
280-HP241C	Chin Strap 2 pt
280-HP542C	Chin Strap 4 pt
280-HPSLH	Rocky Lamp/Goggle Clip
280-HP1X4	Reflective Kits

UNIVERSAL

HARD HAT ACCESSORIES



251-01-5271

251-01-5270



251-01-5230

251-01-5225

251-EPB102

Face Shield Brackets

- Enable the attachment of a safety visor to a hard hat

STYLE NUMBER	COMPATIBLE WITH	HOLE PATTERN	MATERIAL	STANDARDS
251-01-5271	Cap Style	Universal	Aluminum	ANSI Z87.1-2015
251-01-5270	Full Brim	Universal	Aluminum	ANSI Z87.1-2015
251-01-5230	Cap Style	Universal	Plastic	ANSI Z87.1-2015
251-01-5225	Cap Style	Universal	Plastic	ANSI Z87.1+ CSA Z94.3
251-EPB102	Full Brim	Universal	Plastic, Dielectric	ANSI Z87.1-2015

Face Shields

- **PETG** Ideal for general sanding, light dust and debris and liquid splash applications.
- **POLYCARBONATE** Ideal for grinding and high impact applications. Outperforms PETG in a wider range of temperatures.
- **MOLDED POLYCARBONATE** Provides enhanced options and better peripheral vision. Aspherical design allows for more comfortable movement.
- **STEEL WIRE MESH** Product of choice for large flying particle protection. Popular in forestry and lumber applications for scratch proof quality, providing excellent visibility.

STYLE NUMBER	MATERIAL	LENS	THICKNESS	SIZE	BINDING	SHAPE	STANDARDS	PROP 65
251-01-5211	PETG	□ Clear	0.040"	8" x 15.5"	None	Flat	ANSI Z87	
251-01-7214	PETG	□ Clear	0.040"	8" x 15.5"	Aluminum	Curved	ANSI Z87	
251-01-5212	PETG	■ Medium Green 23% VLT	0.040"	8" x 15.5"	None	Flat	ANSI Z87	
251-01-7213	PETG	■ Dark Green 16% VLT	0.040"	9" x 15.5"	Aluminum	Curved	ANSI Z87	
251-01-5213	PETG	■ Dark Green 16% VLT	0.040"	8" x 15.5"	None	Flat	ANSI Z87	
251-01-5201	Polycarbonate	□ Clear	0.040"	8" x 15.5"	None	Flat	ANSI Z87+	⚠ ^R
251-01-5210	Polycarbonate with Chin Cup	□ Clear	0.040"				ANSI Z87+	⚠ ^R
251-01-7206	Polycarbonate	□ Clear	0.060"	8" x 15.5"	None	Flat	ANSI Z87+	⚠ ^R
251-01-7204	Polycarbonate	□ Clear	0.040"	8" x 15.5"	Aluminum	Curved	ANSI Z87+	⚠ ^R
251-01-7301	Molded Polycarbonate	□ Clear	0.078"	8" x 15"	None	Cylindrical	ANSI Z87+	⚠ ^R
251-01-7401	Molded Polycarbonate	□ Clear	0.078"	8" x 15"	None	Aspherical	ANSI Z87+	⚠ ^R
251-01-7311	Molded Polycarbonate	■ Medium Green 23% VLT	0.078"	8" x 15"	None	Cylindrical	ANSI Z87+	⚠ ^R
251-01-7312	Molded Polycarbonate	■ Dark Green 16% VLT	0.078"	8" x 15"	None	Cylindrical	ANSI Z87+	⚠ ^R
251-01-7313	Molded Polycarbonate	■ IR Filter 3.0	0.078"	8" x 15"	None	Cylindrical	ANSI Z87+	⚠ ^R
251-01-7315	Molded Polycarbonate	■ IR Filter 5.0	0.078"	8" x 15"	None	Cylindrical	ANSI Z87+	⚠ ^R
251-01-7701	Steel Wire Mesh	----	----	8" x 15.5"	Aluminum	Cylindrical	ANSI Z87	⚠ ^R

BUMP CAPS

Prevent Bumps & Scrapes



USE IN WORK SPACES WHERE
HARD HATS ARE NOT MANDATED

ASSEMBLY LINE > PACKAGE HANDLING > MAINTENANCE > AVIATION > AUTOMOTIVE




JSP® HardCap A1+™ Bump Cap

- Sleek low profile baseball cap design
- HDPE liner provides all around protection
- Unique size adjuster provides a quick, secure fit



Regular Brim - 2.75" 282-ABR170

COLORS AVAILABLE




Short Brim - 2" 282-ABS150

COLORS AVAILABLE



Micro Brim - 1" 282-ABM130

COLORS AVAILABLE



JSP® HardCap Aerolite™ Bump Cap

- Lightweight and cool, weighs less than 5 oz.
- Sleek low profile baseball cap design
- HDPE liner provides all around protection

Short Brim - 2" 282-AES150

COLORS AVAILABLE



Micro Brim - 1" 282-AEM130

COLORS AVAILABLE



Dynamic® Bump Cap 280-HP940

- Lightweight ventilated HDPE shell
- 4-point pin lock suspension
- Popular in food processing, manufacturing and maintenance

COLORS AVAILABLE



JSP® HardCap Ranger Bump Cap 282-AFB375

- Shades the sun's UV rays
- 3" wide full brim

COLORS AVAILABLE



		ANSI Z89.1 TYPE I ANSI Z89.1 TYPE II CSA Z94.1-15 TYPE I CSA Z94.1-15 TYPE II EN14052 EN12492 EN397 CLASS E <i>Non-vented</i> CLASS C <i>Vented</i> CLASS G										ABS ABS /POLYCARBONATE HDPE FIBERGLASS RESIN NYLON RESIN				PRE-INSTALLED DEPTH ADJUSTMENT HEIGHT ADJUSTMENT 8 POINT SUSPENSION 6 POINT SUSPENSION 4 POINT SUSPENSION WHEEL RATCHET SWING WHEEL RATCHET PIN LOCK				STANDARD BRIM SHORT BRIM FULL BRIM			INTEGRATED EYE PROTECTION INCLUDED EVOSPEC COMPATIBLE								
PRODUCT FAMILY	PART NUMBER	STANDARDS										SHELL				SUSPENSION								OPTIONS			AVAILABLE COLORS				
SAFETY HELMETS - WORK AT HEIGHTS																															
JSP® EVO®VISTAshield™ Ascend™	280-EVSV-CH	●					●		●	●		●				●	●	●		●		●				●		●	White, Black		
JSP® EVO®VISTAlens™ Ascend™	280-EVLV-CH	●					●		●	●		●					●	●	●		●		●			●		●	White, Black		
JSP® EVO® 6151 Ascend™	280-EV6151S-CH	●					●		●	●			●				●	●	●		●					●			White, Yellow, Black		
JSP® EVO® 6161 Ascend™	280-EV6161-CH	●					●		●	●			●				●	●	●		●						●		●	White, Yellow, Black	
Dynamic® Rocky™	280-HP142		●		●				●				●				●		●				●	●			●			White, Yellow, Orange, Dark Green, Light Blue, Gray, Black, Red	
CAP STYLE HARD HATS - HEAVY DUTY																															
JSP® MK8 Evolution® Cap Style	280-AHS150		●			●		●	●	●				●			●	●	●		●		●			●				<i>Non-Vented:</i> White, Yellow, Blue <i>Vented:</i> White	
JSP® MK8 Evolution® Linesman	280-AHS240		●			●		●	●	●				●			●	●	●		●		●			●				<i>Non-Vented:</i> White, Yellow, Blue <i>Vented:</i> White	
Dynamic® Mont-Blanc™	280-HP542		●		●				●					●			●		●				●	●			●			White, Yellow, Orange, Green, Blue, Gray, Red, Dark Gray	
HARD HATS - ELEVATED HEAT AND WELDING																															
Dynamic® Vesuvio™	280-HP851	●							●						●		●		●			●	●			●				White, Yellow, Gray, Black, Dark Gray, Red, Steel Blue	
Dynamic® Stromboli™ HP841	280-HP841	●		●					●				●				●		●			●	●	●		●				White, Yellow, Orange, Dark Green, Gray, Black, Red, Lime Green, Steel Blue, Forest Green	
Dynamic® Stromboli™ HP842	280-HP842		●		●				●				●				●		●			●	●			●				White, Yellow, Orange, Dark Green, Gray, Black, Red, Lime Green, Steel Blue, Forest Green	
Dynamic® Wolfjaw™	280-HP1481	●									●				●		●		●	●	●		●				●			White, Yellow, Black, Natural Brown	
CAP STYLE HARD HATS - GENERAL																															
JSP® EVO®VISTAshield™	280-EVSV	●				●				●		●					●	●	●		●		●			●			●	White, Blue	
JSP® EVO®VISTAlens™	280-EVLV	●				●				●		●						●	●	●		●		●			●		●	White, Blue	
JSP® Evolution® Deluxe 6151	280-EV6151	●							●	●				●				●	●	●		●		●			●		●	<i>Non-Vented:</i> White, Black, Yellow, Green, Pink, Gray, Blue, Red, Bright Orange, Lime Yellow <i>Vented:</i> White, Yellow	
JSP® Evolution® Deluxe 6151	280-EV6151S	●							●	●				●				●	●	●		●		●			●			●	White, Yellow
Dynamic® Whistler™	280-HP241	●		●				●	●	●				●			●		●			●	●		●	●				White, Yellow, Orange, Green, Blue, Royal Blue, Sky Blue, Gray, Red, Dark Gray, Hi-Vis Orange, Hi-Vis Yellow	
Dynamic® Dom™	280-HP341	●		●					●					●			●		●			●	●	●		●				White, Yellow, Orange, Dark Green, Sky Blue, Navy Blue, Grey, Black, Red, Royal Blue, Steel Blue, Forest Green	
Dynamic® Tremblant™	280-HP741	●		●				●	●					●			●		●			●	●			●				White, Yellow, Orange, Dark Green, Sky Blue, Navy Blue, Gray, Black, Red, Hi-Vis Yellow	
FULL BRIM HARD HATS - GENERAL																															
JSP® Evolution® Deluxe 6161	280-EV6161	●						●	●	●				●			●	●	●		●		●				●		●	White, Yellow, Green, Gray, Blue, Red, Lime Yellow, Bright Orange	
Dynamic® Kilimanjaro™ HP642	280-HP642		●		●				●	●				●			●		●			●	●				●			White, Yellow, Orange, Green, Blue, Gray, Red	
Dynamic® Kilimanjaro™ HP641	280-HP641	●		●					●	●				●				●		●			●	●			●			White, Yellow, Orange, Green, Blue, Gray, Red, Dark Gray, Royal Blue, Hi-Vis Yellow, Hi-Vis Orange	



PROTECTIVE INDUSTRIAL PRODUCTS

The best logo service

**HIGH QUALITY,
FAST TURNAROUND &
A DEDICATED TEAM**



* 6 business days turnaround time after receipt
of logo proof approval.

**A SMOOTH PROCESS
FROM START TO FINISH**

High-quality logo imprinting can be applied on up to four locations on the hard hat using a single color or multiple colors. Quick turnaround time allows for fast delivery to the customer. Dedicated team for all logo requests to ensure all customer requests are accurately filled.



PROTECTIVE INDUSTRIAL PRODUCTS, INC.

968 Albany Shaker Road | Latham, NY 12110

518-861-0133 | 800-262-5755

sales@pipusa.com | www.pipusa.com

09/2021