

Plastic Fitting Saver

Works on PVC or ABS Fittings







Makes in-line repairs and installations.

Reams plastic pipe squarely and accurately below the surface or finished grade.

Ram Bit leaves fittings clean and ready for solvent welding.

SAVES

- Plastic Fittings
- · Welded Ball Valves


SAVES TIME

- Cuts 3" & 4" DWV flush, below slab or sub-floor
- · Repairing irrigation and swimming pool manifolds
- Repairing sprinkler risers
- · Repairing freeze damaged plastic pipe

Made in U.S.A.







Works On:
ABS DWV, PVC DWV,
PVC PRESSURE, CPVC,
RIGID PVC ELECTRIC CONDUCT







PART NUMBER	SIZE	CLASS 200*	SCH 40	SCH 80	DRILL SIZE
3237	1/2"		√	√	
3239	3/4"	√	√	√	3/8" or
3241	1"	√	√	\checkmark	heavy duty
3242	1-1/4"	√	√	√	3/8"
3243	1-1/2"	√	√	√	rechargeable
3244	2"	√	√	\checkmark	
3253	3"	√	√		1/2"
3254	4"		√		variable











Replacement Parts

SIZE	BLADE ONLY	ARBOR W/NUT
1/2"	3204	3200
3/4"	3208	3200
1"	3213	3200
1-1/4"	3219	3201
1-1/2"	3225	3201
2"	3231	3201
3"	3256	3252
4"	3262	3252

U.S. Patent 6,282,999



The Drain Key™

Removes Corroded Bath Tub Drains


It's unique expanding design allows The Drain Key to internally grip in a 360° pattern. The drain Key's steel shoes will not mar chrome or special finishes. Installs and removes tub drains, closet spuds and pipe nipples.

Expands with a crescent wrench to unlock or install:

- · Bathtub drains
- 1-1/4" or 1-1/2" Trap (dirty arm) nipples
- 1-1/4" or 1-1/2" closet spuds

 Jr. basket strainers, Jr. duo strainers, tray plug drains and duplex strainers

*Interchangeable steel Drain Key™ shoes sold separately



PART VOLTS

4500 Drain Key

4508 Replacement set of 3 shoes only

Smart Dumbell - The Original

The Original and Still The Best!

Fits all 17 modern tub drain configurations

Installs and removes tub drains and closet spuds



- Installs or removes drains without crossbars (Kohler, American Standard)
- · Heavy duty die-cast aluminum
- Prevents scratching of decorative finishes
- Either a crescent wrench or large phillips screwdriver can be used to turn the tool
- · Saves time, money and aggravation
- · 6" length

PART NUMBER 4554

Made in U.S.A.



U.S. Patent 4,365,413

Quick Nutcracker - The Original

Quickly removes corroded 1/2' zinc locknuts from faucet shanks.

- · Heat treated cutter blades
- · Ball thrust bearings
- Durable black oxide finish
- Will work on faucet shanks with only three threads showing

For use on:

- 1/2" Shank single basin faucet
- 1/2" Shank centerset faucet
- 1/2" Shank kitchen faucets





PART NUMBER	VOLTS	
7000	Nutcracker ONLY	
7012	10" Extension ONLY	
7014	3/8" Ratchet ONLY	
7010	Nutcracker Ratchet	
	& Extension	

Moen® Stem and Cartridge Puller - The Original

Removes Moen® stems and Moen® cartridges from faucets and shower valves. Also removes the Posi-Temp® tub/shower cartridge.

- · Removes brass cartridges
- · Removes brass stems
- · Removes plastic stems & cartridges
- Precision made
- · High quality steel components
- One piece construction
- · Easy to use





KWIK TITE WRENCH

Get a grip on the installation of angle stops with these two plumber designed tools.

The larger forged steel socket "opens" to attach to an angle stop. The smaller forged steel socket "opens" to attach to a 3/8" outlet supply nut.




Don't forget to use with the

ANGLE-ON WRENCH


- Fits 3/8" or 1/2" MPT compression outlet threads on angle stops.
- Help protect special finishes. Nickel plated steel and precision machined.



Made in U.S.A.



Remove outlet nut and screw on Angle-On




Angle-On acts as a lever for tightening compression angle stops.

PART NUMBER	DESCRIPTION
4524	Dual Kwik Tite Wrench ONLY
4525	Angle-On Wrench ONLY
4528	Dual Kwik Tite Wrench & Angle-On Wrench packaged together








Compression Sleeve Puller

Heavy duty - For 1/2" copper tubing

- · Use 3/8" rachet
- · With 3/4" socket
- Removes compressed brass sleeves
- Precision machined
- · Extremely durable
- Designed by plumbing professionals





Compression Sleeve Puller

Economical for use with handle puller

- This unique tool, combines with a Big Yank handle puller (# 4659) removes installed 1/2" copper compression sleeves and nuts.
- · Sleeve puller and handle sold separately.



PART NUMBER 4655

Made in U.S.A.



NEW


Introducing The New EASY-CUT JAWS


Easily cuts die cast, brass and plastic locknuts from 1/2" faucet shanks From the company that introduced the "Quick Nutcracker"

EASY-CUT JAWS works with any power drill chuck to safely and quickly cut away faucet mounting nuts. The tool allows a plumber to remove a faucet from a sink or countertop in minutes rather than hours.

EASY-CUT JAWS

- Is a quality professionally engineered tool.
- Has a hardened steel hex end that fits into any drill chuck.
- Has a built-in spring loaded patented safety chip-guard.
- Uses a heat treated bi-metal cutter that cuts through brass, steel and plastic faucet mounting nuts.
- Works on all faucets brands that have 1/2" water supply shanks.





U.S. Patent 6,629,804

Position EASY-CUT JAWS over faucet shank with the clear chip guard in contract with the sink or countertop.

Operate drill motor at a slow, safe speed applying a light steady upward force to cut away the mounting hardware.

Cutting chips will accumulate inside the chip guard. Empty guard after each cut.

PART NUMBER 7018




Quick Sweat

Patent Number 5,819,804

- Flexible 24" steel cables will slide through elbows and are interchangeable with the handle to fit different size copper.
- Durable polypropylene handle will fit 1/2" thru 2" cables.
- · Long lasting elastomeric plug
- Eliminates "bread" and outperforms all the rest.





PART NUMBER	SIZE	
51500	Kit including: Handle & 1-each 1/2", 3/4". 1" cables	
51050	1/2" Complete tool	
51075	3/4" Complete tool	
51100	1" Complete tool	
51125	1-1/4" Complete tool	
51150	1-1/2" Complete tool	
51200	2" Complete tool	
51040	Handle ONLY	
51012	1/2" Cable ONLY	
51034	3/4" Cable ONLY	
51010	1" Cable ONLY	
51114	1-1/4" Cable ONLY	
51115	1-1/2" Cable ONLY	
51120	2" Cable ONLY	

Made in U.S.A.



Price Pfister® Special **Shower Valve Socket Wrench**

Fits both bonnet and packing nuts on Price-Pfister® Shower Valve Stems.

- Fits 31/32" stem bonnet nuts
- · Fits 27/32" stem packing nuts
- 50% longer than regular shower valve wrenches
- · Overall length allows socket to reach well into tile covered walls



5310

Made in U.S.A.

Classic Drain Wrench

Tightens most fiberglass shower stall drain locknuts and die cast basket strainer locknuts.

- Fits 3-1/2" plastic locknuts
- · Fits 3-3/8" die cast basket strainer locknuts
- Fits brass locknuts on brass shower stall drains
- Stamped steel
- · 13" overall length



No-Hub Torque Wrench 60 Inch Pounds

- · Measures torque when turned in a clockwise direction & ratchets when turned counterclockwise
- Retractable reversing lever



7020

5/16"

Quick Set Drain Wrench


- · Tightens or removes shower drains with internal locknut, (like our #7980)
- · 10" overall length
- · Plastic coated handle





Pedestal Sink Wrench

- Offset design allows user to reach tailpiece and trap slip joint nuts
- Permits trap and drain line installation or removal with pedestal sink in place.



Plumbers Combo Wrench

This all new wrench combines the features of 4 similar wrenches, including the Super Wrench.

Designed for use on:

- · Closet spuds
- Urinal spuds
- · Kitchen basket strainers
- · Urinal flush valves
- · Compact 10" length



Big Yank - The Original

- · Removes large and small handles
- · Economical yet tough
- One piece forged drive bracket
- · 4" bracket width



Big Yank Sr.™ - The Original

The only handle puller that grips faucet handles with 3 fingers!

- · One piece forged drive bracket
- · Notches in bracket keeps fingers from sliding apart
- · Engineered for the professional
- 5" gripper fingers






Meter Key Socket Head



Water Meter Box Key



Water Meter Key

All new lightweight design!

This key is designed for valves that are hard to turn

- · Minimum order of 5 keys required
- · Heavy duty



Made in U.S.A.

PART NUMBER	SHAFT DIAMETER	LENGTH	HANDLE LENGTH
4061	5/8"	60"	14"
4089	3/4"	42"	14"

Plumber's Air Pump

- Made of virtually unbreakable polyethylene
- 1-1/4" one piece barrel permits a large volume of air
- 48" Non-kinking hose
- · Quick connect thumb valve
- · Large easy grip handle
- · 2" 0-150PSI gauge
- · Easy to read RED pressure range arrow.






Journeyman Plastic Pipe Saws

Since 1973

- The Original

- · Cuts PVC, ABS, wood and drywall
- · Unbreakable aluminum die cast handle
- · Large, comfortable grip
- · Flame hardened blade
- · The best saw of its kind in the trade




Handle Made in U.S.A.

PART NUMBER	DESCRIPTION	
4331	Complete "Mity Mite" Saw	
4331-B	13" "Mity Mite" Blade	
4333	Complete "Journeyman" Saw	
4333-B 18" "Journeyman" Blade		
4333-H	"Journeyman" Saw Handle	

Push Stroke Cutting Action

- Cuts plastic pipe and wood
- · Smooth, fast and accurate cutting
- · Push/pull cutting action



PART NUMBER	DESCRIPTION	
4338	Saw w/12" Blade	
4338-B	12" Blade	
4339	Saw w/8" Blade	
4339-B	8" Blade	

Super Hacksaw

- · Comfort front end grip
- · Stores extra blades



PART NUMBER	SIZE	BLADE SUPPLIED
4267	4"	12"

Since

Hacksaw

- · Adjusts to 4 lengths
- Plated frame



PART NUMBER	DEPTH	SUPPLIED	ADJUSTS
4254	2-3/4"	12"	10" to 12"

Tiny Tim Hacksaw - The Original



- · Vinyl grip handle
- · Display carded
- · Blades sold in reusable tube



PART NUMBER	DESCRIPTION
4290	Hacksaw w/Blade
4292	Extra Blades 10/package


Hacksaw Blades


Bi-Metal Tough Cut Blades

PART NUMBER	TEETH PER INCH	BLADE LENGTH
4217	18	12"
4218	24	12"



PVC Pipe Cutter









Stock blades and repair kits

PART NUMBER	DESCRIPTION
4657	Complete
4657-B	Blade ONLY


Pro-Cut Plastic Pipe Cutter




· Cuts 1" plastic pipe



PVC Pipe Cutter





Stock blades and repair kits

PART NUMBER	DESCRIPTION
4678	Complete
4678-B	Blade ONLY

Soft Pipe Cutter

- · For cutting soft pipe and hose
- · Heavy duty die cast
- · Cuts up to 2" soft tubing




The best cutter manufactured!

PARI NUMBER	DESCRIPTION
4682	Complete
4682-B	Blade ONLY

PVC Cable Saw

For fast cutting of PVC and irrigation pipe


- · 24" Stainless steel cable
- · Great for tight spots, need only 1/4" clearance
- · Easily stored
- · 30" Overall



DESCRIPTION 4336-S Strip pack of 12

Made in U.S.A.

Inside Plastic Pipe Cutter






Bi-Metal Tough Cut Reciprocating Saw Blades



PART NUMBER	LENGTH	TEETH PER INCH	USAGE RANK	CUTS THESE MATERIALS
3809	6"	10T	#8	Light, Non-ferrous metals, nail embedded woods, cast aluminum.
3810	6"	14T	#2	Heavy guage metals, 1/8" conduit, pipe, tubing and galvanized pipe.
3811	6"	18T	#3	Metals to 1/8". Conduit, pipe, tubing and galvanized pipe.
3812	6"	24T	#5	Finer teeth for faster cutting of metal to 1/8", galvanized pipe.



PART	LENGTH	TEETH	USAGE	CUTS THESE
NUMBER		PER INCH	RANK	MATERIALS
3820	9"	10/14T	#4	.050 Thick x 3/4" Wide super model for cast iron pipe. Teeth vary alternately from 10 to 14 per inch which reduces vibration and makes smoother cuts.



PART NUMBER	LENGTH	TEETH PER INCH	USAGE RANK	CUTS THESE MATERIALS
3813	6"	6T	#1	Fast cutting of all woods, nail embedded general roughing work.
3816	12"	6T	#7	Same as #3813 above



PART	LENGTH	TEETH	USAGE	CUTS THESE
NUMBER		PER INCH	RANK	MATERIALS
3814	8"	10T	#6	All woods, composition, plastics, 4" diamter pipe, cast iron, nail embedded woods, general metal cutting, fiberglass.




PART	LENGTH	TEETH	USAGE	CUTS THESE
NUMBER		PER INCH	RANK	MATERIALS
3808	6"	6T	#11	Plastic, lath, sheet rock, fiber board, particle board.



Reciprocating Saw Blade - Carbide Grit

- 3/4" Width
- Fits most reciprocating saws
- · Flexible alloy steel
- Diamond hard tungsten carbide grit makes this blade last up to 20 times longer then conventional reciprocating blades



Carbide Hole Saw

· Cuts ceramic tile, stainless steel.

 Complete with D-Drive arbor and carbide drill.



PART NUMBER	DESCRIPTION
3912	1-1/4"
3913	1-3/8"
3915	1-3/4"
3916	Arbor w/carbide drill

Auger Bits

PASCO Auger bits are precision made of special bit steel, heat treated and tempered for long life.







HEAVY DUTY SHIP

- 6-1/2" Length
- 4" Twist
- 7/16" Shank

PART NUMBER	SIZE
3851	3/4"
3853	7/8"
3855	1"
3857	1-1/8"
3858	1-1/4"
3859	1-3/8"
3860	1-1/2"


EXTRA LONG

18" Length 12" Twist 7/16" Shank


PART NUMBER	SIZE
3865	3/4"
3867	7/8"
3868	15/16"
3869	1"
3871	1-1/8"
3872	1-1/4"
3873	1-3/8"
3874	1-1/2"



Swedging Tool




Copper Sizing Tools




Copper Deburring Tool - Reamer



Economy Flaring Tool



Copper Tube Flare Punches






Copper, Brass & Stainless Steel Tubing Cutter

- · Superior quality
- Enclosed feed mechanism
- Removable deburring tool located inside cutter frame
- Cuts up to 1-1/2"
- · Spare blade in handle



Mini Tubing Cutter





Made in U.S.A.

PART NUMBER	DESCRIPTION
35180	Cuts 1/8" - 1" Tubing
42835	Separate Cutter Wheel

Tubing and Pipe Cutter

- · Cuts 1" IPS or 2" Copper
- · Strong, yet lightweight
- · Non-slip grip



Made in U.S.A. PART DESCRIPTION

36878 Cuts 5/8" - 1" IPS or 2" CWT

42348 Separate Cutter Wheel

Economy Tubing Cutter



· Retractable reamer



PART DESCRIPTION
4350 Cuts 1/8" to 1" Tubing
Blades

Mini Tubing Cutter





Chip and Oil Brush



Natural Bristle Acid Brushes

- #1, #2, #4 Brushes sold 144 pieces per box
- #7 Brushes sold 36 pieces per box




PART NUMBER	SIZE		HANDLE LENGTH
46501	#1	Metal	5-1/4"
46512	#2	Metal	5-1/2"
46524	#3	Metal	6-7/8"
46537	#7	Wood	5-13/16"

Wire Brushes




Aviation Snips



PART NUMBER	SIZE	CUT	DIRECTION OF CUT
4340			Left
4341	10"	1-1/2"	Right
4342			Straight

Copper Pipe Deburring Tools with Plastic Handles





Economy Copper Fitting Brush



- · Wire loop handle
- 2-Ply carbon steel bristles
- For bulk pricing add -BLK to part number

Made in U.S.A.

SIZE
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"

"A" Quality Copper Fitting Brush

- · 2 Wire model
- · High carbon crimped
- Steel bristles



PART NUMBER	SIZE
5113	3/8"
5114	1/2"
5116	3/4"
5118	1"
5119	1-1/4"
5120	1-1/2"
5121	2"

"AA" Quality Copper Fitting Brush

- · Highest quality available
- 4 Wire model
- · Double construction from stainless steel wire



SIZE
1/4"
3/8"
1/2"
3/4"
1"
1-1/4"

4-in-1 Fitting Brush

- · Tube cleaning and fitting brush
- · High impact plastic & high carbon steel bristles
- Replaceable brushes
- 1/2" and 3/4" copper

Made in U.S.A.



PART NUMBER	DESCRIPTION	
5150	Complete 4-in-1 Brush	
5150-R	Replacement brush kit includes 2 ID & 2 OD brushes	


Plumbers Sand Cloth

Specially formulated for use in preparing copper fittings and tubing for soldering 120 grit aluminum oxide.



PART SIZE
3102 10 Yards

Plumbers Open Mesh Sand Cloth



Copper Tube Brush

- The finest manufactured
- Cleans copper water tube end for soldering



Sizes indicated are nominal copper Made in U.S.A.

PART NUMBER	SIZE
5153	1/2"
5155	3/4"
5157	1"



Nipple Boxes

- · Holds CL thru 6" nipples
- Fold away handle
- · Epoxy coated steel
- · Light weight yet strong



PART NUMBER	SIZE	HOLDS
3080	1/2"	77
3081	3/4"	66
3082	1"	50
3083	1-1/4"	40
3084	1-1/2"	30
3085	2"	27

Made in U.S.A.

Fitting Tote Tray

- · Excellent for copper fittings
- 18 Gauge
- 20" x 10" x 5"
- · Fold away handle
- · Epoxy coated steel



PART NUMBER	DESCRIPTION	
3088	With 8 dividers	
3088-LD	less dividers	

Made in U.S.A.

1/2" and 3/4" Combo Nipple Box

- Holds both 1/2" and 3/4" nipples
- Holds (39) 1/2" CL thru 6"
- Holds (33) 3/4" CL thru 6"
- · Fold away handle
- · Epoxy coated steel



PART NUMBER 3091

Made in U.S.A.



Internal Nipple Wrench

- CAM Type
- · Removes or inserts
- Heat treated
- · Cadmium plated



PART NUMBER	NIPPLE SIZE
4531	1/2"
4532	3/4"
4533	1"

Internal Nipple Wrench

- Excellent for chrome work
- · Precision machined and hardened
- · Loosens and tightens
- · Designed to grip internally
- · Removes broken nipple threads from fittings



PART NUMBER	SIZES
4511	1/2" IPS Internal Wrench
4512	3/4" IPS Internal Wrench
4513	1" IPS Internal Wrench

Pipe Taps

- · High carbon steel
- Tapered thread taps



PART NUMBER	PIPE SIZE	NO. OF NPT	TAP DRILL SIZE
4812	1/8"	27	1/8"
4813	1/4"	18	7/16"
4814	3/8"	18	37/64"
4815	1/2"	14	45/64"
4816	3/4"	14	59/64"
4817	1"	11-1/2	1-5/32"
4818	1-1/4"	11-1/2	1-1/2"
4819	1-1/2"	11-1/2	1-47/64"
4820	2"	11-1/2	2-7/32"

Nipple and Screw Extractors

- · Removes nipples, bolts and screws
- Left hand spiral tapered flute removes broken piece without thread damage



PART NUMBER	IND ID#	PIPE SIZE	DRILL SIZE	BOLT SCREW SIZE
4827	4	1/8"	1/4"	9/32" to 3/8"
4828	5	1/4"	19/64"	3/8" to 5/8"
4829	6	3/8"	13/32"	5/8" to 7/8"
4830	7	1/2"	17/32"	7/8" to 1-1/8"
4831	8	3/4"	13/16"	1-1/8" to 1-3/8"
4832	9	1"	1-1/16"	1-3/8" to 2"



Quick Set Pliers - "Set of Reds"

- Easily fit 1-1/2" slip joint nuts
- Forged and chromed
- Vinyl grip handles



PART NUMBER	LENGTH	
4063	10"	

Tongue & Groove Pliers



PART NUMBER	LENGTH	ADJ.	CAP
420G	9-1/2"	5	1-1/2"
422G	9-1/2"	5	1-1/2
426G	6-1/2"	5	7/8"
430G	10"	7	2"
440G	12"	7	2-1/4"
442G	12"	7	2-1/4"
460G	16"	8	4-1/4"

Griplock®

CHAN NEL LOCK

- Ergonomically designed offset head for greater leverage
- Permalock® fastener eliminates nut and bolt failure



PART NUMBER	LENGTH	
GL12	12"	

Made in U.S.A.

Plumbers Helpers



- Polished high carbon drop forged steel
- Perfectly mated cutter, heat treated to hold its edge.



PART NUMBER	LENGTH
317G	7-1/2"
337G	7"

Made in U.S.A.



Pipe Wrenches

Heavy duty, milled teeth



PART NUMBER	SIZE	FRAME	CAPAC. UP TO
4545	10"		1"
4546	14"	Alloy	2"
4547	18"	Steel	2-1/2"
4548	24"		3"
4551	14"		2"
4552	18"	Alum.	2-1/2"
4553	24"		3"

Offset Ratcheting Box Wrench

Ideal for closet nuts



 PART NUMBER
 SIZE
 OPENING
 LENGTH

 4497
 3/8" x 7/16"
 12 pt.
 8"

Made in U.S.A.

Strap Wrenches

- · Ideal for chrome pipe nipples
- · Will not mar chrome, fittings & nipples



PART NUMBER	SIZE	
4542	7"	
4543	11"	

Adjustable Wrenches



- Polished high carbon drop forged steel
- Perfectly mated cutter, heat treated to hold its edge.



PART NUMBER	SIZE
806	6"
808	8"
810	10"
812	12"

Made in U.S.A.



CHAN NEL LOCK Wiring Tool

- · Strips wire with no damage to conductor
- · Crimps both insulated and non-insulated wire




Made in U.S.A.


PART LENGTH NUMBER 908G 8-1/4"

Wire Stripper

 Adjusting stop on the gripping handles permits adjustment for wire size




Nut Drivers




6-in-1 Screwdriver

- 1/4" Hex 5/16" Hex · 12 Pack display packaged




DESCRIPTION	
Screwdriver complete	
Carded screwdriver complete	
#2 Phillips x 5/16" slotted bit only	
#1 Phillips x 3/16" slotted bit only	

Pocket Screw Driver



Putty Knives

- · High carbon cutlery steel
- · Highly polished



Scratch Awl





"The Best" Bibb Seat Tool




Valve Stem Lube Heat Proof Grease

- · Use on water or steam
- Apply to stems of faucets, packing, plungers, ball cocks, valves & washers
- Food grade


Made in U.S.A.



PART NUMBER 3155



Professional Faucet Reseater Kit



Bibb Seat Tool Set

sealable plastic case.


SET INCLUDES:

- 1- 3/8" x 7/16" ratcheting box wrench
- 1- Small hex/large hex tapered bibb seat tool
- 1- Small square/large square no taper bibb seat tool




4568

Regular Basin Wrench





Impact Handle Puller



Telescoping Basin Wrench



Shower Valve Socket Set - Professional Quality




Import Shower Valve Socket Set





Hex Key Tool Caddy


- Keys are #8650 chrome nickle alloy steel
- Close tolerance assures precise fit into hex socket
- Hardened and tempered for maximum durability



Made	in	110	٨

PART NUMBER	NO. OF KEYS	KEY SIZES
3040	9 Keys	5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"
3041	8 Keys	.050", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32"

Hex Key Tool Caddy




Radiator Air Vent Wrench 3-Way



Radiator Spud Wrench



New Design Heavy-Duty HotWater Heater Element Wrench




Sprinkler Nipple Extractor






Closet Seat Nut Wrench




Po Plug Wrench



4-in-1 Strainer Wrench




4948




Adjustable Spud Wrench


Made in U.S.A.




Basket Strainer Wrench



Garbage Disposal Wrench



Strainer Nut Wrench



12

6



"Grab All" Retrieving Tool



Magnetic Retrieving Tool




The Original Pumie® Scouring Stick



Inspection Mirror



Flat Cold Chisels



Sod/Linoleum Knife



Utility Knife




Spud Wrench






"Drop In" Half Barrel Type Caulking Gun




Spring Tube Benders



Cellulose Sponges

- Excellent for drying and cleaning up
- For cleaning up tanks, lavatories, shower liners and leaking traps
- Natural color

Mill Bastard Files



Thread File

- Restores damaged threads on bolts and external or internal pipe threads
- · Clears damaged or corroded threads
- · Comes in reusable plastic tube





Master Plumbers Force Cup

- Heavy duty
- Ribbed cup for strength
- Provides big "blast" for all stoppages
- High quality rubber
- 19" handle



PART NUMBER 4636

Heavy Duty Closet Bowl Force Cup

- Extra large for best pressure with positive seal
- Designed for all types of toilets
- High quality black rubber
- 19" handle



NUMBER

4637

Economy Force Cup

- High quality red rubber
- Available in 5" or 6" diameter
- 19" handle



PART NUMBER	SIZE	
4640	5"	
4641	6"	



Industrial Grade Disposable Gloves



Wear-A-Day Disposable Gloves









Highest quality leather driver's glove Rich grain cowhide Packed 12 pair Large size only PART NUMBER 6036-L

Roadmaster Gloves



Tom Cat Gloves




Jersey Gloves



Cotton Gloves



Reversible Plastic Dot Gloves



Stallion Gloves



Double Palm Gloves





Wear-A-Day Coverall



Safety & Comfort Goggles



Protective Knee Pads

- Comfortable
- · Long lasting
- Codura nylon
- Foam rubber cushioning
- Flexible



9245XXL

White plastic cap allows user to swivel and slide on working surfaces

Made in U.S.A.



9221
Normar natural rubber cap prevents sliding and marring

PART NUMBER	SIZE	
9220	Hard protective cap	
9221	Soft protective cap	

Economy Knee Pads



Disposable Shoe Covers






"Big Red" Tape Measure



Nylon Seine Twine



Torpedo Level

- Magnet and grooved
- · Sturdy die cast
- · Colored liquid in vials



Made in U.S.A.

Waterproof Lumber Crayons



Chalk and Plumb Line

- Will mark on any surface (wood, brick, stone, & metal)
- · Die cast aluminum case
- Slide action lock and hook ring provides true plumb bob action
- Lock releases automatically on rewind
- Opens for easy filling of powdered chalk
- Nylon line on pop in reel is easily replaced



4472

Made in U.S.A.

Chalk Refills





Binder Twine




Truck Rope




PART NUMBER	O.D. SIZE	LENGTH
4111	3/8"	50 ft.
4112	3/8"	600 ft.

Rubber Rope



Tie Down Straps




Pro-Strap®

U.S. Patent 5,603,591

The professional tie-down strap designed by a contractor for contractors! Allows you to fasten lightweight pipe, ladders, poles & other job materials quickly & securely to your construction vehicle.


- Strong, durable, reliable. Made of black woven polypropylene webbing and industrial strength Velcro.
- Secures material in seconds in all weather conditions.
 No more wire twists, rubber-hooked tie downs or hard-to-untie knots.
- · UV Resistant, not affected by the sun, heat or cold.

Made in U.S.A.





Plumbers Lead Pot



Lead Ladle



Spark Lighters

- · Round, Single, or Triple Flint
- · Large hood traps more gas
- · File rotates providing a fresh surface for the flint
- Flints good for 1,500 ignitions





PART NUMBER	DESCRIPTION	PKG.
4430	Lighter	12
4432	Extra Flints	5
4437	Shurlite Lighter	12
4438	Extra Flints	5

Lead Melting Furnace


- · Accommodates 6" to 8" lead pots
- · Works off direct propane cylinder pressure
- Fits 3" cylinder spud
- · Stand converts furnace to free standing unit
- 1/4" I.P.T. connections
- · Hose not supplied




Caulking Tools

Made in

U.S.A.



Lead Joint Runners









RAYOVAC batteries are "Sealed in Steel" to meet the demands of industry for longer storage life and are guaranteed against leakage.


Alkaline Batteries



Heavy Duty Batteries



Lantern Battery



Flashlight Bulbs







6V

600

Lantern



RAYDVAC.

Made in

U.S.A.

Industrial Flashlights

325

- Water resistant
- · Non-conduction polypropylene
- · Shock proof
- · Chemical and grease proof
- · Batteries NOT included



363 Made in 365 U.S.A.

Made in

PART NUMBER **BATTERIES SIZE** 362 2 CELL 3 CELL Size D 2 CELL

Industrial Flashlights

- · Economical, yet built to last
- · Batteries NOT included





#369 with magnet

	PART NUMBER	SIZE	BATTERIES
	367	2 CELL	Size D
U.S.A.	369	2 OELL	Size D



Heavy Duty Extension Cords




PART NUMBER	LENGTH	RATING	CORD TYPE
8024	25'	13-A	
8025	50'	13-A	16/3 SJT
8026	100'	10-A	
8028	50'	15-A	14/3 SJT
8029	100'	13-A	14/3 301
8037	50'	15-A	12/3 SJT
8038	100'	15-A	12/0 001

Twist/Lock Type



Trouble Lights



Disposer, Timer & Furnace Cords

20-A

ANGLE CAPS

· Wire Nuts

8082

Romex Connector

50'

• Ends stripped 5/8"

Pigtail



12/3 ST Yellow

PART NUMBER	LENGTH	RATING	CORD TYPE
8121	3'		
8122	4'		16/3
8123	5'	13-A	SPT
8124	6'		
8125	8'		

STRAIGHT CAPS


- · Wire Nuts
- Romex Connector
- Ends stripped 5/8"
- Pigtail



PART NUMBER	LENGTH	RATING	CORD TYPE
8130	3'		
8131	4'		16/3
8132	5'	13-A	SPT
8133	6'		
8134	8'		



Twin Lead Continuity Tester




Vinyl Electrical Tape

- Multi-Climate
- 3/4" x 60 feet
- 3 mil.



PART NUMBER 1716

Screw-On Wire Connectors



Bare Copper Grounding Wire



"Romex" Connector

For garbage disposal pigtails

- Zinc die cast
- · Dry location use



10 per bag
PART
NUMBER

5080

New

Grounding Adapter

- · Bare bronze clamp steel screws
- Fits 1/2" 1" pipe
- 2 strand ground wire max



New

PART NUMBER 5075

U-Ground Male Plug

- · Meets OSHA requirements
- 15 A Rating



PART NUMBER 8380

U-Ground Female Plug

- · Meets OSHA requirements
- 15 A Rating



PART NUMBER 8382

Twist & Lock Male Plug

- · Meets OSHA requirements
- 20 A Rating



PART NUMBER 8420

Twist & Lock Female Plug


- · Meets OSHA requirements
- 20 A Rating




PART NUMBER 8421



Adapters U-Ground 3 Outlet



"Y" Adapter Twist & Lock Male/Female



U-Ground to Twist & Tock



Twist & Lock to U-Ground



Twist & Lock to U-Ground



Thermostat Wire

