




SECTIONAL



Water changes everything



SECTIONALBATHWARE

premium residential bathware

Upgrading?

Hamilton Sectional Bathware is the ultimate renovation and remodel bathing solution.

Beautiful, functional, and designed to accommodate any situation, our Sectional Bathware is available in a variety of styles and sizes.

Two, three, and four-piece showers, tubshowers, and neo-angle showers are designed with the Perfect Pin System that ensures an easy install and perfect fit for each and every model.

Choose from a variety of finishes and colors, including our trademarked CenturyStone[™] Solid Surface and Patent Pending AcrylX[™].

CONTENTS

page 2	smooth wall tub showers
page 5	smooth wall showers
page	simulated tile showers
page 12	Perfect Pin System
page 13	finishes

For the most up to date product offerings, drawings and pricing visit www.hamiltonbathware.com *CenturyStone™ Solid Surface is available on select units only.





G 3060 TS 4P

60" × 31" × 80.75" Enclosure: up to 56.5" × 61"

FEATURES

<u>FINISH</u>	PRODUCT	PIECES	WALL
AcrylX™	Tub Shower	Four	Smooth

OPTIONS

WHIRLPOOLAcrylX™ COLORSYesWhite, Bone, Biscuit
(not available in CenturyStone™ Solid Surface)

<u>ACCESSORIES</u> Drain

TECHNICAL INFORMATION

WT	LOAD FACTOR	HANDED BY
140	1.25	Drain L R
CODES		WARRANTY
ANSI I	24. I , UPC	AcrylX [™] - Lifetime Limited

AVAILABILITY

NORTHEAST	MID / SOUTH
Standard	Standard

G 6017 TS 2P

60'' × 32.5'' × 80'' Enclosure: up to 56.75'' × 61.5''

FEATURES

<u>FINISH</u>	PRODUCT	PIECES	WALL
AcrylX™	Tub Shower	Three	Smooth

OPTIONS

WHIRLPOOL	AcrylX™ COLORS	SOLID SURFACE COLORS
Yes	White, Bone, Biscuit	Solids or Naturals
<u>ACCESSORIES</u>		

Drain

TECHNICAL INFORMATION

WT	LOAD FACTOR	HANDED BY
145	1.13	Drain L R
CODE	S	WARRANTY
ANSI	124.1, UPC	AcrylX [™] - Lifetime Limited
		Solid Surface - 10 Year Limited

NORTHEAST	MID / SOUTH
Not Available	Standard



G 6017 TS 2P FB

60'' × 32.5'' × 78'' Enclosure: up to 56.5'' × 61.5''

FEATURES

<u>FINISH</u>	PRODUCT	PIECES	WALL
AcrylX™	Tub Shower	Two	Smooth

OPTIONS

WHIRLPOOLAcrylX™ COLORSSOLID SURFACE COLORSYesWhite, Bone, BiscuitSolids or NaturalsACCESSORIES
Drain

TECHNICAL INFORMATION

WT	LOAD FACTOR	HANDED BY
150	1.13	Drain L R

COD	ES
ANSI	124.1, UPC

WARRANTY AcrylX[™] - Lifetime Limited Solid Surface - 10 Year Limited

AVAILABILITY

NORTHEAST	MID / SOUTH
Standard	Standard



G 3260 TS 3P

60'' × 32.5'' × 74'' Enclosure: up to 56.75'' × 55.25''

FEATURES

<u>FINISH</u>	PRODUCT	PIECES	WALL
AcrylX™	Tub Shower	Three	Smooth

OPTIONS

WHIRLPOOL	AcrylX™ COLORS	SOLID SURFACE COLORS
Yes	White, Bone, Biscuit	Solids or Naturals
<u>ACCESSORIES</u> Drain		

TECHNICAL INFORMATION

WT	LOAD FACTOR	HANDED BY
150	1.13	Drain L R
CODES	5	WARRANTY
ansi i	24. I, UPC	AcrylX™ - Lifetime Limited Solid Surface - 10Year Limited

NORTHEAST	MID / SOUTH
Standard	Standard



G 6032 TS 2P

60'' × 31.625'' × 72.25'' Enclosure: up to 56.125'' × 56''

FEATURES

FINISHPRODUCTPIECESWALLAcrylX™Tub ShowerThreeSmooth

OPTIONS

WHIRLPOOLAcrylX™ COLORSSOLID SURFACE COLORSYesWhite, Bone, BiscuitSolids or NaturalsACCESSORIES

Drain

TECHNICAL INFORMATION

HANDED BY
Drain L R
WARRANTY
AcrylX [™] - Lifetime Limited Solid Surface - 10 Year Limited

AVAILABILITY

NORTHEAST	MID / SOUTH
Standard	Not Available



G 5494 TS 2P

54'' × 27.25'' × 73.5'' Enclosure: up to 50.625'' × 55''

FEATURES

<u>FINISH</u>	PRODUCT	PIECES	WALL
AcrylX™	Tub Shower	Three	Smooth

OPTIONS

WHIRLPOOL	AcrylX™ COLORS	SOLID SURFACE COLORS
No	White, Bone, Biscuit	Solids or Naturals
<u>ACCESSORIES</u> Drain		

TECHNICAL INFORMATION

WT	LOAD FACTOR	HANDED BY
120		Drain L R
CODES		WARRANTY
ansi i	24. I , UPC	AcrylX [™] - Lifetime Limited Solid Surface - 10 Year Limited

NORTHEAST	MID / SOUTH
Standard	Standard



G 3260 SH IS 4P

60'' × 32'' × 77.5'' Enclosure: up to 56.625'' × 72.5''

FEATURES

<u>FINISH</u>	PRODUCT	PIECES	WALL
AcrylX™	Shower	Four	Smooth

OPTIONS

WHIRLPOOL	<u>AcryIX™ COLORS</u>
No	White, Bone, Biscuit
	(not available in CenturyStone™ Solid Surface)

ACCESSORIES

Drain

TECHNICAL INFORMATION

WT	LOAD FACTOR	HANDED BY
125	1.20	Seat L R
CODE	ES	WARRANTY
ANSI	124.2, UPC	AcrylX [™] - Lifetime Limited

AVAILABILITY

NORTHEAST	MID / SOUTH
Standard	Standard

G 4887 SH 3P IS

48'' × 35.5'' × 77.5'' Enclosure: up to 44.625'' × 67.75''

FEATURES

<u>FINISH</u>	PRODUCT	PIECES	WALL	SEAT
AcrylX™	Shower	Three	Smooth	One

OPTIONS

WHIRLPOOL	AcrylX™ COLORS	SOLID SURFACE COLORS
No	White, Bone, Biscuit	Solids or Naturals
<u>ACCESSORIES</u>		

Drain

TECHNICAL INFORMATION

WT	LOAD FACTOR	HANDED BY
135	I	Seat L R
CODE	ES	WARRANTY

ANSI 124.2, UPC	AcrylX [™] - Lifetime Limited
	Solid Surface - 10 Year Limited

NORTHEAST	MID / SOUTH
Standard	Standard





G 4887 SH 2P IS

48'' × 35.5'' × 77.5'' Enclosure: up to 44.625'' × 67.75''

FEATURES

<u>FINISH</u>	PRODUCT	PIECES	WALL	SEAT
AcrylX™	Shower	Two	Smooth	One

OPTIONS

WHIRLPOOLAcrylX™ COLORSSOLID SURFACE COLORSNoWhite, Bone, BiscuitSolids or NaturalsACCESSORIES

Drain

TECHNICAL INFORMATION

WT	LOAD FACTOR	HANDED BY
135		Seat L R

Sea
I

<u>CODES</u> ANSI 124.2, UPC WARRANTY AcrylX[™] - Lifetime Limited Solid Surface - 10 Year Limited

AVAILABILITY

NORTHEAST	MID / SOUTH
Not Available	Standard

G 4836 SH 2P IS

48'' × 36.25'' × 73'' Enclosure: up to 44.625'' × 65.25''

FEATURES

FINISH	PRODUCT	PIECES	WALL	SEAT
AcrylX™	Shower	Two	Smooth	One

OPTIONS

WHIRLPOOL	AcrylX™ COLORS	SOLID SURFACE COLORS
No	White, Bone, Biscuit	Solids or Naturals
<u>ACCESSORIES</u>		
Drain		

TECHNICAL INFORMATION

<u>WT</u> 119	LOAD FACTOR	HANDED BY Seat L R
CODE	S	WARRANTY
ANSI	124.2, UPC	AcrylX™ - Lifetime Limited
		Solid Surface - 10 Year Limited

NORTHEAST	MID / SOUTH
Standard	Not Available





G 3679 SH 3P

36'' × 36'' × 77.75'' Enclosure: up to 32.658'' × 69.75''

FEATURES

<u>FINISH</u>	PRODUCT	PIECES	WALL
AcrylX™	Shower	Three	Smooth

OPTIONS

WHIRLPOOL	AcrylX™ COLORS	SOLID SURFACE COLORS
No	White, Bone, Biscuit	Solids or Naturals
<u>ACCESSORIES</u>		

Drain

TECHNICAL INFORMATION

WT	LOAD FACTOR	HANDED BY
103	I	Center Drain
CODE	S	WARRANTY
ANSI	124.2, UPC	AcrylX [™] - Lifetime Limited
		Solid Surface - 10 Year Limited

AVAILABILITY

NORTHEAST	MID / SOUTH
Standard	Standard

G 3687 SH 2P

36'' x 36'' x 78'' Enclosure: up to 32.25'' x 70''

FEATURES

<u>FINISH</u>	PRODUCT	PIECES	WALL
AcrylX™	Shower	Two	Smooth

OPTIONS

WHIRLPOOL	AcrylX™ COLORS	SOLID SURFACE COLORS
No	White, Bone, Biscuit	Solids or Naturals
<u>ACCESSORIES</u>		
Drain		

TECHNICAL INFORMATION

WT	LOAD FACTOR	HANDED BY
103	I	Center Drain
CODE	S	WARRANTY
ANSI	24.2, UPC	AcrylX [™] - Lifetime Limited
		Solid Surface - 10 Year Limited

NORTHEAST	MID / SOUTH
Not Available	Standard





G 3635 SH 2P

36'' × 36.25'' × 72.625'' Enclosure: up to 33.375'' x 65.375''

FEATURES

FINISH PRODUCT PIECES WALL AcrylX[™] Shower Two Smooth

OPTIONS

WHIRLPOOL AcrylX[™] COLORS SOLID SURFACE COLORS White, Bone, Biscuit Solids or Naturals No ACCESSORIES Drain **TECHNICAL INFORMATION** WT LOAD FACTOR HANDED BY 103 I Center Drain CODES WARRANTY

ANSI 124.2, UPC	AcrylX [™] - Lifetime Limited
	Solid Surface - 10 Year Limited

AVAILABILITY

MID / SOUTH NORTHEAST Standard Not Available

G 3232 SH 2P

32'' × 33.25'' × 73'' Enclosure: up to 29.125'' x 65.75''

FEATURES

<u>FINISH</u>	PRODUCT	PIECES	WALL
AcrylX™	Shower	Two	Smooth

OPTIONS

WHIRLPOOL	AcrylX™ COLORS	SOLID SURFACE COLORS
No	White, Bone, Biscuit	Solids or Naturals
ACCESSORIES		

Drain

TECHNICAL INFORMATION

<u>WT</u> 93	LOAD FACTOR 0.66	HANDED BY Center Drain
CODE	S	WARRANTY
ANSI	24.2, UPC	AcrylX [™] - Lifetime Limited Solid Surface - 10 Year Limited

NORTHEAST	MID / SOUTH
Standard	Not Available





G 3275 SH 2P

31.75" × 33.75" × 76" Enclosure: up to 27.25" × 69.25"

FEATURES

<u>FINISH</u>	PRODUCT	PIECES	WALL
AcrylX™	Shower	Two	Smooth

OPTIONS

WHIRLPOOLAcrylX™ COLORSSOLID SURFACE COLORSNoWhite, Bone, BiscuitSolids or NaturalsACCESSORIES

Drain

TECHNICAL INFORMATION

WT	LOAD FACTOR	HANDED BY
93	0.66	Center Drain
CODES		WARRANTY
ansi i	24.2, UPC	AcrylX [™] - Lifetime Limited Solid Surface - 10 Year Limited

AVAILABILITY

NORTHEAST	MID / SOUTH
Not Available	Standard

G 4080 NA 2P

41'' × 41'' × 80'' Enclosure: up to 19'' × 24'' × 19'' × 69.5''

FEATURES

FINISHPRODUCTPIECESWALLAcrylX™ShowerOneSmooth

OPTIONS

WHIRLPOOL	AcryIX™ COLORS	SOLID SURFACE COLORS
N/A	White, Bone, Biscuit	Solids or Naturals
<u>ACCESSORIES</u>		
Drain		

TECHNICAL INFORMATION

WT	LOAD FACTOR	HANDED BY
123	1	Center Drain
CODE	S	WARRANTY
ansi i	24. I , UPC	AcrylX™ - Lifetime Limited
		Solid Surface - 10 Year Limited

NORTHEAST	MID / SOUTH
Not Available	Standard





G 3838 NA 2P

39.375'' × 39.375'' × 78.75'' Enclosure: up to 18.5'' × 24'' × 18.5'' × 72.5''

FEATURES

FINISHPRODUCTPIECESWALLAcrylX™ShowerOneSmooth

OPTIONS

WHIRLPOOLAcrylX™ COLORSSOLID SURFACE COLORSN/AWhite, Bone, BiscuitSolids or NaturalsACCESSORIESDrainSolids or Naturals

TECHNICAL INFORMATION

WT	LOAD FACTOR	HANDED BY
123	I	Center Drain
CODE	S	WARRANTY
ANSI	124.2 UPC	AcrylX [™] - Lifetime Limited
		Solid Surface - 10 Year Limited

NORTHEAST	MID / SOUTH
Standard	Not Available



M 6032 SH IS 3P Tile

60'' × 33'' × 77'' Enclosure: up to 55.75'' × 71''

FEATURES

FINISH	PRODUCT	PIECES	WALL
AcrylX™	Shower	Three	Simulated Tile

OPTIONS

WHIRLPOOLAcrylX™ COLORSSOLID SURFACE COLORSNoWhite, Bone, BiscuitSolids or Naturals

<u>ACCESSORIES</u>

Drain

TECHNICAL INFORMATION

WT	LOAD FACTOR	HANDED BY
140	1.13	Seat L R
CODE	S	WARRANTY
ansi i	24.2, UPC	AcrylX [™] - Lifetime Limited
		Solid Surface - 10 Year Limited

AVAILABILITY

NORTHEAST	MID / SOUTH
Standard	Standard



48'' × 37'' × 79.5'' Enclosure: up to 44.75'' × 74''

FEATURES

<u>FINISH</u>	PRODUCT	PIECES	WALL
AcrylX™	Shower	Three	Simulated Tile

OPTIONS

WHIRLPOOL	AcrylX™ COLORS	SOLID SURFACE COLORS
No	White, Bone, Biscuit	Solids or Naturals
<u>ACCESSORIES</u>		
Drain		

TECHNICAL INFORMATION

WT LOAD FACTOR	<u>HANDED BY</u> Seat L R
<u>CODES</u>	WARRANTY
ANSI 124.2, UPC	AcrylX™ - Lifetime Limited Solid Surface - 10 Year Limited

AVAILABILITY

NORTHEAST	MID / SOUTH
Standard	Standard

simulated tile showers ||



The Praxis Perfect Pin System is an integral assembly guidance system that allows the installation of Praxis sectional models completely from the front of the unit.

Integral self-locating metal guide pins are fully glassed-in and easily fit into pre-drilled guide slots which allow ease of assemble without having to view the pin and slots. The Praxis Perfect Pin System allows easy and simple front-side installation - no need to access behind the framing pocket.

Creating a perfect fit each time, the Perfect Pin System leaves a near invisible seam line that is easily caulked leaving a beautiful finish and groutless appearance.

INTEGRAL SELF-LOCATING METAL GUIDE PINS PAN BASE DETAIL

5 1 2 3 SIDE VIEW 8 INTEGRAL SELF-LOCATING 9 METAL GUIDE PIN DETAIL Metal guide pins are fully glassed-in during the manufacturing process and are integral to the unit. 1 WALL PANEL 2 SHOWER PAN BASE

- 3 STUD LINE
- 4 MOUNTING SCREW
- 5 WALL BOARD
- 6 INTEGRAL SELF-LOCATING METAL GUIDE PINS
- 7 INTEGRAL SELF-LOCATING METAL GUIDE PINS
- 8 SILICONE BEAD
- 9 FIBERGLASS SHOWER


erfect Pin System

INTEGRAL SELF-LOCATING METAL GUIDE PIN & PRE-DRILLED ALIGNMENT HOLE



SUPERIOR FINISH- AcryIX[™] AcryIX has a visibly true white, deep lustrous finish that can only be achieved with an acrylic surface. Whether in a warehouse or a new house, an AcrylX product will resist scratching, cracking and chipping and will maintain a "factory-new" finish over its lifetime. AcrylX's™ UV properties resist fading, low porosity helps maintain luster and make cleaning easier, and other natural properties make it less susceptible to chemicals. AcrylX[™] bathware- stronger, brighter white- is covered by an unprecedinted lifetime, limited warranty.

CenturyStone[™] SOLID SURFACE is patented, solid surface technology that creates a strong, long lasting, seamless, non-porous, solid surface product. Perfect for healthcare, hospitality and up-scale residential applications. Aquarius solid surface bathware is covered by a ten year, limited warranty.



















Color samples are representative only. Printing may cause some variations to the color. To purchase color chip samples please contact customer service.

Non standard colors may be found on our websites or requested by contacting customer service. As in all batch manufacturing, slight variations may occur.

CenturyStone[™] Solid Surface is available on select units only.





Customer Service: 800.443.7269 Fax: 731.925.4290 435 Industrial Road I Savannah, TN I 38372 www.hamiltonbathware.com

The Praxis Companies, LLC. Copyright 2017 All rights reserved and subject to change HAMSEC1503/1216