



# SPECIFICATION SHEET

## 22-730



### KUT GARD® SEAMLESS KNIT POLYKOR™ BLENDED GLOVE – LIGHT WEIGHT

- Seamless knit construction provides comfort, fit, and dexterity
- PolyKor™ engineered yarns offer exceptional cut and slash resistance
- Ambidextrous pattern permits glove to be worn on either hand, extending wear and reducing costs
- Special non-latex cuff dramatically reduces cuff blowout, even after multiple launderings in bleach
- Can be worn on its own or as a glove liner
- Good gripping properties
- Shrink resistant
- Made from component materials that comply with Federal Regulations for food contact 21 CFR, 170-199

### APPLICATIONS

- Food service and processing
- Glass and metal handling

### CARE INSTRUCTIONS

Can be washed in caustic detergents and bleach.

### TECHNICAL DATA

MATERIAL	PolyKor™ Engineered Yarn / Stainless Steel / Synthetic Fibers
CONSTRUCTION	13 gauge ambidexterous seamless knit
COLOR	<input type="checkbox"/> White
CUFF STYLE	Knitted elasticized wrist
SIZES	XS - XL
PACKAGING	24 each per case
CASE DIMENSIONS	12.0" x 6.0" x 6.0" / 30.5cm x 15.3cm x 15.3cm
CASE WEIGHT	1.4 lbs / 0.6 kg
COO	USA



### DIMENSIONS (in/cm)

	XS	S	M	L	XL
<b>A</b>	8.0 / 20.3	8.5 / 21.6	10.0 / 25.4	10.5 / 26.7	11.0 / 27.9
<b>B</b>	3.75 / 9.5	4.0 / 10.2	4.25 / 10.8	4.5 / 11.4	4.5 / 11.4
<b>H</b>	<input checked="" type="checkbox"/> Black	<input checked="" type="checkbox"/> Yellow	<input checked="" type="checkbox"/> Blue	<input type="checkbox"/> White	<input checked="" type="checkbox"/> Green

### CUT RESISTANCE PROPERTIES

- ASTM F2992-15 ANSI Cut Level A4 (Adopted by ANSI/ISEA 02/16)
- ASTM F1790-05 ANSI Cut Level 4

### BARCODES

ITEM	EACH	DOZEN	CASE
<input type="checkbox"/> 22-730XS	616314017513	01616314017551	02616314017551
<input type="checkbox"/> 22-730S	616314017520	01616314017544	02616314017544
<input type="checkbox"/> 22-730M	616314017537	01616314017537	02616314017537
<input type="checkbox"/> 22-730L	616314017544	01616314017520	02616314017520
<input type="checkbox"/> 22-730XL	616314017551	01616314017513	02616314017513

