



Marine & Offshore Products

EverTUFF® CTS CPVC Hot & Cold Water Distribution Pipe & Fittings

EverTUFF® CTS CPVC Hot & Cold Water Distribution Pipe & Fittings



PRODUCT

Contact Spears® for any Information not found.



CTS CPVC Pipe - USCG Approved

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	-----------	-------------	--------------	------

CTS CPVC Pipe SDR 11 - CTS MARINE

10 Ft Length

Priced per foot

NSF® Certified Lead Free

CG-CTS-005	1/2	500	0	176	1.36
CG-CTS-007	3/4	250	0	176	2.43
CG-CTS-010	1	150	0	176	5.00
CG-CTS-012	1-1/4	100	0	176	7.41
CG-CTS-015	1-1/2	100	0	176	9.83
CG-CTS-020	2	50	0	176	16.63



CTS CPVC Pipe SDR 11 - CTS MARINE

20 FT Lengths

Priced per foot

NSF® Certified Lead Free

CG-CTS-005-20	1/2	1000	0	176	1.36
CG-CTS-007-20	3/4	500	0	176	2.43
CG-CTS-010-20	1	300	0	176	5.00
CG-CTS-012-20	1-1/4	200	0	176	7.41
CG-CTS-015-20	1-1/2	200	0	176	9.83
CG-CTS-020-20	2	100	0	176	16.63



Pipe - CPVC CTS Coiled SDR 11 - CTS MARINE

100 ft. Coil, Priced Per Foot

NSF® Certified Lead Free

CG-CTS-005-100	1/2	100	0	176	1.59
CG-CTS-007-100	3/4	100	0	176	3.04
CG-CTS-010-100	1	100	0	176	6.25



CPVC CTS COILED PIPE WEIGHTS:

CTS-005-100 Weight per Foot .090 lbs; per Coil Weight 9 lbs.

CTS-007-100 Weight per Foot .149 lbs; per Coil Weight 14.9 lbs.

CTS-010-100 Weight per Foot .239 lbs; per Coil Weight 23.9 lbs.

WARNING: Banded coils will expand when opened. Exercise caution to avoid injury during banding removal.

CTS CPVC Fittings & Valves - ABS & USCG Approved

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	-----------	-------------	--------------	------

Tee - CTS MARINE

Socket x Socket x Socket

NSF® Certified Lead Free

CG-4101-005	1/2	100	500	173	1.41
CG-4101-007	3/4	50	250	173	2.63
CG-4101-010	1	10	100	173	13.20
CG-4101-012	1-1/4	10	100	173	20.35
CG-4101-015	1-1/2	5	50	173	26.51
CG-4101-020	2	5	25	173	42.84



Tee - Reducing - CTS MARINE

Socket x Socket x Socket

NSF® Certified Lead Free

CG-4101-074	1/2X1/2X3/4	10	100	173	4.89
CG-4101-094	3/4X1/2X1/2	50	250	173	2.62
CG-4101-095	3/4X1/2X3/4	25	250	173	3.58
CG-4101-101	3/4X3/4X1/2	50	250	173	2.73
CG-4101-102 ¹	3/4X3/4X1	10	100	173	29.24
CG-4101-120 ¹	1X1/2X1/2	10	100	173	31.52
CG-4101-121 ¹	1X1/2X3/4	10	100	173	32.37
CG-4101-122 ¹	1X1/2X1	10	100	173	24.67
CG-4101-124 ¹	1X3/4X1/2	10	100	173	29.42
CG-4101-125	1X3/4X3/4	10	100	173	16.08
CG-4101-126 ¹	1X3/4X1	10	100	173	23.54
CG-4101-130	1X1X1/2	10	100	173	15.05
CG-4101-131	1X1X3/4	10	100	173	14.37
CG-4101-138 ¹	1-1/4X1/2X1/2	10	80	173	36.74
CG-4101-139 ¹	1-1/4X1/2X3/4	10	80	173	36.74
CG-4101-142 ¹	1-1/4X1/2X1-1/4	10	80	173	36.74
CG-4101-146 ¹	1-1/4X3/4X1/2	10	80	173	36.74
CG-4101-147 ¹	1-1/4X3/4X3/4	10	80	173	32.82
CG-4101-148 ¹	1-1/4X3/4X1	10	80	173	35.57
CG-4101-149 ¹	1-1/4X3/4X1-1/4	10	80	173	32.68
CG-4101-156 ¹	1-1/4X1X1/2	10	80	173	34.74
CG-4101-157 ¹	1-1/4X1X3/4	10	80	173	33.25
CG-4101-158 ¹	1-1/4X1X1	10	100	173	34.15
CG-4101-159 ¹	1-1/4X1X1-1/4	10	80	173	38.31
CG-4101-166	1-1/4X1/2	10	100	173	36.74
CG-4101-167	1-1/4X3/4	10	100	173	32.68
CG-4101-168	1-1/4X1-1/4X1	10	100	173	34.56
CG-4101-169	1-1/4X1-1/4X1-1/2	5	40	173	36.74
CG-4101-173 ¹	1-1/2X1/2X1/2	5	40	173	44.51
CG-4101-174 ¹	1-1/2X1/2X3/4	5	40	173	44.51
CG-4101-175 ¹	1-1/2X1/2X1	5	40	173	44.51
CG-4101-176 ¹	1-1/2X1/2X1-1/4	5	40	173	44.51
CG-4101-177 ¹	1-1/2X1/2X1-1/2	5	40	173	44.51
CG-4101-182 ¹	1-1/2X3/4X1/2	5	40	173	44.51



**CTS CPVC Fittings & Valves - ABS & USCG Approved**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Tee - Reducing - CTS MARINE (continued)**Socket x Socket x Socket**

CG-4101-184 ¹	1-1/2X3/4X3/4	5	40	173	44.51
CG-4101-185 ¹	1-1/2X3/4X1	5	40	173	44.51
CG-4101-186 ¹	1-1/2X3/4X1-1/4	5	40	173	44.51
CG-4101-188 ¹⁴	1-1/2X3/4X1-1/2	5	40	173	44.51
CG-4101-193 ¹	1-1/2X1X1/2	5	40	173	44.51
CG-4101-194 ¹	1-1/2X1X3/4	5	40	173	44.51
CG-4101-195 ¹	1-1/2X1X1	10	100	173	44.51
CG-4101-196 ¹	1-1/2X1X1-1/4	5	40	173	44.51
CG-4101-197 ¹	1-1/2X1X1-1/2	5	40	173	44.51
CG-4101-199 ¹	1-1/2X1-1/4X1/2	5	40	173	44.51
CG-4101-201 ¹	1-1/2X1-1/4X3/4	5	40	173	44.51
CG-4101-202 ¹	1-1/2X1-1/4X1	5	40	173	44.51
CG-4101-203 ¹	1-1/2X1-1/4X1-1/4	5	40	173	44.51
CG-4101-204 ¹	1-1/2X1-1/4X1-1/2	5	40	173	44.51
CG-4101-209	1-1/2X1-1/2X1/2	10	50	173	39.54
CG-4101-210	1-1/2X3/4	10	100	173	32.96
CG-4101-211	1-1/2X1	5	50	173	30.19
CG-4101-212 ¹	1-1/2X1-1/2X1-1/4	5	50	173	44.51
CG-4101-213 ¹	1-1/2X1-1/2X2	5	0	173	44.51
CG-4101-216 ¹	2X1/2X1/2	5	0	173	55.72
CG-4101-217 ¹	2X1/2X3/4	5	0	173	55.72
CG-4101-218 ¹	2X1/2X1	5	0	173	55.72
CG-4101-219 ¹	2X1/2X1-1/4	5	0	173	55.72
CG-4101-220 ¹	2X1/2X1-1/2	5	0	173	55.72
CG-4101-221 ¹	2X1/2X2	5	0	173	55.72
CG-4101-222 ¹	2X3/4X1/2	5	0	173	55.72
CG-4101-223 ¹	2X3/4X3/4	5	0	173	55.72
CG-4101-224 ¹	2X3/4X1	5	0	173	55.72
CG-4101-225 ¹	2X3/4X1-1/4	5	0	173	55.72
CG-4101-226 ¹	2X3/4X1-1/2	5	0	173	55.72
CG-4101-227 ¹	2X3/4X2	5	0	173	55.72
CG-4101-228 ¹	2X1X1/2	5	0	173	55.72
CG-4101-229 ¹	2X1X3/4	5	0	173	55.72
CG-4101-230 ¹	2X1X1	5	0	173	55.72
CG-4101-231 ¹	2X1X1-1/4	5	0	173	55.72
CG-4101-232 ¹	2X1X1-1/2	5	0	173	55.72
CG-4101-233 ¹	2X1X2	5	0	173	55.72
CG-4101-234 ¹	2X1-1/4X1/2	5	0	173	55.72
CG-4101-235 ¹	2X1-1/4X3/4	5	0	173	55.72
CG-4101-236 ¹	2X1-1/4X1	5	0	173	55.72
CG-4101-237 ¹	2X1-1/2X1/2	5	0	173	55.72
CG-4101-238 ¹	2X1-1/2X3/4	5	0	173	55.72
CG-4101-239 ¹	2X1-1/2X1	5	0	173	55.72
CG-4101-240 ¹	2X1-1/2X1-1/4	5	0	173	55.72
CG-4101-241 ¹	2X1-1/2X1-1/2	5	0	173	55.72
CG-4101-242 ¹	2X1-1/4X1-1/4	5	0	173	55.72
CG-4101-243 ¹	2X1-1/4X1-1/2	5	0	173	55.72
CG-4101-244 ¹	2X1-1/4X2	5	0	173	55.72
CG-4101-247	2X1/2	10	30	173	49.98
CG-4101-248	2X3/4	5	25	173	42.98

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Tee - Reducing - CTS MARINE (continued)**Socket x Socket x Socket**

CG-4101-249	2X1	5	25	173	42.98
CG-4101-250 ¹	2X2X1-1/4	5	25	173	48.43
CG-4101-251 ¹	2X2X1-1/2	5	25	173	48.43
CG-4101-257 ¹	2X1-1/2X2	5	0	173	48.43

¹ Outlet sized with bushing.**90° EII - CTS MARINE****Socket x Socket****NSF® Certified Lead Free**

CG-4106-005	1/2	100	1000	173	1.09
CG-4106-007	3/4	50	500	173	1.80
CG-4106-010	1	10	100	173	5.26
CG-4106-012	1-1/4	10	100	173	10.52
CG-4106-015	1-1/2	10	100	173	18.95
CG-4106-020	2	5	100	173	36.37

90° EII - Reducing - CTS MARINE**Socket x Socket****NSF® Certified Lead Free**

CG-4106-101	3/4X1/2	50	250	173	3.80
CG-4106-130 ¹	1X1/2	25	200	173	14.38
CG-4106-131 ¹	1X3/4	25	200	173	14.40
CG-4106-167 ¹	1/4X3/4	10	80	173	23.93
CG-4106-168 ¹	1-1/4X1	10	80	173	22.82
CG-4106-209 ¹	1-1/2X1/2	10	0	173	38.74
CG-4106-210 ¹	1-1/2X3/4	10	0	173	38.74
CG-4106-211 ¹	1-1/2X1	10	0	173	38.21
CG-4106-212 ¹	1-1/2X1-1/4	10	0	173	38.21
CG-4106-247 ¹	2X1/2	5	30	173	79.52
CG-4106-248 ¹	2X3/4	5	30	173	77.69
CG-4106-249 ¹	2X1	5	30	173	76.84
CG-4106-250 ¹	2X1-1/4	5	30	173	76.79
CG-4106-251 ¹	2X1-1/2	5	30	173	76.79

¹ Outlet sized with bushing**90° EII - Special Reinforced - CTS MARINE****Socket x SR Fipt - Stainless Steel Collar****NSF® Certified Lead Free**

CG-4107-005SR	1/2	50	300	173	12.21
---------------	-----	----	-----	-----	-------

Drop Ear 90° EII - CPVC Fitting with Bracket - CTS MARINE**Socket x Socket****NSF® Certified Lead Free**

CG-DE4106-005	1/2	25	150	173	3.32
---------------	-----	----	-----	-----	------

Marine & Offshore Products
CTS CPVC Fittings & Valves - ABS & USCG Approved



CTS CPVC Fittings & Valves - ABS & USCG Approved

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Drop Ear 90° EII - Special Reinforced CPVC Fitting with Bracket - CTS MARINE

Socket x SR Fipt - Stainless Steel Collar

NSF® Certified Lead Free

CG-DE4107-005SR	1/2	10	200	173	12.59
-----------------	-----	----	-----	-----	-------



Drop Ear EII Bracket ONLY - CTS MARINE

For 4107-005SR

CG-DET-005	1/2	400	0	173	2.48
------------	-----	-----	---	-----	------



Drop Ear EII - Stainless Steel Thread - CTS MARINE

Drop Ear EII - Stainless Steel Thread

NSF® Certified Lead Free

CG-DE4107-005SS	1/2	100	0	173	26.24
-----------------	-----	-----	---	-----	-------



Drop Ear EII - Stainless Steel Thread/CPVC Body - CTS MARINE

Socket x SS Fipt

NSF® Certified Lead Free

CG-DE4107005CSS	1/2	100	0	173	18.66
-----------------	-----	-----	---	-----	-------



90° Street EII - CTS MARINE

Spigot x Socket

NSF® Certified Lead Free

CG-4109-005	1/2	100	500	173	1.29
CG-4109-007	3/4	50	250	173	2.06
CG-4109-010	1	50	100	173	9.48



90° Stub Out EII - CTS MARINE

Socket x Closed End

NSF® Certified Lead Free

CG-S4106-005	1/2	50	0	173	18.57
--------------	-----	----	---	-----	-------



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

45° EII - CTS MARINE

Socket x Socket

NSF® Certified Lead Free

CG-4117-005	1/2	100	500	173	1.38
CG-4117-007	3/4	50	250	173	2.41
CG-4117-010	1	10	100	173	6.11
CG-4117-012	1-1/4	10	100	173	12.95
CG-4117-015	1-1/2	10	100	173	18.77
CG-4117-020	2	10	100	173	39.31



45° Street EII - CTS MARINE

Spigot x Socket

NSF® Certified Lead Free

CG-4127-005	1/2	100	500	173	2.95
CG-4127-007	3/4	50	250	173	3.95
CG-4127-010	1	50	250	173	11.36



Coupling - CTS MARINE

Socket x Socket

NSF® Certified Lead Free

CG-4129-005	1/2	100	1000	173	.89
CG-4129-007	3/4	50	500	173	1.20
CG-4129-010	1	10	100	173	5.36
CG-4129-012	1-1/4	10	100	173	6.93
CG-4129-015	1-1/2	10	100	173	9.79
CG-4129-020	2	10	50	173	18.64



GripLoc™ Coupling - CTS MARINE

WARNING: DO NOT INSERT FINGERS
Grip Socket x Grip Socket -

Uses No Solvent Cement. NSF® Certified Lead Free

CG-GL4129-005	1/2	1	75	173	20.78
CG-GL4129-007	3/4	1	50	173	21.64
CG-GL4129-010	1	12	24	173	27.41




Gripper is 410 Stainless Steel

Female Adapter with O-ring Gasket - CTS MARINE

Socket x Thread

For Cold Water Service Only - NSF® Certified Lead Free

CG-4135-005OR	1/2	100	500	173	3.88
CG-4135-007OR	3/4	50	250	173	5.47
CG-4135-010OR	1	10	100	173	6.35



**CTS CPVC Fittings & Valves - ABS & USCG Approved**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Female Adapter - Special Reinforced - CTS MARINE**Socket x SR Fipt - Stainless Steel Collar**

NSF® Certified Lead Free

CG-4135-005SR	1/2	25	200	173	10.48
CG-4135-007SR	3/4	25	300	173	11.53
CG-4135-010SR	1	5	100	173	14.62

**Female Adapter - Reducing Special Reinforced - CTS MARINE****Socket x SR Fipt - Stainless Steel Collar**

NSF® Certified Lead Free

CG-4135-131SR	1X3/4	25	150	173	20.36
---------------	-------	----	-----	-----	-------

**Female Adapter - Stainless Steel Thread Transition - CTS MARINE****Socket x SS Fipt**

NSF® Certified Lead Free

CG-4135-005SS	1/2	25	150	173	13.09
CG-4135-007SS	3/4	25	150	173	18.78
CG-4135-010SS	1	25	100	173	31.17
CG-4135-012SS	1-1/4	16	0	173	71.79
CG-4135-015SS	1-1/2	16	0	173	120.46
CG-4135-020SS	2	8	0	173	178.06

**Male Adapter - CTS MARINE****Mipt x Socket**

For Cold Water Service Only - NSF® Certified Lead Free

CG-4136-005	1/2	100	1000	173	1.15
CG-4136-007	3/4	50	500	173	1.94
CG-4136-010	1	10	100	173	9.19
CG-4136-012	1-1/4	10	100	173	14.21
CG-4136-015	1-1/2	10	100	173	17.54
CG-4136-020	2	10	100	173	28.91

**Male Adapter - Spigot - CTS Marine****Mipt xx Spigot**

For Cold Water Service Only - NSF® Certified Lead Free

CG-4161-005	1/2	50	700	173	3.69
-------------	-----	----	-----	-----	------



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Male Adapter - Internal Stainless Steel Reinforced - CTS MARINE**R Mipt x Socket - Stainless Steel Sleeve**

NSF® Certified Lead Free

CG-4136-005R	1/2	25	300	173	13.45
CG-4136-007R	3/4	25	300	173	14.95
CG-4136-010R	1	10	120	173	22.27

**Male Adapter - Transition with Stainless Steel Thread - CTS MARINE****Socket x SS Mipt**

NSF® Certified Lead Free

CG-4136-005SS	1/2	25	150	173	13.11
CG-4136-007SS	3/4	25	150	173	20.74
CG-4136-010SS	1	25	0	173	35.09
CG-4136-012SS	1-1/4	16	0	173	70.31
CG-4136-015SS	1-1/2	16	0	173	120.46
CG-4136-020SS	2	8	0	173	132.52

**Reducer Bushing - CTS MARINE****Spigot x Socket**

NSF® Certified Lead Free

CG-4137-101	3/4X1/2	10	500	173	1.37
CG-4137-130	1X1/2	10	100	173	4.47
CG-4137-131	1X3/4	10	100	173	4.47
CG-4137-166	1-1/4X1/2	10	100	173	5.79
CG-4137-167	1-1/4X3/4	10	100	173	5.79
CG-4137-168	1-1/4X1	10	100	173	5.79
CG-4137-209	1-1/2X1/2	10	100	173	7.29
CG-4137-210	1-1/2X3/4	10	100	173	7.29
CG-4137-211	1-1/2X1	10	100	173	7.64
CG-4137-212	1-1/2X1-1/4	10	100	173	7.95
CG-4137-247	2X1/2	10	50	173	16.57
CG-4137-248	2X3/4	10	50	173	16.57
CG-4137-249	2X1	10	60	173	16.57
CG-4137-250	2X1-1/4	10	50	173	16.57
CG-4137-251	2X1-1/2	10	100	173	16.57

**Transition Bushing - CTS MARINE****IPS Spigot x CTS Socket**

NSF® Certified Lead Free

CG-4140-005	1/2	10	600	173	5.78
CG-4140-007	3/4	10	100	173	6.04
CG-4140-010	1	10	100	173	6.67
CG-4140-015	1-1/2	10	100	173	10.41
CG-4140-012	1-1/4	10	100	173	8.25
CG-4140-020	2	10	50	173	11.36



Marine & Offshore Products
CTS CPVC Fittings & Valves - ABS & USCG Approved



CTS CPVC Fittings & Valves - ABS & USCG Approved

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Transition Coupling - CTS MARINE

IPS Socket x CTS Socket

NSF® Certified Lead Free

CG-4141-007	3/4	25	300	173	4.14
-------------	-----	----	-----	-----	------

Cap - CTS MARINE

Socket

NSF® Certified Lead Free

CG-4147-005	1/2	100	500	173	.99
CG-4147-007	3/4	50	250	173	1.25
CG-4147-010	1	10	100	173	4.57
CG-4147-012	1-1/4	10	100	173	6.29
CG-4147-015	1-1/2	10	100	173	9.68
CG-4147-020	2	10	50	173	19.54

GripLoc™ Cap - CTS MARINE

WARNING: DO NOT INSERT FINGERS Grip Socket

Uses No Solvent Cement. NSF® Certified Lead Free

CG-GL4147-005	1/2	25	200	173	20.21
CG-GL4147-007	3/4	25	150	173	21.46
CG-GL4147-010	1	10	50	173	23.91

Gripper is 410 Stainless Steel

Union - CTS MARINE

Socket with EPDM O-ring Seal

100 psi Maximum Internal Pressure @ 180°F (82°C) - NSF® Certified Lead Free

CG-4197-005	1/2	25	150	173	10.53
CG-4197-007	3/4	12	48	173	16.68
CG-4197-010	1	36	0	173	27.36
CG-4197-012	1-1/4	12	48	173	53.40
CG-4197-015	1-1/2	12	0	173	56.74
CG-4197-020	2	6	36	173	89.17

Union - Special Reinforced - CTS MARINE

Socket x SR Fipt - EPDM O-ring Seal, Stainless Steel Collar

100 psi Maximum Internal Pressure @ 180°F (82°C) - NSF® Certified Lead Free

CG-4199-005SR	1/2	20	120	173	19.20
CG-4199-007SR	3/4	10	60	173	32.95

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Union - Special Reinforced - CTS MARINE (continued)

Socket x SR Fipt - EPDM O-ring Seal, Stainless Steel Collar

CG-4199-010SR	1	10	40	173	54.72
---------------	---	----	----	-----	-------

CPVC-PEX Transition Spigot Adapters - CTS MARINE

Spigot x PEX Barb-Crimp Style

CPVC Spigot is also (Socket)

NSF® Certified Lead Free

CG-TPC-005	1/2	25	150	173	32.56
CG-TPC-007	3/4 (1/2)	25	100	173	36.69
CG-TPC-010	1(3/4)	25	50	173	50.98

ASTM F1807 PEX Connector, Stainless Steel

CPVC-PEX Transition Socket Adapters - CTS MARINE

Socket x PEX Barb-Crimp Style

CPVC Socket is also (Spigot)

NSF® Certified Lead Free

CG-TPC-005-S	1/2 (3/4)	25	150	173	32.56
CG-TPC-007-S	3/4(1)	25	100	173	36.69
CG-TPC-010-S	1(1-1/4)	50	300	173	50.98

ASTM F1807 PEX Connector, Stainless Steel

Water Hammer Arrester - CTS MARINE

Spigot

NSF® Certified Lead Free

CG-WHA-005	1/2	25	100	173	26.47
------------	-----	----	-----	-----	-------

Quarter Turn Angle Supply Stop - Socket - CTS MARINE

Socket x NPT

100 psi @ 180°F (82°C)

Male Thread for Connection to Flexible Supply Line having 1/2"

Female NPT Thread Inlet - NSF® Certified Lead Free

CG-7722-005	1/2	50	400	173	14.83
-------------	-----	----	-----	-----	-------

Quarter Turn Angle Supply Stop - Special Reinforced - CTS MARINE

SR Fipt x NPT

100 psi @ 180°F (82°C)

Male Thread for Connection to Flexible Supply Line having 1/2"

Female NPT Thread Inlet - NSF® Certified Lead Free

CG-7721-005SR	1/2	50	400	179	16.85
---------------	-----	----	-----	-----	-------

**CTS CPVC Fittings & Valves - ABS & USCG Approved**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Ball Valve - Commercial - CTS MARINE-**Socket with EPDM O-ring Seal**

100 psi Maximum Internal Pressure @ 180°F (82°C)

NSF® Certified Lead Free

CG-1922-005	1/2	25	200	179	25.15
CG-1922-007	3/4	24	0	179	36.46
CG-1922-010	1	25	0	179	46.74
CG-1922-012	1-1/4	8	0	179	79.59
CG-1922-015	1-1/2	6	0	179	110.99
CG-1922-020	2	4	0	179	141.37

CTS CPVC Solvent Cement - ABS & USCG Approved**CTS-5 Solvent Cement - Yellow -CTS MARINE****One-Step (requires no primer)**

CTS5-020	Pint	12	0	701	25.74
CTS5-030	Quart	12	0	701	44.79
CTS5-040	Gallon	6	0	701	153.23