## **Spears® Technical Information**


12-Sep-21 07:45:40 AM

Part No: 420-751F Fabricated Fittings Cross

Desc: 16X2 PVC RED CROSS SOC SCH40 FAB

MSRP: 2126.18 Part Code: 047

Weight(lbs): 67.021 Weight(kg): 30.4 Weight(gm): 30400 Size: 16"X16"X2"X2" Color: WHITE Material: PVC



Schedule SCH 40
Connection Socket X Socket
Type Reduction

G = 6-3/8

G1 = 9-3/4

 $\mathbf{H} = 14 - 3/8$ 

H1 = 11 - 1/2

L = 28-3/4

L1 = 23

M = 17 M1 = 2-11/16

## **Fabricated Dimension References:**

G = (LAYING LENGTH) intersection of center lines to bottom of socket/thread;  $90^{\circ}$  elbows, tees, crosses;  $\pm 1/4$  & larger  $\pm 1/2$  inch.

H = Intersection of center lines to face of fitting;  $90^{\circ}$  elbows, tees, crosses;  $\pm 1/4$  inch.; wyes  $\pm 1/2$  inch; 14" & larger inch.

J = Intersection of center lines to bottom of socket/thread;  $45^{\circ}$  elbows;  $\pm 1/4$  inch;  $14^{\circ}$  & larger  $\pm 1/2$  inch.


L = Overall length of fittings;  $\pm 1/2$  inch; wyes  $\pm 1$  inch; 14" & larger  $\pm 1$  inch.


 $M = Outside diameter of socket/thread hub; <math>\pm 1/4$  inch.


N = Socket bottom to socket bottom; couplings;  $\pm 1/2$  inch.


 $W = \text{Height of cap}; \pm 1/4 \text{ inch.}$ 

## **Typical Fabricated Dimension References**









The information printed here is based on current information & product design at the time of publication and is subject to change without notification. Spears® ongoing commitment to product improvement may result in some variation. No representation, guarantees or warranties of any kind are as to its accuracy, suitability for particular application or results to be obtained thereform. For verification of technical data or additional information, please contact Spears® Technical Service Department :: WEST COAST : (818) 364-1611 - EAST COAST : (717) 938-9006