

# Standard Washdown Urinal Combination Package WEUS-1010.1011-0.125

#### ▶ Code Number

10101011

## ▶ Description

Complete HEU system with concealed, Royal urinal Flushometer and vitreous china urinal.

## ► Flush Cycle

0.125 gpf/0.5 Lpf

# **Specifications**

Quiet, concealed, diaphragm type, rough brass hydraulic urinal flushometer and vitreous china urinal with the following features:

## **Urinal Specifications**

- All mounting hardware included
- 100% factory flush tested
- Carrier not included
- Vandal resistant strainer assembly included
- Wall mounted Vitreous china
- Washdown flushing action and Integral flushing rim
- 3/4" rear spud inlet

#### Flushometer Specification

Quiet, diaphragm type, chrome plated closet Flushometer and vitreous china water closet with the following features:

- Flush accuracy controlled by CID® technology
- High Back Pressure Vacuum Breaker
- Elbow Flush Connection
- Exposed Parts Chrome Plated
- Spud Coupling for 3/4" Concealed Back Spud Urinal
- 3/4" I.P.S. Screwdriver Bak-chek® angle Stop
- Infrared Sensor with Multiple-focused, Lobular Sensing fields for high and low target detection
- Diaphragm, Stop Seat and Vacuum Breaker to be molded from PERMEX® rubber compound for Chloramine resistance

Valve Body, Cover, Tailpiece and Control Stop shall be in conformance with ASTM Alloy Classification for Semi-Red Brass. Valve shall be in compliance to the applicable sections of ASSE 1037/ ASME A112.19.2/CSA B45.1

#### Note

Plumbing System Requirements

Minimum Flowing Pressure: 25 PSI / Minimum Flow Rate: 18 GPM / Maximum Fixture Static Pressure: 80 PSI


# Disclaimer

All information contained within this document subject to change without notice.

NOTE: All vitreous china dimensions shown in these drawings are nominal and not to scale. Dimensions can vary within the tolerances established in the governing ASME A112.19.2/CSA B45.1 standard. It is important to consider this when planning rough-in and plumbing layouts.







# ► Compliance & Certifications

**CEC Compliant** 











This space for Architect/Engineer Approval