Spears® Technical Information

13-Sep-21 11:48:50 PM

Part No: 476-661F Fabricated Fittings Double Wve

Desc: 12X2 PVC RED DBL WYE SOC SCH40 100PSI G

MSRP: 1983.41 Part Code: 047


Weight(kg): 9.385 Weight(lbs): 20.69 Weight(gm): 9385 Size: 12"X2" Color: WHITE **Material:** PVC

Schedule SCH 40

Socket X Socket X Socket X Connection

Socket

Type Reduction



 $\mathbf{M} = 13-9/16$ L = 23

M1 = 2-11/16

G = 1 - 1/8

G1 = 12-9/16

G2 = 11-5/8H = 5-1/8H1 = 14-5/16H2 = 17-7/8

Fabricated Dimension References:

(LAYING LENGTH) intersection of center lines to bottom of socket/thread; 90° elbows, tees, crosses; $\pm 1/4$ & larger $\pm 1/2$ inch.

Intersection of center lines to face of fitting; 90° elbows, tees, crosses; $\pm 1/4$ inch.; wyes $\pm 1/2$ inch; 14'' & larger

= Intersection of center lines to bottom of socket/thread; 45° elbows; $\pm 1/4$ inch; 14'' & larger $\pm 1/2$ inch.


L = Overall length of fittings; $\pm 1/2$ inch; wyes ± 1 inch; 14" & larger ± 1 inch.


 $M = Outside diameter of socket/thread hub; <math>\pm 1/4$ inch.


N = Socket bottom to socket bottom; couplings; $\pm 1/2$ inch.


 $W = \text{Height of cap}; \pm 1/4 \text{ inch.}$

Typical Fabricated Dimension References









The information printed here is based on current information & product design at the time of publication and is subject to change without notification. Spears® ongoing commitment to product improvement may result in some variation. No representation, guarantees or warranties of any kind are as to its accuracy, suitability for particular application or results to be obtained thereform. For verification of technical data or additional information, please contact Spears® Technical Service Department :: WEST COAST : (818) 364-1611 -EAST COAST: (717) 938-9006