



Marine & Offshore Products

EverTUFF® CPVC Schedule 40 & 80 Marine Pressure Pipe & Fittings

EverTUFF® CPVC Schedule 40 & 80 Marine Pressure Pipe & Fittings



PRODUCT

Contact Spears® for any Information not found.

Schedule 40 CPVC Pipe - ABS & USCG Approved & Schedule 80 CPVC Pipe - ABS & USCG Approved & Schedule 80 CPVC Fittings - ABS & USCG Approved



Schedule 40 CPVC Pipe - ABS & USCG Approved

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	-----------	-------------	--------------	------

Pipe - CPVC Schedule 40 Plain End

10' Lengths, Price Per Foot

CG-PD400-005C10	1/2	10	0	175	2.75
CG-PD400-007C10	3/4	10	0	175	3.67
CG-PD400-010C10	1	10	0	175	5.36
CG-PD400-012C10	1-1/4	10	0	175	7.26
CG-PD400-015C10	1-1/2	10	0	175	8.69
CG-PD400-020C10	2	10	0	175	11.66
CG-PD400-025C10	2-1/2	10	0	175	18.43
CG-PD400-030C10	3	10	0	175	24.06
CG-PD400-040C10	4	10	0	175	34.29
CG-PD400-060C10	6	10	0	175	63.26
CG-PD400-080C10	8	10	0	175	103.05
CG-PD400-100C10	10	10	0	175	176.36
CG-PD400-120C10	12	10	0	175	232.79

Pipe - CPVC Schedule 40 Plain End - MARINE

20' Lengths, Price Per Foot

CG-PD-400-005C	1/2	20	0	175	2.75
CG-PD-400-007C	3/4	20	0	175	3.67
CG-PD-400-010C	1	20	0	175	5.36
CG-PD-400-012C	1-1/4	20	0	175	7.26
CG-PD-400-015C	1-1/2	20	0	175	8.69
CG-PD-400-020C	2	20	0	175	11.66
CG-PD-400-025C	2-1/2	20	0	175	18.43
CG-PD-400-030C	3	20	0	175	24.06
CG-PD-400-040C	4	20	0	175	34.29
CG-PD-400-060C	6	20	0	175	63.26
CG-PD-400-080C	8	20	0	175	103.05
CG-PD-400-100C	10	20	0	175	176.36
CG-PD-400-120C	12	20	0	175	232.79

Schedule 80 CPVC Pipe - ABS & USCG Approved

Pipe - CPVC Schedule 80 Plain End - MARINE

10' Lengths, Price Per Foot

CG-PD800-005C10	1/2	10	0	175	3.22
CG-PD800-007C10	3/4	10	0	175	4.40
CG-PD800-010C10	1	10	0	175	6.47
CG-PD800-012C10	1-1/4	10	0	175	8.91
CG-PD800-015C10	1-1/2	10	0	175	10.80
CG-PD800-020C10	2	10	0	175	14.98
CG-PD800-025C10	2-1/2	10	0	175	22.83

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	-----------	-------------	--------------	------

Pipe - CPVC Schedule 80 Plain End - MARINE (continued)

10' Lengths, Price Per Foot

CG-PD800-030C10	3	10	0	175	30.59
CG-PD800-040C10	4	10	0	175	44.73
CG-PD800-060C10	6	10	0	175	87.05
CG-PD800-080C10	8	10	0	175	144.37
CG-PD800-100C10	10	10	0	175	261.83
CG-PD800-120C10	12	10	0	175	359.93

Pipe - CPVC Schedule 80 Plain End - MARINE

20' Lengths, Price Per Foot

CG-PD-800-005C	1/2	20	0	175	3.22
CG-PD-800-007C	3/4	20	0	175	4.40
CG-PD-800-010C	1	20	0	175	6.47
CG-PD-800-012C	1-1/4	20	0	175	8.91
CG-PD-800-015C	1-1/2	20	0	175	10.80
CG-PD-800-020C	2	20	0	175	14.98
CG-PD-800-025C	2-1/2	20	0	175	22.83
CG-PD-800-030C	3	20	0	175	30.59
CG-PD-800-040C	4	20	0	175	44.73
CG-PD-800-060C	6	20	0	175	87.05
CG-PD-800-080C	8	20	0	175	144.37
CG-PD-800-100C	10	20	0	175	261.83
CG-PD-800-120C	12	20	0	175	359.93

Schedule 80 CPVC Fittings - ABS & USCG Approved

Tee - MARINE

Socket x Socket x Socket

CG-801-005C	1/2	25	200	172	20.64
CG-801-007C	3/4	15	120	172	21.01
CG-801-010C	1	25	0	172	25.75
CG-801-012C	1-1/4	10	0	172	54.31
CG-801-015C	1-1/2	10	0	172	62.21
CG-801-020C	2	10	0	172	69.24
CG-801-025C	2-1/2	10	0	172	176.27
CG-801-030C	3	5	0	172	176.27
CG-801-040C	4	5	0	172	234.59
CG-801-060C	6	2	0	172	610.51
CG-801-080C	8	2	0	172	1748.77
CG-801-100C	10	1	0	181	3459.59
CG-801-120C	12	1	0	181	5346.73

Tee - Reducing - MARINE

Socket x Socket x Socket

CG-801-101C	3/4X1/2	15	120	172	46.05
CG-801-130C	1X1/2	15	0	172	53.09



Marine & Offshore Products
Schedule 80 CPVC Fittings - ABS & USCG Approved

Schedule 80 CPVC Fittings - ABS & USCG Approved

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	-----------	-------------	--------------	------

Tee - Reducing - MARINE (continued)

Socket x Socket x Socket

CG-801-131C	1X3/4	15	0	172	53.09
CG-801-157C	1-1/4X1X3/4	12	0	172	100.89
CG-801-158C	1-1/4X1X1	15	0	172	65.84
CG-801-159C	1-1/4X1X1-1/4	15	0	172	65.84
CG-801-166C	1-1/4X1/2	10	0	172	121.73
CG-801-167C	1-1/4X3/4	12	0	172	103.88
CG-801-168C	1-1/4X1	15	0	172	103.88
CG-801-202C	1-1/2X1-1/4X1	10	0	172	103.88
CG-801-209C	1-1/2X1/2	10	0	172	108.51
CG-801-210C	1-1/2X3/4	15	0	172	108.51
CG-801-211C	1-1/2X1	10	0	172	108.51
CG-801-212C	1-1/2X1-1/4	10	0	172	108.51
CG-801-247C	2X1/2	10	0	172	129.25
CG-801-248C	2X3/4	10	0	172	129.25
CG-801-249C	2X1	10	0	172	129.25
CG-801-250C	2X1-1/4	10	0	172	179.06
CG-801-251C	2X1-1/2	10	0	172	129.25
CG-801-254C	2X2X4	4	0	172	500.80
CG-801-287C	2-1/2X1/2	10	0	172	148.42
CG-801-288C	2-1/2X3/4	10	0	172	148.42
CG-801-289C	2-1/2X1	10	0	172	148.42
CG-801-290C	2-1/2X1-1/4	10	0	172	148.42
CG-801-291C	2-1/2X1-1/2	10	0	172	148.42
CG-801-292C	2-1/2X2	10	0	172	153.63
CG-801-333C	3X1/2	5	0	172	326.68
CG-801-334C	3X3/4	5	0	172	326.68
CG-801-335C	3X1	5	0	172	263.72
CG-801-336C	3X1-1/4	5	0	172	316.31
CG-801-337C	3X1-1/2	5	0	172	263.72
CG-801-338C	3X2	5	0	172	263.72
CG-801-339C	3X2-1/2	6	0	172	263.72
CG-801-415C	4X1/2	5	0	172	401.05
CG-801-416C	4X3/4	5	0	172	401.05
CG-801-417C	4X1	5	0	172	401.05
CG-801-418C	4X1-1/4	5	0	172	401.05
CG-801-419C	4X1-1/2	5	0	172	401.05
CG-801-420C	4X2	5	0	172	333.32
CG-801-421C	4X2-1/2	5	0	172	448.52
CG-801-422C	4X3	5	0	172	333.32
CG-801-426C	4X6	4	0	172	1155.45
CG-801-524C	6X3/4	5	0	172	1146.47
CG-801-525C	6X1	6	0	172	1146.47
CG-801-526C	6X1-1/4	4	0	172	1146.47
CG-801-527C	6X1-1/2	4	0	172	1146.47
CG-801-528C	6X2	6	0	172	1065.20
CG-801-529C	6X2-1/2	4	0	172	1175.98
CG-801-530C	6X3	5	0	172	1065.20
CG-801-532C	6X4	5	0	172	941.37
CG-801-578C	8X2	2	0	172	1990.15
CG-801-580C	8X3	2	0	172	1990.15

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	-----------	-------------	--------------	------

Tee - Reducing - MARINE (continued)

Socket x Socket x Socket

CG-801-582C	8X4	2	0	172	1990.15
CG-801-585C	8X6	2	0	172	1728.08
CG-801-621C	10X2	1	0	181	3483.83
CG-801-623C	10X3	1	0	181	3306.11
CG-801-624C	10X4	1	0	181	3306.11
CG-801-626C	10X6	1	0	181	3044.47
CG-801-628C	10X8	1	0	181	4980.72
CG-801-664C	12X4	1	0	181	5997.03
CG-801-666C	12X6	1	0	181	5617.12
CG-801-668C	12X8	1	0	181	4757.08
CG-801-670C	12X10	1	0	181	7259.41

Tee- Special Reinforced - MARINE

Socket x Socket x SR Fipt - Stainless Steel Collar



CG-802-005CSR	1/2	50	0	180	28.68
CG-802-007CSR	3/4	15	120	180	41.91
CG-802-010CSR	1	15	0	180	52.73
CG-802-012CSR	1-1/4	15	0	180	61.17
CG-802-015CSR	1-1/2	10	0	180	61.17
CG-802-020CSR	2	10	0	180	100.00
CG-802-030CSR	3	5	0	180	144.01
CG-802-040CSR	4	5	0	180	271.31

Tee - Special Reinforced Reducing - MARINE

Socket x Socket x SR Fipt - Stainless Steel Collar



CG-802-101CSR	3/4X1/2	50	0	180	38.33
CG-802-130CSR	1X1/2	50	0	180	23.42
CG-802-131CSR	1X3/4	15	0	180	59.20
CG-802-166CSR	1-1/4X1/2	15	0	180	62.36
CG-802-168CSR	1-1/4X1	10	0	180	63.63
CG-802-211CSR	1-1/2X1	10	0	180	74.72
CG-802-212CSR	1-1/2X1-1/4	10	0	180	74.72
CG-802-247CSR	2X1/2	10	0	180	116.54
CG-802-248CSR	2X3/4	10	0	180	129.46
CG-802-287CSR	2-1/2X1/2	10	0	180	89.03

90° EII - MARINE

Socket x Socket



CG-806-005C	1/2	20	240	172	8.80
CG-806-007C	3/4	20	160	172	11.25
CG-806-010C	1	25	0	172	17.84
CG-806-012C	1-1/4	10	0	172	38.61
CG-806-015C	1-1/2	10	0	172	43.06
CG-806-020C	2	25	0	172	51.99
CG-806-025C	2-1/2	5	0	172	119.72
CG-806-030C	3	6	0	172	135.54
CG-806-040C	4	5	0	172	244.12

Marine & Offshore Products
Schedule 80 CPVC Fittings - ABS & USCG Approved



Schedule 80 CPVC Fittings - ABS & USCG Approved

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

90° EII - MARINE (continued)

Socket x Socket

CG-806-060C	6	4	0	172	490.54
CG-806-080C	8	2	0	172	1200.41
CG-806-100C	10	1	0	181	3207.95
CG-806-120C	12	1	0	181	4340.35

90° EII - Sweep - MARINE

Socket x Socket

CG-806-005SC	1/2	25	150	172	17.33
CG-806-007SC	3/4	25	100	172	22.35
CG-806-010SC	1	20	0	172	35.88
CG-806-012SC	1-1/4	25	0	172	47.41
CG-806-015SC	1-1/2	25	0	172	50.94
CG-806-020SC	2	25	0	172	61.69

90° EII - Long Sweep - MARINE

Socket x Socket

CG-806-005LSCF	1/2	25	0	182	79.84
CG-806-007LSCF	3/4	25	0	182	89.45
CG-806-010LSCF	1	25	0	182	101.14
CG-806-012LSCF	1 1/4	25	0	182	105.98
CG-806-015LSCF	1 1/2	25	0	182	118.32
CG-806-020LSCF	2	1	10	182	165.98
CG-806-025LSCF	2-1/2	1	7	182	217.62
CG-806-030LSCF	3	1	5	182	230.26
CG-806-040LSCF	4	1	4	182	284.84
CG-806-060LSCF	6	1	2	182	420.06
CG-806-080LSCF	8	1	0	182	1080.51
CG-806-100LSCF	10	1	0	183	1646.46

90° EII - Special Reinforced - MARINE

Socket x SR Fipt - Stainless Steel Collar

CG-807-005CSR	1/2	20	240	180	13.93
CG-807-007CSR	3/4	75	0	180	16.36
CG-807-010CSR	1	50	0	180	19.69
CG-807-012CSR	1-1/4	25	0	180	40.67
CG-807-015CSR	1-1/2	10	0	180	48.88
CG-807-020CSR	2	10	0	180	61.16
CG-807-030CSR	3	5	0	180	89.01
CG-807-040CSR	4	5	0	180	164.37

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

90° Street EII - MARINE

Spigot x Socket

CG-809-005C	1/2	50	200	172	11.05
CG-809-007C	3/4	50	0	172	14.05
CG-809-010C	1	50	0	172	22.35
CG-809-012C	1-1/4	25	0	172	48.27
CG-809-015C	1-1/2	10	0	172	53.89
CG-809-020C	2	25	0	172	65.05
CG-809-025C	2-1/2	5	0	172	131.31
CG-809-030C	3	5	0	172	180.77
CG-809-040C	4	4	0	172	325.51
CG-809-060C	6	2	0	172	654.16
CG-809-080C	8	2	0	172	1600.56
CG-809-100C	10	1	0	181	4276.79
CG-809-120C	12	1	0	181	5784.88

11-1/4° EII - MARINE

Socket x Socket

CG-811-005CF	1/2	1	52	182	47.35
CG-811-007CF	3/4	1	20	182	48.79
CG-811-010CF	1	1	50	182	67.48
CG-811-012CF	1-1/4	1	26	182	71.99
CG-811-015C	1-1/2	25	0	172	53.83
CG-811-020C	2	10	0	172	65.84
CG-811-025CF	2-1/2	1	25	182	163.00
CG-811-030C	3	10	0	172	172.87
CG-811-040C	4	4	0	172	237.31
CG-811-060CF	6	1	5	182	455.72
CG-811-080CF	8	1	3	182	865.98
CG-811-100CF	10	1	2	183	1437.47
CG-811-120CF	12	1	2	183	1893.31

45° EII - MARINE

Socket x Socket

CG-817-005C	1/2	20	120	172	10.78
CG-817-007C	3/4	20	120	172	15.56
CG-817-010C	1	15	120	172	24.74
CG-817-012C	1-1/4	10	80	172	48.59
CG-817-015C	1-1/2	10	0	172	49.89
CG-817-020C	2	10	0	172	55.96
CG-817-025C	2-1/2	5	0	172	114.36
CG-817-030C	3	5	0	172	146.93
CG-817-040C	4	5	0	172	201.69
CG-817-060C	6	4	0	172	621.37
CG-817-080C	8	2	0	172	1292.79
CG-817-100C	10	1	0	181	2453.21
CG-817-120C	12	1	0	181	4316.01



Marine & Offshore Products
Schedule 80 CPVC Fittings - ABS & USCG Approved

Schedule 80 CPVC Fittings - ABS & USCG Approved

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

15° EII - MARINE

Socket x Socket

CG-818-005CF	1/2	1	25	182	47.35
CG-818-007CF	3/4	1	23	182	48.79
CG-818-010CF	1	1	20	182	67.48
CG-818-012CF	1-1/4	1	15	182	71.99
CG-818-015CF	1-1/2	1	25	182	77.61
CG-818-020CF	2	1	25	182	145.88
CG-818-025CF	2-1/2	1	18	182	163.00
CG-818-030CF	3	1	35	182	181.82
CG-818-040CF	4	1	18	182	237.42
CG-818-060CF	6	1	8	182	455.72
CG-818-080CF	8	1	3	182	865.98
CG-818-100CF	10	1	2	183	1437.47
CG-818-120CF	12	1	0	183	1893.31

45° Street EII - MARINE

Spigot x Socket

CG-827-005C	1/2	50	400	172	10.78
CG-827-007C	3/4	50	0	172	15.56
CG-827-010C	1	50	0	172	24.74
CG-827-012C	1-1/4	25	0	172	48.59
CG-827-015C	1-1/2	25	0	172	49.82
CG-827-020C	2	10	0	172	55.96
CG-827-025C	2-1/2	12	0	172	123.84
CG-827-030C	3	10	0	172	146.93
CG-827-040C	4	5	0	172	201.69
CG-827-060C	6	4	0	172	731.03
CG-827-080C	8	2	0	172	1520.88
CG-827-100C	10	1	0	181	2886.14
CG-827-120C	12	1	0	181	5077.63

Cross - MARINE

Socket x Socket x Socket x Socket

CG-820-005C	1/2	50	0	172	88.00
CG-820-007C	3/4	50	0	172	92.62
CG-820-010C	1	50	0	172	102.66
CG-820-012C	1-1/4	25	0	174	109.84
CG-820-015C	1-1/2	25	0	172	119.38
CG-820-020C	2	10	0	172	154.84
CG-820-025C	2-1/2	10	0	172	206.43
CG-820-030C	3	5	0	172	262.91
CG-820-040C	4	3	0	172	469.64
CG-820-060CF	6	1	0	182	1234.19

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Cross - MARINE (continued)

Socket x Socket x Socket x Socket

CG-820-080CF	8	1	0	182	2347.58
CG-820-100CF	10	1	0	183	3492.16
CG-820-120CF	12	1	0	183	4961.83

Coupling - MARINE

Socket x Socket

CG-829-005C	1/2	25	150	172	9.31
CG-829-007C	3/4	15	90	172	13.00
CG-829-010C	1	15	90	172	17.52
CG-829-012C	1-1/4	10	60	172	26.24
CG-829-015C	1-1/2	10	40	172	33.00
CG-829-020C	2	20	0	172	38.38
CG-829-025C	2-1/2	10	0	172	85.38
CG-829-030C	3	5	0	172	92.79
CG-829-040C	4	5	0	172	121.59
CG-829-060C	6	4	0	172	286.38
CG-829-080C	8	4	0	172	773.98
CG-829-100C	10	1	0	181	973.58
CG-829-120C	12	1	0	172	1140.29

Coupling - Reducing - MARINE

Socket x Socket

CG-829-101C	3/4X1/2	50	400	172	24.33
CG-829-130C	1X1/2	25	200	172	34.72
CG-829-131C	1X3/4	25	200	172	34.72
CG-829-166C	1-1/4X1/2	25	0	172	79.48
CG-829-167C	1-1/4X3/4	25	0	172	79.48
CG-829-168C	1-1/4X1	25	0	172	79.48
CG-829-209C	1-1/2X1/2	25	0	172	78.85
CG-829-210C	1-1/2X3/4	25	0	172	78.85
CG-829-211C	1-1/2X1	25	0	172	78.85
CG-829-212C	1-1/2X1-1/4	25	0	172	78.85
CG-829-247C	2X1/2	25	0	172	104.26
CG-829-248C	2X3/4	10	80	172	104.26
CG-829-249C	2X1	25	0	172	104.26
CG-829-251C	2X1-1/2	10	40	172	104.26
CG-829-290C	2-1/2X1-1/4	10	0	172	168.35
CG-829-291C	2-1/2X1-1/2	10	0	172	118.73
CG-829-292C	2-1/2X2	10	0	172	118.73
CG-829-335C	3X1	8	0	172	293.64
CG-829-336C	3X1-1/4	6	0	172	302.62
CG-829-337C	3X1-1/2	8	0	172	302.62
CG-829-338C	3X2	10	0	172	239.89
CG-829-339C	3X2-1/2	10	0	172	240.89
CG-829-416C	4X3/4	4	0	172	345.94
CG-829-417C	4X1	4	0	172	345.94
CG-829-419C	4X1-1/2	4	0	172	345.94
CG-829-420C	4X2	6	0	172	286.16
CG-829-421C	4X2-1/2	4	0	172	286.16

Marine & Offshore Products
Schedule 80 CPVC Fittings - ABS & USCG Approved



Schedule 80 CPVC Fittings - ABS & USCG Approved

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	-----------	-------------	--------------	------

Coupling - Reducing - MARINE (continued)

Socket x Socket

CG-829-422C	4X3	4	0	172	286.16
CG-829-528C	6X2	6	0	172	757.05
CG-829-529C	6X2-1/2	4	0	172	892.20
CG-829-530C	6X3	12	0	172	772.54
CG-829-532C	6X4	4	0	172	650.04
CG-829-580CF	8X3	1	6	182	688.45
CG-829-582C	8X4	2	0	172	1179.56
CG-829-585C	8X6	2	0	172	1126.31
CG-829-621CF	10X2	1	0	183	1275.36
CG-829-623CF	10X3	1	2	183	1069.59
CG-829-624CF	10X4	1	2	183	1028.08
CG-829-626C	10X6	1	0	181	1751.56
CG-829-628C	10X8	1	0	181	1751.56
CG-829-664CF	12X4	1	2	183	2288.27
CG-829-666CF	12X6	1	0	183	2128.20
CG-829-668C	12X8	1	0	181	1908.40
CG-829-670CF	12X10	1	2	183	868.46

Grooved Coupling Adapter - MARINE

Groove x Socket

CG-833-012C	1-1/4	10	60	172	41.85
CG-833-015C	1-1/2	10	80	172	55.19
CG-833-020C	2	5	40	172	71.74
CG-833-025C	2-1/2	5	0	172	117.98
CG-833-030C	3	5	0	172	145.46
CG-833-040C	4	5	0	172	247.54
CG-833-060C	6	5	0	172	354.09
CG-833-080CF	8	1	4	182	446.59
CG-833-100CF	10	1	0	183	700.88
CG-833-120CF	12	1	0	183	988.48

Female Adapter - Special Reinforced - MARINE

Socket x SR Fipt - Stainless Steel Collar

CG-835-005CSR	1/2	25	150	180	8.19
CG-835-007CSR	3/4	25	150	180	8.84
CG-835-010CSR	1	25	200	180	20.16
CG-835-012CSR	1-1/4	10	60	180	20.68
CG-835-015CSR	1-1/2	10	80	180	24.00
CG-835-020CSR	2	10	0	180	34.11
CG-835-025CSR	2 1/2	5	0	180	79.29
CG-835-030CSR	3	15	0	180	162.93
CG-835-040CSR	4	5	0	180	271.16
CG-835-060CSR	6	6	0	180	423.61

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	-----------	-------------	--------------	------

Female Adapter - Special Reinforced Reducing - MARINE

Socket x SR Fipt - Stainless Steel Collar

CG-835-074CSR	1/2X3/4	50	400	180	8.84
CG-835-101CSR	3/4X1/2	50	400	180	8.84
CG-835-102CSR	3/4X1	50	0	180	20.16
CG-835-130CSR	1X1/2	50	0	180	20.16
CG-835-131CSR	1X3/4	25	200	180	20.16

Female Adapter - Stainless Steel Transition - MARINE

Socket x Fipt With Type 316 Stainless Steel Thread Insert

CG-835-005CSS	1/2	25	150	180	90.58
CG-835-007CSS	3/4	15	90	180	126.47
CG-835-010CSS	1	15	90	180	221.33
CG-835-012CSS	1-1/4	25	0	180	359.72
CG-835-015CSS	1-1/2	10	40	180	469.26
CG-835-020CSS	2	8	32	180	549.19

Female Adapter - Encapsulated Special Reinforced - MARINE

Socket x ESR Fipt

CG-835-005CESR	1/2	25	300	180	12.54
CG-835-007CESR	3/4	25	300	180	13.24
CG-835-010CESR	1	25	200	180	29.17
CG-835-012CESR	1-1/4	10	80	180	29.85
CG-835-015CESR	1-1/2	10	80	180	38.67
CG-835-020CESR	2	10	0	180	60.09

Male Adapter - MARINE

Mipt x Socket

CG-836-005C	1/2	25	150	172	12.01
CG-836-007C	3/4	25	150	172	14.66
CG-836-102C	3/4X1	25	0	172	53.96
CG-836-131C	1X3/4	25	0	172	51.25
CG-836-010C	1	20	240	172	24.69
CG-836-012C	1-1/4	10	60	172	36.40
CG-836-015C	1-1/2	10	120	172	49.20
CG-836-020C	2	10	80	172	66.74
CG-836-025C	2-1/2	10	0	172	181.95
CG-836-030C	3	5	0	172	244.52
CG-836-040C	4	5	0	172	413.36
CG-836-060C	6	5	0	172	592.42
CG-836-080CF	8	1	2	182	536.05
CG-836-100CF	10	1	2	183	993.25
CG-836-120CF	12	1	0	183	1155.88



Schedule 80 CPVC Fittings - ABS & USCG Approved

Schedule 80 CPVC Fittings - ABS & USCG Approved

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Male Adapter - Internal Reinforced - MARINE

R Mipt x Socket - Stainless Steel Sleeve

CG-836-005CR	1/2	25	150	180	12.57
CG-836-007CR	3/4	25	300	180	14.40
CG-836-010CR	1	10	120	180	17.08

Male Spigot Adapter - MARINE

Spigot x Mipt

CG-861-005C	1/2	50	300	172	14.64
CG-861-007C	3/4	25	150	172	18.19
CG-861-010C	1	50	0	172	30.84
CG-861-131C	1X3/4	50	200	172	36.04
CG-861-012C	1-1/4	25	200	172	34.99
CG-861-015C	1-1/2	25	0	172	38.62
CG-861-020C	2	25	0	172	45.20

Female Spigot Adapter - Special Reinforced - MARINE

Spigot x SR Fipt - Stainless Steel Collar

CG-878-005CSR	1/2	50	600	180	12.91
CG-878-007CSR	3/4	25	300	180	9.20
CG-878-010CSR	1	50	0	180	20.69
CG-878-012CSR	1-1/4	25	0	180	21.40
CG-878-015CSR	1-1/2	25	0	180	24.84
CG-878-020CSR	2	15	0	180	45.25
CG-878-030CSR	3	5	0	180	164.98
CG-878-040CSR	4	5	0	180	276.94

Female Spigot Adapter - Stainless Steel Transition - MARINE

Socket x Fipt With Type 316 Stainless Steel Thread Insert

CG-878-005CSS	1/2	25	150	180	89.74
CG-878-007CSS	3/4	25	150	180	115.42
CG-878-010CSS	1	15	90	180	149.80

Reducer Bushing Flush Style - MARINE

Spigot x Socket

CG-837-101C	3/4X1/2	50	300	172	9.93
CG-837-130C	1X1/2	50	400	172	15.42
CG-837-131C	1X3/4	50	300	172	15.42
CG-837-166C	1-1/4X1/2	25	300	172	40.91
CG-837-167C	1-1/4X3/4	25	150	172	40.91

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Reducer Bushing Flush Style - MARINE (continued)

Spigot x Socket

CG-837-168C	1-1/4X1	25	150	172	40.91
CG-837-209C	1-1/2X1/2	25	200	172	46.26
CG-837-210C	1-1/2X3/4	25	200	172	46.26
CG-837-211C	1-1/2X1	25	200	172	46.26
CG-837-212C	1-1/2X1-1/4	25	200	172	46.26
CG-837-247C	2X1/2	10	120	172	59.72
CG-837-248C	2X3/4	10	60	172	59.72
CG-837-249C	2X1	10	120	172	59.72
CG-837-250C	2X1-1/4	10	60	172	59.72
CG-837-251C	2X1-1/2	10	60	172	59.72
CG-837-289C	2-1/2X1	10	80	172	102.67
CG-837-290C	2-1/2X1-1/4	10	80	172	72.69
CG-837-291C	2-1/2X1-1/2	10	40	172	72.69
CG-837-292C	2-1/2X2	15	0	172	72.69
CG-837-333C	3X1/2	10	0	172	128.75
CG-837-334C ¹	3X3/4	10	0	172	126.63
CG-837-335C	3X1	10	0	172	110.78
CG-837-336C	3X1-1/4	10	0	172	110.78
CG-837-337C	3X1-1/2	10	0	172	110.78
CG-837-338C	3X2	10	0	172	110.78
CG-837-339C	3X2-1/2	15	0	172	110.78
CG-837-416C ¹	4X3/4	10	0	172	185.89
CG-837-418C ¹	4X1-1/4	6	0	172	199.16
CG-837-419C	4X1-1/2	6	0	172	185.91
CG-837-420C	4X2	6	0	172	122.47
CG-837-421C	4X2-1/2	6	0	172	122.47
CG-837-422C	4X3	6	0	172	122.47
CG-837-525C ¹	6X1	5	0	172	329.09
CG-837-527C ¹	6X1-1/2	5	0	172	340.54
CG-837-528C	6X2	5	0	172	262.78
CG-837-530C	6X3	5	0	172	262.78
CG-837-532C	6X4	5	0	172	260.94
CG-837-578C ¹	8X2	4	0	172	1132.87
CG-837-580C	8X3	4	0	172	1132.87
CG-837-582C	8X4	4	0	172	1132.87
CG-837-585C	8X6	4	0	172	859.01
CG-837-621C ¹	10X2	2	0	181	1887.22
CG-837-624C ¹	10X4	4	0	181	1887.22
CG-837-626C	10X6	3	0	181	1520.37
CG-837-628C	10X8	3	0	181	1520.37
CG-837-664C ¹	12X4	2	0	181	3098.74
CG-837-668C	12X8	2	0	181	1916.82
CG-837-670CF	12X10	1	3	183	1372.48

¹ Sized with Bushing

Reducer Bushing Flush Style - MARINE

Spigot x Fipt

CG-838-101C	3/4X1/2	50	600	172	10.82
CG-838-130C	1X1/2	50	400	172	13.73
CG-838-131C	1X3/4	50	400	172	13.73
CG-838-166C	1-1/4X1/2	25	150	172	44.31

Marine & Offshore Products
Schedule 80 CPVC Fittings - ABS & USCG Approved



Schedule 80 CPVC Fittings - ABS & USCG Approved

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	-----------	-------------	--------------	------

Reducer Bushing Flush Style - MARINE (continued)

Spigot x Fipt

CG-838-167C	1-1/4X3/4	25	300	172	44.31
CG-838-168C	1-1/4X1	25	300	172	44.31
CG-838-207C	1-1/2X1/4	25	200	172	54.57
CG-838-209C	1-1/2X1/2	25	200	172	54.57
CG-838-210C	1-1/2X3/4	25	200	172	54.57
CG-838-211C	1-1/2X1	25	200	172	54.57
CG-838-212C	1-1/2X1-1/4	25	200	172	54.57
CG-838-247C	2X1/2	10	120	172	75.03
CG-838-248C	2X3/4	10	60	172	75.03
CG-838-249C	2X1	10	120	172	75.03
CG-838-250C	2X1-1/4	10	120	172	75.03
CG-838-251C	2X1-1/2	10	120	172	75.03
CG-838-287C	2-1/2X1/2	10	0	172	120.03
CG-838-288C	2-1/2X3/4	10	40	172	120.03
CG-838-289C	2-1/2X1	10	40	172	120.03
CG-838-290C	2-1/2X1-1/4	10	0	172	120.03
CG-838-291C	2-1/2X1-1/2	10	40	172	119.21
CG-838-292C	2-1/2X2	10	40	172	119.21
CG-838-334C	3X3/4	10	0	172	317.61
CG-838-335C	3X1	10	0	172	317.61
CG-838-336C	3X1-1/4	10	0	172	277.84
CG-838-337C	3X1-1/2	10	0	172	277.84
CG-838-338C	3X2	10	0	172	265.74
CG-838-339C	3X2-1/2	10	0	172	267.89
CG-838-420C	4X2	6	0	172	541.51
CG-838-421C	4X2-1/2	6	0	172	541.51
CG-838-422C	4X3	6	0	172	541.51
CG-838-528C	6X2	5	0	172	1091.73
CG-838-530C	6X3	5	0	172	1091.73
CG-838-532C	6X4	5	0	172	1091.73

Reducer Bushing - Special Reinforced - MARINE

Spigot x SR Fipt - Stainless Steel Collar

CG-838-209CSR	1-1/2X1/2	10	120	180	32.74
CG-838-210CSR	1-1/2X3/4	10	120	180	32.74
CG-838-247CSR	2X1/2	10	80	180	44.99
CG-838-248CSR	2X3/4	10	80	180	44.99
CG-838-249CSR	2X1	10	120	180	44.99
CG-838-334CSR	3X3/4	10	0	180	190.53
CG-838-335CSR	3X1	10	0	180	190.53
CG-838-336CSR	3X1-1/4	10	0	180	190.53
CG-838-337CSR	3X1-1/2	10	0	180	190.53
CG-838-528CSR	6X2	5	0	180	655.01
CG-838-530CSR	6X3	5	0	180	655.01
CG-838-532CSR	6X4	5	0	180	694.05

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	-----------	-------------	--------------	------

Cap - MARINE

Socket

CG-847-005C	1/2	25	150	172	14.48
CG-847-007C	3/4	25	300	172	20.64
CG-847-010C	1	15	90	172	36.53
CG-847-012C	1-1/4	10	60	172	39.96
CG-847-015C	1-1/2	10	60	172	39.96
CG-847-020C	2	10	80	172	42.15
CG-847-025C	2-1/2	5	40	172	141.88
CG-847-030C	3	5	0	172	155.52
CG-847-040C	4	5	0	172	158.09
CG-847-060C	6	4	0	172	523.11
CG-847-080C	8	3	0	172	1587.45
CG-847-100CF	10	1	5	183	1326.24
CG-847-120CF	12	1	4	183	1453.53

CAP - MARINE

Fipt

CG-848-005C	1/2	25	150	172	16.09
CG-848-007C	3/4	25	300	172	26.63
CG-848-010C	1	15	90	172	37.31
CG-848-012C	1-1/4	10	60	172	66.52
CG-848-015C	1-1/2	10	120	172	68.15
CG-848-020C	2	10	80	172	98.16
CG-848-025C	2-1/2	5	40	172	227.14
CG-848-030C	3	5	0	172	297.98
CG-848-040C	4	5	0	172	432.85
CG-848-060CF	6	1	4	182	612.40
CG-848-080CF	8	1	0	182	664.51

Cap - Special Reinforced - MARINE

SR Fipt - Stainless Steel Collar

CG-848-005CSR	1/2	50	300	180	9.20
CG-848-007CSR	3/4	25	300	180	16.04
CG-848-030CSR	3	5	0	180	179.03

Plug - MARINE

Spigot

CG-849-005C	1/2	50	300	172	18.45
CG-849-007C	3/4	50	300	172	22.75
CG-849-010C	1	50	200	172	25.68
CG-849-012C	1-1/4	25	100	172	32.74
CG-849-015C	1-1/2	10	120	172	35.94
CG-849-020C	2	10	120	172	48.14
CG-849-025CF ⁴	2-1/2	1	8	182	57.09
CG-849-030CF ⁴	3	1	4	182	131.27



Marine & Offshore Products
Schedule 80 CPVC Fittings - ABS & USCG Approved

Schedule 80 CPVC Fittings - ABS & USCG Approved

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Plug - MARINE (continued)

Spigot

CG-849-040CF ⁴	4	1	4	182	162.00
CG-849-060CF ⁴	6	1	6	182	201.12
CG-849-080CF ⁴	8	1	6	182	540.21
CG-849-100CF ⁴	10	1	2	183	1074.82
CG-849-120CF ⁴	12	1	0	183	2083.16

⁴ Plug fabricated using Cap and pipe spigot.

Plug - MARINE

Mipt

CG-850-005C	1/2	50	500	172	13.09
CG-850-007C	3/4	50	300	172	16.58
CG-850-010C	1	25	175	172	27.27
CG-850-012C	1-1/4	25	150	172	31.00
CG-850-015C	1-1/2	25	150	172	34.17
CG-850-020C	2	10	120	172	46.53
CG-850-025C	2-1/2	5	30	172	78.98
CG-850-030C	3	5	40	172	84.57
CG-850-040C	4	5	0	172	150.06
CG-850-060C	6	6	0	172	210.74
CG-850-080C	8	6	0	172	374.47
CG-850-100CF ⁴	10	1	3	183	1508.01
CG-850-120CF ⁴	12	1	0	183	2300.21

⁴ Plug fabricated using Cap and threaded pipe.

Wye - MARINE

Socket x Socket x Socket

1/2" - 2" - 235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

2-1/2" - 6" - 150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8" - Larger & All Fabricated Sizes - 100 psi Maximum Internal Pressure Rating @ 73°F (23°C)

CG-875-005C	1/2	25	100	172	23.93
CG-875-007C	3/4	25	0	172	24.72
CG-875-010C	1	20	0	172	41.63
CG-875-012C	1-1/4	20	0	172	63.06
CG-875-015C	1-1/2	20	0	172	67.79
CG-875-020C	2	10	0	172	165.99
CG-875-025C	2-1/2	6	0	172	528.91
CG-875-030C	3	5	0	172	818.45
CG-875-040C	4	4	0	172	865.31
CG-875-060C	6	3	0	172	1184.31
CG-875-080C	8	1	0	172	2022.53

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Wye - Reducing - MARINE

Socket x Socket x Socket

1/2" - 2" - 235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

2-1/2" - 6" - 150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8" - Larger & All Fabricated Sizes - 100 psi Maximum Internal Pressure Rating @ 73°F (23°C)

CG-875-101C ¹	3/4X1/2	25	0	183	35.33
CG-875-130C ¹	1X1/2	20	0	172	58.21
CG-875-131C ¹	1X3/4	20	0	172	58.21
CG-875-166C ¹	1-1/4X1/2	20	0	172	106.11
CG-875-167C ¹	1-1/4X3/4	20	0	172	106.11
CG-875-168C ¹	1-1/4X1	20	0	172	106.11
CG-875-209C ¹	1-1/2X1/2	20	0	172	116.38
CG-875-210C ¹	1-1/2X3/4	20	0	172	116.38
CG-875-211C ¹	1-1/2X1	20	0	172	116.38
CG-875-212C ¹	1-1/2X1-1/4	20	0	172	116.38
CG-875-247C ¹	2X1/2	10	0	172	230.29
CG-875-248C ¹	2X3/4	10	0	172	230.29
CG-875-249C ¹	2X1	10	0	172	230.29
CG-875-250C ¹	2X1-1/4	10	0	172	230.29
CG-875-251C ¹	2X1-1/2	10	0	172	230.29
CG-875-335C ¹	3X1	5	0	172	947.31
CG-875-336C ¹	3X1-1/4	5	0	172	947.31
CG-875-337C ¹	3X1-1/2	5	0	172	947.31
CG-875-338C ¹	3X2	4	0	172	947.31
CG-875-339C ¹	3X2-1/2	5	0	172	947.31
CG-875-420C	4X2	4	0	172	957.91
CG-875-422C	4X3	4	0	172	957.91
CG-875-528C ¹	6X2	5	0	172	1213.31
CG-875-530C ¹	6X3	5	0	172	1213.06
CG-875-532C	6X4	5	0	172	926.27
CG-875-578C ¹	8X2	2	0	172	3208.51
CG-875-580C ¹	8X3	2	0	172	3208.51
CG-875-582C	8X4	2	0	172	3208.51
CG-875-585C ¹	8X6	1	0	172	2940.36
CG-875-626C	10X6	1	0	181	3314.58
CG-875-628C	10X8	1	0	181	3489.91

¹ Sized with Bushing

Union 2000 - Socket/FKM - MARINE

Socket x Socket with FKM O-ring Seal

235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

CG-8057-005C	1/2	20	120	172	39.93
CG-8057-007C	3/4	20	80	172	41.69
CG-8057-010C	1	15	90	172	50.05
CG-8057-012C	1-1/4	10	0	172	101.27
CG-8057-015C	1-1/2	10	0	172	103.12
CG-8057-020C	2	5	0	172	170.94
CG-8057-025C	2-1/2	5	0	172	280.33

Marine & Offshore Products
Schedule 80 CPVC Fittings - ABS & USCG Approved



Schedule 80 CPVC Fittings - ABS & USCG Approved

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Union 2000 - Socket/FKM - MARINE (continued)

Socket x Socket with FKM O-ring Seal

CG-8057-030C	3	5	0	172	354.78
CG-8057-040C	4	4	0	172	453.25
CG-8057-060C	6	1	0	172	1007.25

Union 2000 - Fipt/FKM - MARINE

Fipt x Fipt with FKM O-ring Seal

235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

CG-8058-005C	1/2	20	120	172	42.75
CG-8058-007C	3/4	20	80	172	75.57
CG-8058-010C	1	15	90	172	104.20
CG-8058-012C	1-1/4	10	0	172	198.54
CG-8058-015C	1-1/2	10	0	172	198.54
CG-8058-020C	2	5	0	172	224.42
CG-8058-025C	2-1/2	5	0	172	361.56
CG-8058-030C	3	5	0	172	686.04
CG-8058-040C	4	4	0	172	737.45
CG-8058-060C	6	1	0	172	1638.83

Union 2000 - Socket/EPDM - MARINE

Socket x Socket with EPDM O-ring Seal

235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

CG-8097-005C	1/2	20	120	172	39.79
CG-8097-007C	3/4	20	80	172	41.21
CG-8097-010C	1	15	90	172	49.37
CG-8097-012C	1-1/4	10	0	172	99.98
CG-8097-015C	1-1/2	10	0	172	101.87
CG-8097-020C	2	5	0	172	168.83
CG-8097-025C	2-1/2	5	0	172	279.59
CG-8097-030C	3	5	0	172	350.27
CG-8097-040C	4	4	0	172	448.12
CG-8097-060C	6	1	0	172	995.80

Union 2000 - Fipt/EPDM - MARINE

Fipt x Fipt with EPDM O-ring Seal

Fipt x Fipt with EPDM O-ring Seal

CG-8098-005C	1/2	20	120	172	42.21
CG-8098-007C	3/4	20	80	172	74.63
CG-8098-010C	1	15	90	172	102.93
CG-8098-012C	1-1/4	10	0	172	196.24
CG-8098-015C	1-1/2	10	0	172	196.24
CG-8098-020C	2	5	0	172	221.68
CG-8098-025C	2-1/2	5	0	172	312.32
CG-8098-030C	3	5	0	172	621.38

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Union 2000 - Fipt/EPDM - MARINE (continued)

Fipt x Fipt with EPDM O-ring Seal

CG-8098-040C	4	4	0	172	723.42
CG-8098-060C	6	1	0	172	1607.57

Union 2000 - Special Reinforced Fipt/FKM - MARINE

SR Fipt x SR Fipt w/FKM O-ring Seal - Stainless Steel Collar

235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

CG-8058-005CSR	1/2	20	120	180	24.14
CG-8058-007CSR	3/4	20	80	180	42.06
CG-8058-010CSR	1	15	90	180	57.82
CG-8058-012CSR	1-1/4	10	0	180	108.96
CG-8058-015CSR	1-1/2	10	0	180	118.91
CG-8058-020CSR	2	5	0	180	125.29
CG-8058-025CSR	2-1/2	5	0	180	216.91
CG-8058-030CSR	3	5	0	180	354.05
CG-8058-040CSR	4	4	0	180	414.79
CG-8058-060CSR	6	1	0	180	934.15

Union 2000 - Special Reinforced Fipt/EPDM - MARINE

SR Fipt x SR Fipt w/EPDM O-ring Seal - Stainless Steel Collar

235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

CG-8098-005CSR	1/2	20	160	180	23.33
CG-8098-007CSR	3/4	20	80	180	41.67
CG-8098-010CSR	1	15	90	180	57.15
CG-8098-012CSR	1-1/4	10	0	180	107.91
CG-8098-015CSR	1-1/2	10	0	180	117.99
CG-8098-020CSR	2	5	0	180	124.05
CG-8098-025CSR	2-1/2	5	0	180	214.40
CG-8098-030CSR	3	5	0	180	348.58
CG-8098-040CSR	4	4	0	180	403.54
CG-8098-060CSR	6	1	0	180	896.77

Tank Adapters, CPVC New Style Standard with Neoprene Gaskets - MARINE

Socket x Socket

150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

CG-8170-005C	1/2	25	0	180	70.46
CG-8170-007C	3/4	25	0	180	83.83
CG-8170-010C	1	25	0	180	94.09
CG-8170-012C	1-1/4	20	0	180	120.00
CG-8170-015C	1-1/2	20	0	180	130.67
CG-8170-020C	2	15	0	180	184.46
CG-8170-025C	2-1/2	4	0	180	271.11
CG-8170-030C	3	4	0	180	322.69
CG-8170-040C	4	2	0	180	537.79
CG-8170-060C	6	1	0	180	1478.95
CG-8170-080C	8	1	0	180	3286.32



Marine & Offshore Products

Schedule 80 CPVC Fittings - ABS & USCG Approved

Schedule 80 CPVC Fittings - ABS & USCG Approved

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Tank Adapters, CPVC New Style Standard with EPDM Gaskets - MARINE

Socket x Socket

150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

CG-8170E-005C	1/2	25	0	180	80.15
CG-8170E-007C	3/4	25	0	180	89.95
CG-8170E-010C	1	25	0	180	104.45
CG-8170E-012C	1-1/4	20	0	180	132.17
CG-8170E-015C	1-1/2	20	0	180	138.68
CG-8170E-020C	2	15	0	180	199.95
CG-8170E-025C	2-1/2	4	0	180	284.00
CG-8170E-030C	3	4	0	180	338.14
CG-8170E-040C	4	2	0	180	561.27
CG-8170E-060C	6	1	0	180	1540.57
CG-8170E-080C	8	1	0	180	3382.38

Tank Adapters, CPVC New Style Standard with FKM Gaskets - MARINE

Socket x Socket

150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

CG-8170V-005C	1/2	25	0	180	105.08
CG-8170V-007C	3/4	25	0	180	120.88
CG-8170V-010C	1	25	0	180	139.94
CG-8170V-012C	1-1/4	20	0	180	171.94
CG-8170V-015C	1-1/2	20	0	180	179.24
CG-8170V-020C	2	15	0	180	271.36
CG-8170V-025C	2-1/2	4	0	180	390.57
CG-8170V-030C	3	4	0	180	464.98
CG-8170V-040C	4	2	0	180	1029.88
CG-8170V-060C	6	1	0	180	2588.24
CG-8170V-080C	8	1	0	180	6054.56

Tank Adapter, CPVC Self Aligning with Neoprene Gasket - MARINE

Fipt

75 psi Maximum Internal Pressure Rating @ 73°F (23°C)

CG-8172SA-010C	1	5	0	180	308.08
CG-8172SA-020C	2	4	0	180	464.98
CG-8172SA-030C	3	2	0	180	724.53

Tank Adapter, CPVC Self Aligning with EPDM Gasket - MARINE

Fipt

Tank Adapter, CPVC Self Aligning with EPDM Gasket

CG-8172ESA-010C	1	5	0	180	323.88
CG-8172ESA-020C	2	4	0	180	490.51

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Tank Adapter, CPVC Self Aligning with EPDM Gasket - MARINE (continued)

Fipt

CG-8172ESA-030C	3	2	0	180	762.89
-----------------	---	---	---	-----	--------

Tank Adapter, CPVC Self Aligning with FKM Gasket - MARINE

Fipt

75 psi Maximum Internal Pressure Rating @ 73°F (23°C)

CG-8172VSA-010C	1	5	0	180	640.15
CG-8172VSA-020C	2	4	0	180	968.96
CG-8172VSA-030C	3	2	0	180	1505.51

Flange One Piece - MARINE

Socket

150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

CG-851-005C	1/2	25	0	172	39.17
CG-851-007C	3/4	25	0	172	40.08
CG-851-010C	1	15	0	172	43.77
CG-851-012C	1-1/4	15	0	172	53.42
CG-851-015C	1-1/2	20	0	172	59.29
CG-851-020C	2	10	0	172	71.78
CG-851-025C	2-1/2	10	0	172	148.73
CG-851-030C	3	10	0	172	155.52
CG-851-040C	4	5	0	172	210.12
CG-851-060C	6	5	0	172	357.94
CG-851-080C	8	2	0	172	1075.74
CG-851-100C	10	2	0	181	1340.73
CG-851-120C	12	2	0	181	1883.26

Flange - Blind = MARINE

150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

CG-853-005C	1/2	25	100	172	58.73
CG-853-007C	3/4	25	0	172	63.67
CG-853-010C	1	20	0	172	79.38
CG-853-012C	1-1/4	20	0	172	89.80
CG-853-015C	1-1/2	15	0	172	125.69
CG-853-020C	2	10	0	172	132.05
CG-853-025C	2-1/2	10	0	172	199.75
CG-853-030C	3	10	0	172	248.33
CG-853-040C	4	8	0	172	336.37
CG-853-060C	6	5	0	172	564.24
CG-853-080C	8	5	0	172	1046.58
CG-853-100C	10	3	0	181	1887.09
CG-853-120C	12	2	0	181	3170.32

Marine & Offshore Products
Schedule 80 CPVC Fittings - ABS & USCG Approved



Schedule 80 CPVC Fittings - ABS & USCG Approved

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	-----------	-------------	--------------	------

Flange Van Stone Style with Plastic Ring - MARINE

Socket

150 psi = maximum internal pressure rating @ 73°F (23°C)

CG-854-005C	1/2	25	0	172	39.43
CG-854-007C	3/4	25	0	172	40.33
CG-854-010C	1	15	0	172	44.04
CG-854-012C	1-1/4	15	0	172	53.77
CG-854-015C	1-1/2	20	0	172	59.72
CG-854-020C	2	10	0	172	72.31
CG-854-025C	2-1/2	10	0	172	149.78
CG-854-030C	3	10	0	172	156.82
CG-854-040C	4	5	0	172	211.77
CG-854-060C	6	5	0	172	360.85
CG-854-080C	8	2	0	172	1085.77
CG-854-100C	10	2	0	181	2613.80
CG-854-120C	12	2	0	181	3922.12

Flange Van Stone Style with Plastic Ring - MARINE

Spigot

150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

CG-856-005C	1/2	25	0	172	45.61
CG-856-007C	3/4	25	0	172	48.96
CG-856-010C	1	15	0	172	55.59
CG-856-012C	1-1/4	15	0	172	68.78
CG-856-015C	1-1/2	15	0	172	76.06
CG-856-020C	2	10	0	172	106.46
CG-856-025C	2-1/2	10	0	172	166.75
CG-856-030C	3	10	0	172	182.59
CG-856-040C	4	5	0	172	187.89
CG-856-060C	6	4	0	172	410.26
CG-856-080C	8	2	0	172	836.26
CG-856-100C	10	2	0	181	2808.08
CG-856-120C	12	2	0	181	4218.16

Flange Van Stone Style Class 300 Bolt Pattern Fabricated with Plastic Ring - MARINE

Socket

Molded with fabricated ring - 150 psi = maximum internal pressure rating @ 73°F (23°C)

CG-854005CL300C	1/2	1	25	182	300.09
CG-854007CL300C	3/4	1	25	182	402.06
CG-854010CL300C	1	1	15	182	490.26
CG-854012CL300C	1-1/4	1	15	182	520.84
CG-854015CL300C	1-1/2	1	20	182	540.82
CG-854020CL300C	2	1	10	182	600.77

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	-----------	-------------	--------------	------

Flange Van Stone Style Class 300 Bolt Pattern Fabricated with Plastic Ring - MARINE (continued)

Socket

CG-854025CL300C	2-1/2	1	10	182	714.88
CG-854030CL300C	3	1	10	182	776.89
CG-854040CL300C	4	1	5	182	1225.21
CG-854060CL300C	6	1	4	182	2313.62
CG-854080CL300C	8	1	3	182	2662.25
CG-854100CL300C	10	1	2	183	3010.05
CG-854120CL300C	12	1	0	183	3760.47

Flange One Piece Multi-Bolt Pattern* - MARINE

ASTM Socket x Multi-bolt Pattern Ring

150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

CG-M851-100C	10	2	0	172	756.31
CG-M851-120C	12	2	0	172	1165.62

Hubs fit 10" and 12" ASTM IPS pipe. Rings are manufactured to accept bolt patterns in size 10" and 12" in ANSI Class 150, B.S. 4504 PN10, B.S. 4504 PN16, B.S. 10 Table E for size 10". Consult Spears® Manufacturing Company Technical Services for additional information. Not for use with wafer valves.

Flange Van Stone Style with Plastic Ring ASTM - MARINE

Socket x Multi-bolt Pattern Ring

150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

CG-M854-020C	2	10	0	172	70.89
CG-M854-060C	6	4	0	172	360.85
CG-M854-080C	8	2	0	172	1085.77

Flange Van Stone Style with PN 10/16 Drilling CPVC Ring

ASTM Socket x DIN PN 10/16 Drilling

150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

CG-854-030CDIN	3	10	0	172	156.82
CG-854-040CDIN	4	5	0	172	211.77

Hubs fit 3" or 4" ASTM IPS Pipe. Rings are manufactured to DIN 8063-4 PN 10 and PN 16 bolt patterns.

Clamp-On Saddle x Socket Single Outlet, CPVC Gray - MARINE

with EPDM O-ring Seal & SS Hardware

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

CG-866S-247C	2X1/2	1	10	180	122.27
CG-866S-248C	2X3/4	1	10	180	122.27
CG-866S-249C	2X1	1	10	180	122.27
CG-866S-250C	2X1-1/4	1	10	180	122.27
CG-866S-251C	2X1-1/2	1	10	180	122.27
CG-866S-291C	2-1/2X1-1/2	1	10	180	163.00



Marine & Offshore Products
Schedule 80 CPVC Fittings - ABS & USCG Approved

Schedule 80 CPVC Fittings - ABS & USCG Approved

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Clamp-On Saddle x Socket Single Outlet, CPVC Gray - MARINE

(continued)

with EPDM O-ring Seal & SS Hardware

CG-866S-333C	3X1/2	1	10	180	163.00
CG-866S-334C	3X3/4	1	10	180	163.00
CG-866S-335C	3X1	1	10	180	163.00
CG-866S-336C	3X1-1/4	1	10	180	163.00
CG-866S-337C	3X1-1/2	1	10	180	163.00
CG-866S-338C	3X2	1	10	180	163.00
CG-866S-415C	4X1/2	1	10	180	208.54
CG-866S-416C	4X3/4	1	10	180	208.54
CG-866S-417C	4X1	1	8	180	208.54
CG-866S-418C	4X1-1/4	1	8	180	208.54
CG-866S-419C	4X1-1/2	1	8	180	208.54
CG-866S-420C	4X2	1	8	180	208.54
CG-866S-421C	4X2-1/2	1	4	180	217.35
CG-866S-422C	4X3	1	4	180	228.51
CG-866S-523C	6X1/2	1	4	180	328.62
CG-866S-524C	6X3/4	1	4	180	328.62
CG-866S-525C	6X1	1	4	180	328.62
CG-866S-526C	6X1-1/4	1	4	180	328.62
CG-866S-527C	6X1-1/2	1	4	180	328.62
CG-866S-528C	6X2	1	4	180	328.62
CG-866S-529C	6X2-1/2	1	4	180	347.84
CG-866S-530C	6X3	1	4	180	368.94
CG-866S-532C	6X4	1	4	180	385.95
CG-866S-573C	8X1/2	1	0	180	617.17
CG-866S-574C	8X3/4	1	0	180	617.17
CG-866S-575C	8X1	1	0	180	617.17
CG-866S-576C	8X1-1/4	1	0	180	617.17
CG-866S-577C	8X1-1/2	1	0	180	617.17
CG-866S-578C	8X2	1	0	180	617.17
CG-866S-579C	8X2-1/2	1	0	180	678.75
CG-866S-580C	8X3	1	0	180	712.74
CG-866S-582C	8X4	1	0	180	755.52
CG-866S-585C	8X6	1	0	180	838.38
CG-866S-624C	10X4	1	0	180	998.40
CG-866S-626C	10X6	1	0	180	1147.36
CG-866S-664C	12X4	1	0	180	1250.45
CG-866S-666C	12X6	1	0	180	1450.58

¹ Outlet-sized with Bushing



Clamp-On Saddle x Socket Single Outlet, CPVC Gray - MARINE

with FKM O-ring Seal & SS Hardware

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

CG-866SV-247C	2X1/2	1	10	180	126.15
CG-866SV-248C	2X3/4	1	10	180	126.15
CG-866SV-249C	2X1	1	10	180	126.15

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Clamp-On Saddle x Socket Single Outlet, CPVC Gray - MARINE

(continued)

with FKM O-ring Seal & SS Hardware

CG-866SV-250C	2X1-1/4	1	10	180	126.15
CG-866SV-251C	2X1-1/2	1	10	180	126.15
CG-866SV-291C	2-1/2X1-1/2	1	10	180	168.99
CG-866SV-333C	3X1/2	1	10	180	168.99
CG-866SV-334C	3X3/4	1	10	180	168.99
CG-866SV-335C	3X1	1	10	180	168.99
CG-866SV-336C	3X1-1/4	1	10	180	168.99
CG-866SV-337C	3X1-1/2	1	10	180	168.99
CG-866SV-338C	3X2	1	10	180	168.99
CG-866SV-415C	4X1/2	1	10	180	218.27
CG-866SV-416C	4X3/4	1	10	180	218.27
CG-866SV-417C	4X1	1	8	180	218.27
CG-866SV-418C	4X1-1/4	1	8	180	218.27
CG-866SV-420C	4X2	1	8	180	218.27
CG-866SV-421C	4X2-1/2	1	4	180	231.03
CG-866SV-419C	4X1-1/2	1	8	180	218.27
CG-866SV-422C	4X3	1	4	180	242.79
CG-866SV-523C	6X1/2	1	4	180	347.56
CG-866SV-524C	6X3/4	1	4	180	347.56
CG-866SV-525C	6X1	1	4	180	347.56
CG-866SV-526C	6X1-1/4	1	4	180	347.56
CG-866SV-527C	6X1-1/2	1	4	180	347.56
CG-866SV-528C	6X2	1	4	180	347.56
CG-866SV-529C	6X2-1/2	1	4	180	361.33
CG-866SV-530C	6X3	1	4	180	373.88
CG-866SV-532C	6X4	1	4	180	397.40
CG-866SV-573C	8X1/2	1	0	180	641.26
CG-866SV-574C	8X3/4	1	0	180	641.26
CG-866SV-575C	8X1	1	0	180	641.26
CG-866SV-576C	8X1-1/4	1	0	180	641.26
CG-866SV-577C	8X1-1/2	1	0	180	641.26
CG-866SV-578C	8X2	1	0	180	641.26
CG-866SV-579C	8X2-1/2	1	0	180	678.75
CG-866SV-580C	8X3	1	0	180	740.82
CG-866SV-582C	8X4	1	0	180	785.24
CG-866SV-585C	8X6	1	0	180	871.51
CG-866SV-624C	10X4	1	0	180	1037.01
CG-866SV-626C	10X6	1	0	180	1192.73
CG-866SV-664C	12X4	1	0	180	1299.84
CG-866SV-666C	12X6	1	0	180	1507.99

¹ Outlet-sized with Bushing



Hot-Tap Saddle CPVC Gray - MARINE

EPDM with Stainless Steel Cutter & Bolts

2"- 4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

CG-HT2S-248C	2X3/4	1	5	180	192.98
CG-HT2S-251C	2X1-1/2	1	5	180	398.84



Schedule 80 CPVC Fittings - ABS & USCG Approved

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	-----------	-------------	--------------	------

Hot-Tap Saddle CPVC Gray - MARINE (continued)

EPDM with Stainless Steel Cutter & Bolts

CG-HT2S-288C	2-1/2X3/4	1	5	180	206.27
CG-HT2S-291C	2-1/2X1-1/2	1	5	180	412.35
CG-HT2S-334C	3X3/4	1	5	180	236.53
CG-HT2S-337C	3X1-1/2	1	5	180	454.58
CG-HT2S-416C	4X3/4	1	5	180	273.19
CG-HT2S-419C	4X1-1/2	1	0	180	480.77
CG-HT2S-524C	6X3/4	1	5	180	306.63
CG-HT2S-527C	6X1-1/2	1	0	180	511.62
CG-HT2S-574C	8X3/4	1	0	180	331.52
CG-HT2S-577C	8X1-1/2	1	0	180	553.21

Lead Free

Hot-Tap Saddle CPVC Gray - MARINE

FKM with Stainless Steel Cutter & Bolts

2"- 4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

CG-HT3S-248C	2X3/4	1	5	180	210.16
CG-HT3S-251C	2X-1-1/2	1	5	180	433.14
CG-HT3S-288C	2-1/2X3/4	1	5	180	224.27
CG-HT3S-291C	2-1/2X1-1/2	1	5	180	447.08
CG-HT3S-334C	3X3/4	1	5	180	256.03
CG-HT3S-337C	3X1-1/2	1	5	180	503.05
CG-HT3S-416C	4X3/4	1	5	180	296.35
CG-HT3S-419C	4X1-1/2	1	0	180	522.14
CG-HT3S-524C	6X3/4	1	5	180	333.45
CG-HT3S-527C	6X1-1/2	1	0	180	554.05
CG-HT3S-574C	8X3/4	1	0	180	360.45
CG-HT3S-577C	8X1-1/2	1	5	180	598.99

Lead Free

Fabricated Expansion Joints - CPVC - MARINE

6" Travel with EPDM O-rings

1/2" - 2" 235 psi @ 73°F (23°C)

2-1/2" - 12" 150 psi @ 73°F (23°C)

CG-826E-005X6C	1/2	10	0	180	524.01
CG-826E-007X6C	3/4	6	0	180	573.40
CG-826E-010X6C	1	5	0	180	552.94
CG-826E-012X6C	1 1/4	4	0	180	945.51
CG-826E-015X6C	1-1/2	4	0	180	709.48
CG-826E-020X6C	2	2	0	180	899.01

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	-----------	-------------	--------------	------

Fabricated Expansion Joints - CPVC - MARINE (continued)

6" Travel with EPDM O-rings

CG-826E-025X6C	2-1/2	1	0	180	1103.61
CG-826E-030X6C	3	1	0	180	1239.36
CG-826E-040X6C	4	1	0	180	1827.88
CG-826E-060X6C	6	1	0	180	1964.91
CG-826E-080X6C	8	1	0	180	3727.38
CG-826E-100X6C	10	1	0	180	4765.62
CG-826E-120X6C	12	1	0	180	6573.24

Fabricated Expansion Joints - CPVC - MARINE

12" Travel with EPDM O-rings

1/2" - 2" 235 psi @ 73°F (23°C)

2-1/2" - 12" 150 psi @ 73°F (23°C)

CG-826E-005X12C	1/2	1	0	180	533.69
CG-826E-007X12C	3/4	1	0	180	612.03
CG-826E-010X12C	1	1	5	180	652.87
CG-826E-012X12C	1-1/4	1	0	180	1034.96
CG-826E-015X12C	1-1/2	4	0	180	819.52
CG-826E-020X12C	2	2	0	180	1046.04
CG-826E-025X12C	2-1/2	1	0	180	1583.62
CG-826E-030X12C	3	1	0	180	1272.66
CG-826E-040X12C	4	1	0	180	2108.19
CG-826E-060X12C	6	1	0	180	2322.45
CG-826E-080X12C	8	1	0	180	4453.20
CG-826E-100X12C	10	1	0	180	5217.12
CG-826E-120X12C	12	1	0	180	6797.83

Fabricated Expansion Joints - CPVC - MARINE

6" Travel with FKM O-rings

1/2" - 2" 235 psi @ 73°F (23°C)

2-1/2" - 12" 150 psi @ 73°F (23°C)

CG-826-005X6C	1/2	10	0	180	564.29
CG-826-007X6C	3/4	6	0	180	617.48
CG-826-010X6C	1	5	0	180	667.43
CG-826-012X6C	1-1/4	4	0	180	701.04
CG-826-015X6C	1-1/2	4	0	180	764.04
CG-826-020X6C	2	2	0	180	968.15
CG-826-025X6C	2-1/2	1	0	180	1148.85
CG-826-030X6C	3	1	0	180	1334.64
CG-826-040X6C	4	1	0	180	1968.42
CG-826-060X6C	6	1	0	180	2116.00
CG-826-080X6C	8	1	0	180	4013.98
CG-826-100X6C	10	1	0	180	5124.32
CG-826-120X6C	12	1	0	180	6797.83



Schedule 80 CPVC Fittings - ABS & USCG Approved & EverTUFF® CPVC Schedule 40 & 80 Marine Pressure Pipe & Fittings

Schedule 80 CPVC Fittings - ABS & USCG Approved

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Fabricated Expansion Joints - CPVC - MARINE

12" Travel with FKM O-rings

1/2" - 2" 235 psi @ 73°F (23°C)

2-1/2" - 12" 150 psi @ 73°F (23°C)

CG-826-005X12C	1/2	10	0	180	574.73
CG-826-007X12C	3/4	6	0	180	659.06
CG-826-010X12C	1	5	0	180	703.08
CG-826-012X12C	1-1/4	4	0	180	786.94
CG-826-015X12C	1-1/2	4	0	180	882.53
CG-826-020X12C	2	2	0	180	1126.48
CG-826-025X12C	2-1/2	1	0	180	1705.37
CG-826-030X12C	3	1	0	180	1370.53
CG-826-040X12C	4	1	0	180	2270.27
CG-826-060X12C	6	1	0	180	2501.01
CG-826-080X12C	8	1	0	180	4788.41
CG-826-100X12C	10	1	0	180	5609.79
CG-826-120X12C	12	1	0	180	8025.96

GripLoc™ Coupling - MARINE

WARNING: DO NOT INSERT FINGERS
EPDM Gasket

Pressure Rated to 235 psi @ 73°F

Uses No Solvent Cement.

CG-GL429-005C	1/2	1	40	184	22.21
CG-GL429-007C	3/4	1	36	184	27.41
CG-GL429-010C	1	1	20	184	29.43
CG-GL429-012C	1-1/4	1	15	184	31.16
CG-GL429-015C	1-1/2	1	15	184	31.16
CG-GL429-020C	2	1	10	184	34.63

Gripper is 410 Stainless Steel

GripLoc™ Cap - MARINE

WARNING: DO NOT INSERT FINGERS
EPDM Gasket

Pressure Rated to 235 psi @ 73°F

Uses No Solvent Cement.

CG-GL447-005C	1/2	25	150	184	19.40
CG-GL447-007C	3/4	1	50	184	24.96
CG-GL447-010C	1	1	50	184	27.33
CG-GL447-012C	1-1/4	1	25	184	37.47
CG-GL447-015C	1-1/2	1	25	184	43.58
CG-GL447-020C	2	1	25	184	50.04

Gripper is 410 Stainless Steel

Valves - ABS & USCG Approved

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

True Union 2000 Industrial Ball Valves - EPDM - MARINE

Socket

CG-1829-005C	1/2	1	18	179	95.68
CG-1829-007C	3/4	1	18	179	120.51
CG-1829-010C	1	1	12	179	143.46
CG-1829-012C	1-1/4	1	8	179	228.06
CG-1829-015C	1-1/2	1	8	179	240.87
CG-1829-020C	2	1	4	179	322.14
CG-1822-025C	2-1/2	1	0	179	722.25
CG-1822-030C	3	1	0	179	844.47
CG-1822-040C	4	1	0	179	1530.24
CG-1822-060C	6	1	0	179	3257.63
CG-1822-080C	8	1	0	179	4332.68

1/2" - 4" ABS type approved

1/2" - 8 USCG applications

True Union 2000 Industrial Ball Valves - FKM - MARINE

Socket

CG-1839-005C	1/2	1	18	179	106.33
CG-1839-007C	3/4	1	18	179	133.93
CG-1839-010C	1	1	12	179	159.40
CG-1839-012C	1-1/4	1	8	179	253.47
CG-1839-015C	1-1/2	1	8	179	267.63
CG-1839-020C	2	1	4	179	370.32
CG-1832-025C	2-1/2	1	0	179	802.45
CG-1832-030C	3	1	0	179	938.38
CG-1832-040C	4	1	0	179	1700.24
CG-1832-060C	6	1	0	179	3619.36
CG-1832-080C	8	1	0	179	4813.77

1/2" - 4" ABS type approved

1/2" - 8 USCG applications

True Union 2000 Standard Ball Valves - EPDM - MARINE

Socket

CG-3629-005C	1/2	1	18	179	76.52
CG-3629-007C	3/4	1	18	179	96.41
CG-3629-010C	1	1	12	179	114.78
CG-3629-012C	1-1/4	1	8	179	182.47
CG-3629-015C	1-1/2	1	8	179	192.68
CG-3629-020C	2	1	4	179	257.73
CG-3622-025C	2-1/2	1	0	179	577.80
CG-3622-030C	3	1	0	179	675.59
CG-3622-040C	4	1	0	179	1224.17

Marine & Offshore Products
EverTUFF® CPVC Schedule 40 & 80 Marine Pressure Pipe & Fittings



Valves - ABS & USCG Approved

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

True Union 2000 Standard Ball Valves - FKM - MARINE

Socket

CG-3639-005C	1/2	1	18	179	85.08
CG-3639-007C	3/4	1	18	179	107.15
CG-3639-010C	1	1	12	179	127.53
CG-3639-012C	1-1/4	1	8	179	202.82
CG-3639-015C	1-1/2	1	8	179	214.11
CG-3639-020C	2	1	4	179	296.27
CG-3632-025C	2-1/2	1	0	179	577.80
CG-3632-030C	3	1	0	179	675.59
CG-3632-040C	4	1	0	179	1224.17



True Union 2000 Vertical 3-Way Ball Valves, L-Port, EPDM - MARINE

Socket

CG-4722L1-005C	1/2	1	12	179	228.80
CG-4722L1-007C	3/4	1	8	179	268.47
CG-4722L1-010C	1	1	8	179	326.31
CG-4722L1-012C	1-1/4	1	8	179	394.74
CG-4722L1-015C	1-1/2	1	8	179	456.33
CG-4722L1-020C	2	1	4	179	559.91
CG-4722L1-025C	2-1/2	1	0	179	1969.15
CG-4722L1-030C	3	1	0	179	2009.52
CG-4722L1-040C	4	1	0	179	3473.58



USCG Application Only

True Union 2000 Vertical 3-Way Ball Valves, L-Port, FKM - MARINE

Socket

CG-4732L1-005C	1/2	1	12	179	247.74
CG-4732L1-007C	3/4	1	8	179	292.46
CG-4732L1-010C	1	1	8	179	363.42
CG-4732L1-015C	1-1/2	1	8	179	500.29
CG-4732L1-012C	1-1/4	1	8	179	465.19
CG-4732L1-020C	2	1	4	179	650.04
CG-4732L1-025C	2-1/2	1	0	179	1991.33
CG-4732L1-030C	3	1	0	179	2027.21
CG-4732L1-040C	4	1	0	179	3507.40



USCG Application Only

True Union 2000 Horizontal 3-Way Diverter Ball Valves, EPDM, T-Port - MARINE

Socket

CG-5022T1-005C	1/2	1	12	179	230.09
CG-5022T1-007C	3/4	1	8	179	274.26
CG-5022T1-010C	1	1	8	179	332.59
CG-5022T1-012C	1-1/4	1	8	179	385.41
CG-5022T1-015C	1-1/2	1	8	179	450.82
CG-5022T1-020C	2	1	0	179	553.08



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

True Union 2000 Horizontal 3-Way Diverter Ball Valves, EPDM, T-Port - MARINE (continued)

Socket

CG-5022T1-025C	2-1/2	1	0	179	1864.31
CG-5022T1-030C	3	1	0	179	1902.20
CG-5022T1-040C	4	1	0	179	3445.03

USCG Application Only

True Union 2000 Horizontal 3-Way Diverter Ball Valves, FKM, T-Port - MARINE

Socket

CG-5032T1-005C	1/2	1	12	179	249.27
CG-5032T1-007C	3/4	1	8	179	295.22
CG-5032T1-010C	1	1	8	179	366.46
CG-5032T1-012C	1-1/4	1	8	179	432.11
CG-5032T1-015C	1-1/2	1	8	179	493.42
CG-5032T1-020C	2	1	0	179	644.58
CG-5032T1-025C	2-1/2	1	0	179	1982.26
CG-5032T1-030C	3	1	0	179	2013.32
CG-5032T1-040C	4	1	0	179	3483.93



USCG Application Only

True Union 2000 Industrial Ball Check Valves - EPDM - MARINE

Socket

CG-4529-005C	1/2	1	18	179	121.46
CG-4529-007C	3/4	1	18	179	145.37
CG-4529-010C	1	1	18	179	171.53
CG-4529-012C	1-1/4	1	12	179	295.42
CG-4529-015C	1-1/2	1	8	179	295.42
CG-4529-020C	2	1	8	179	394.58
CG-4522-025C	2-1/2	1	0	179	826.85
CG-4522-030C	3	1	0	179	1098.52
CG-4522-040C	4	1	0	179	1814.46
CG-4522-060C	6	1	0	179	3746.16
CG-4522-080C	8	1	0	179	4407.27



1/2" - 4" ABS type approved
1/2" - 8 USCG applications

True Union 2000 Industrial Ball Check Valves - FKM - MARINE

Socket

CG-4539-005C	1/2	1	18	179	135.21
CG-4539-007C	3/4	1	18	179	161.56
CG-4539-010C	1	1	18	179	190.57
CG-4539-012C	1-1/4	1	12	179	327.95
CG-4539-015C	1-1/2	1	8	179	327.95
CG-4539-020C	2	1	8	179	439.66
CG-4532-025C	2-1/2	1	0	179	918.68
CG-4532-030C	3	1	0	179	1196.47
CG-4532-040C	4	1	0	179	2017.35
CG-4532-060C	6	1	0	179	4161.87
CG-4532-080C	8	1	0	179	5547.62



Made in the U.S.A.

Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas
Effective 10/01/2018 See MSRP-1 Sheet or Check Spears® On-line Catalog @ www.spearsmfg.com for Pricing



Marine & Offshore Products

EverTUFF® CPVC Schedule 40 & 80 Marine Pressure Pipe & Fittings & MARINE Solvent Cement & Primer - ABS & USCG Approved

Valves - ABS & USCG Approved

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

True Union 2000 Industrial Ball Check Valves - FKM - MARINE

(continued)

Socket

1/2" - 4" ABS type approved
1/2" - 8 USCG applications



Compact 2000 Ball Valves - EPDM - MARINE

Socket

CG-6622-005C	1/2	10	120	179	36.35
CG-6622-007C	3/4	10	80	179	47.94
CG-6622-010C	1	10	0	179	59.91
CG-6622-012C	1-1/4	6	0	179	98.05
CG-6622-015C	1-1/2	5	0	179	121.27
CG-6622-020C	2	8	0	179	158.88

USCG Application Only

Compact 2000 Ball Valves - FKM - MARINE

Socket

CG-6632-005C	1/2	10	120	179	40.45
CG-6632-007C	3/4	10	80	179	53.87
CG-6632-010C	1	10	0	179	67.37
CG-6632-012C	1-1/4	6	0	179	121.17
CG-6632-015C	1-1/2	5	0	179	134.74
CG-6632-020C	2	8	0	179	178.48

USCG Application Only

Butterfly Valve, Standard - EPDM - MARINE

Lever Handle

10" & 12" Valve Gear Operated Only

CG-722311-015C	1-1/2	1	0	179	546.59
CG-722311-020C	2	1	0	179	582.57
CG-722311-025C	2-1/2	1	0	179	618.62
CG-722311-030C	3	1	0	179	674.22
CG-722311-040C	4	1	0	179	778.99
CG-722311-060C	6	1	0	179	1152.08
CG-722311-080C	8	1	0	179	1957.17
CG-722321-100C	10	1	0	179	3822.73
CG-722321-120C	12	1	0	179	5400.25

1-1/2" - 6" ABS type approved
1-1/2" - 12 USCG applications



Butterfly Valves, Standard - FKM - MARINE

Lever Handle

10" & 12" Valve Gear Operated Only

CG-723311-015C	1-1/2	1	0	179	1106.26
CG-723311-020C	2	1	0	179	1142.26



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Butterfly Valves, Standard - FKM - MARINE (continued)

Lever Handle

CG-723311-030C	3	1	0	179	1328.78
CG-723311-040C	4	1	0	179	1662.62
CG-723311-060C	6	1	0	179	2657.63
CG-723311-080C	8	1	0	179	4496.99
CG-723321-100C	10	1	0	179	9766.27
CG-723321-120C	12	1	0	179	12695.52

1-1/2" - 6" ABS type approved
1-1/2" - 12 USCG applications



Wafer Butterfly Valves -EPDM - MARINE

Lever Handle

10" & 12" Valve Gear Operated Only

CG-752311-020C	2	1	0	179	582.57
CG-752311-025C	2-1/2	1	0	179	618.62
CG-752311-030C	3	1	0	179	674.22
CG-752311-040C	4	1	0	179	778.99
CG-752311-060C	6	1	0	179	1152.08
CG-752311-080C	8	1	0	179	1957.17
CG-752321-100C	10	1	0	179	3822.73
CG-752321-120C	12	1	0	179	5400.25

2" - 6" ABS type approved
2" - 12 USCG applications



Wafer Butterfly Valves -FKM - MARINE

Lever Handle

10" & 12" Valve Gear Operated Only

CG-753311-020C	2	1	0	179	1142.26
CG-753311-025C	2-1/2	1	0	179	1240.45
CG-753311-030C	3	1	0	179	1328.78
CG-753311-040C	4	1	0	179	1662.62
CG-753311-060C	6	1	0	179	2657.63
CG-753311-080C	8	1	0	179	4496.99
CG-753321-100C	10	1	0	179	9766.27
CG-753321-120C	12	1	0	179	12695.52

2" - 6" ABS type approved
2" - 12 USCG applications

MARINE Solvent Cement & Primer - ABS & USCG Approved

Marine-24 Solvent Cement - Gray

Requires primer



CG-MARINE24-030	Quart	12	0	178	63.83
CG-MARINE24-040	Gallon	6	0	178	220.41


**MARINE Solvent Cement & Primer - ABS & USCG
Approved**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	-----------	-------------	--------------	------


**PRIMER-70 Purple Industrial Strength Primer -
MARINE**

PRIM70P-030	Quart	12	0	709	38.59
PRIM70P-040	Gallon	6	0	709	126.80


**PRIMER-70 Clear Industrial Strength Primer -
MARINE**

PRIM70C-030	Quart	12	0	709	38.59
PRIM70C-040	Gallon	6	0	709	126.80