

TOTO®

**RESIDENTIAL
PRODUCTS**
BROCHURE |


TOTO®

2018

VERSION 2

RESIDENTIAL
PRODUCTS
BROCHURE |

Life Anew



TOTO[®]

CONTENTS

ICON GUIDE & CHARTS

- 04 Icon Guide
- 06 Shower Chart
- 08 Faucets and Tub Fillers Chart
- 09 Trims and Valves Chart
- 10 Bathroom Series Charts

NEOREST NX COLLECTION

- 16 NEOREST® NX Features
- 19 NEOREST NX2
- 19 NEOREST NX1
- 20 ZERO DIMENSION®
- 23 Flotation Tub
- 25 ZN Faucet

NEOREST

- 27 PREMIST
- 27 CEFIONTECT®
- 27 EWATER+®
- 28 1 Gallon Technology
- 29 TORNADO FLUSH®
- 29 RIMLESS
- 30 ACTILIGHT®
- 32 NEOREST Features
- 35 NEOREST AH
- 35 NEOREST 550H
- 37 NEOREST RH
- 37 NEOREST 500H
- 39 NEOREST AC
- 39 NEOREST EW
- 41 NEOREST 750H
- 41 NEOREST 700H
- 42 Comparison Chart
- 44 Remote Control Stand
- 46 How The Remote Control Works

WASHLET®

- 48 WASHLET
- 50 Cleansing Functions
- 52 How The Remote Control Works
- 54 WASHLET Technologies
- 56 Comparison Chart

TOILET TECHNOLOGIES

- 62 Clean Synergy
- 64 EWATER+
- 65 CEFIONTECT
- 66 DYNAMAX™ TORNADO FLUSH
- 67 TORNADO FLUSH

WASHLET®+

- 68 WASHLET+
- 70 WASHLET+ Recommended Models
- 72 WASHLET+ One-Piece Toilets
- 79 WASHLET+ Two-Piece Toilets
- 85 WASHLET+ Wall-Hung Toilet
- 86 WASHLET+ Chart
- 88 WASHLET+ Comparison

TOILETS

- 90 Toilet Technologies
- 91 TORNADO FLUSH
- 94 High-Efficiency
- 97 Wall-Hung

LAVATORIES

- 102 Vessel
- 104 Pedestal
- 106 Wall-Mount
- 108 Undercounter
- 112 Self-Rimming

SHOWERHEADS & HANDSHOWERS

- 116 WARM SPA™
- 118 COMFORT WAVE™
- 118 ACTIVE WAVE™
- 123 G Series
- 124 Aero® Technologies
- 127 Aero Showers
- 128 L Series
- 129 Classic Series
- 129 Transitional Series

FAUCETS & TRIMS

- 132 MINI UNIT™
- 133 SAFETY THERMO™
- 134 Shower Configurations
- 136 MINI UNIT Trims
- 137 Custom Trims
- 138 COMFORT GLIDE™
- 141 ZL Faucets
- 143 GR Faucets
- 145 GS Faucets
- 147 LF Faucets

BATHROOM COLLECTIONS

- 150 Connelly®
- 151 Keane®
- 152 Oberon®
- 153 Silas®
- 154 Vivian®
- 157 Wyeth™
- 158 Aimes®
- 161 Kiwami® Renesse®
- 162 Legato®
- 163 Lloyd®
- 164 NEOREST
- 165 Nexus®
- 166 Soirée®
- 168 Upton®

TOTO ACCESSORIES

- 172 Classic Series
- 173 Transitional Series

TOTO BATHTUBS

- 176 Freestanding Bathtubs
- 177 Freestanding Tub Fillers
- 178 Drop-In Bathtubs
- 179 Cast Iron Bathtubs

ICON GUIDE

TOILET & LAVATORY

	1.0 GPF	Using only 1 gallon per flush, 1G toilets provide the most efficient flush in the industry.
	DYNAMAX™ TORNADO FLUSH®	Uses 100% of water to clean and rinse the bowl using a smaller amount of water more efficiently with a 2.5" trapway and quieter flush. Available in 1.0/.9 GPF or 1.28/.8 GPF.
	TORNADO FLUSH®	A state-of-the-art, hole-free rim design that offers dual-nozzle bowl cleansing, creating a centrifugal rinsing action that cleans the bowl more efficiently.
	3D TORNADO FLUSH®	Three powerful nozzles create a powerful centrifugal rinsing action and combines it with the conservation of 0.9 or 1.28 GPF.
	DUAL-MAX®	A dual flushing system that optimizes conservation by selecting the preferred flush volume.
	E-MAX®	High performance, high-efficiency flushing technology using only 1.28 GPF with a 3" wide flush valve, large trapway, and extra-large siphon jet.
	G-MAX®	A reliable flushing technology with 3" wide flush valve, large trapway, and extra-large siphon jet.
	CEFIONTECT®	Ultra-smooth ceramic glaze leaves nowhere for waste to cling.
	UNIVERSAL HEIGHT	Toilet height that allows for a more comfortable height position across a wide range of users.
	SKIRTED DESIGN	The trapway is concealed by smooth porcelain, making the toilet easier to clean.
	LINEARCERAM™	Material used for lavatories that achieves an extremely thin design yet two times as strong as standard fireclay.
	LUMINIST®	An epoxy resin material that combines the translucence of glass with exceptional impact and heat resistance.

WASHLET

	TOTO Washlet	An electronic bidet seat featuring adjustable warm water cleansing, heated seat, dryer, deodorizer and much more.
	WASHLET+	WASHLET and toilet set with a concealed connection that is specially designed for a seamless installation.
	Actilight	Special glaze combined with ultraviolet light work together to break down waste in the toilet bowl.
	EWATER+®	Mists the bowl with electrolyzed water, a proven disinfectant, keeping the wand and toilet bowl clean to reduce the need for harsh chemicals.
	PREMIST	Using the incoming water supply, PREMIST sprays the toilet bowl surface aiding in the elimination of waste approximately 80 percent better than a dry bowl.

SHOWER

	SAFETY THERMO™	Shape Memory Alloy (SMA) thermostatic valve that prevents a sudden, unwanted increase in water temperature.
	AERO-JET+®	Uses air injection technology to increase water volume with an additional pulsating feature for a more invigorating shower experience.
	AERO-JET®	Uses air injection technology to increase water volume by adding air into each water droplet, creating voluminous droplets while using less water.



CASCADE FLOW

Curved waterfall-like water stream that evenly warms the entire body.



GYROSTREAM

Rotating shower nozzle with pulsating water stream that creates a massaging effect.



MINI UNIT™

Unified exterior sizes for concealed shower valves creating a balanced bathroom space.



WARM SPA™

The feeling of a warm bath in a shower with water flow that envelopes and warms the body efficiently with no splash.



COMFORT WAVE™

A mix of large droplets and standard spray creates a shower with moderate intensity and just the right amount of stimulation.



ACTIVE WAVE™

Large droplets of water producing a more vigorous, high intensity shower.

FAUCET



COMFORT GLIDE™

Precise and easy flow control of water based on user's touch.



SOFT FLOW

Keeps splashing to a minimum for comfortable use and soft to the touch water.

TUB



ZERO DIMENSION®

A zero-gravity bathing experience, letting the body float in a completely tension-free state, creating absolute relaxation for the body and mind.



HYDROHANDS

Deeply stimulating water massage gives the feeling of real hands kneading tired muscles.

GENERAL FEATURES



AUTO FUNCTIONS

Product featuring an integrated, automatic, sensor activated function.



ADA

Product complies with Americans with Disabilities Act guidelines.



WATERSENSE

Product that meets EPA standards for water efficiency and performance criteria.



CEC

Product meets California Energy Commission requirements.

DESIGN AWARDS



reddot award
winner

The Red Dot is the award for high design quality. The international jury only awards this sought-after seal of quality to products that feature an outstanding design.



IF AWARD

The IF DESIGN AWARD has long become a symbol for excellent form, for aesthetic quality, and for user-focused, ergonomic and efficient design in all disciplines, by companies around the world.



GOOD DESIGN

The Good Design Award is the world's oldest and most important industrial design program organized annually by the Chicago Athenaeum Museum. Awarded to our toilets with 1.28 GPF and below and automatic faucets with 0.35 GPM and below.

YOUR IDEAL SHOWER SPACE BEGINS RIGHT HERE.

Showerheads and Handshowers

* RAINSHOWERS SEE PAGES 123-127		
	2.0 GPM	2.5 GPM
SINGLE MODE	 TS112BL8	 TS112B8
	 TS112BL12	 TS112B12
	 TS111BL8	 TS111B8
	 TS111BL12	 TS111B12
	1.75 GPM	2.5 GPM
	 TBW01003U4	 TBW01003U1
 TBW02003U4	 TBW02003U1	
MULTI MODE	 TBW01004U4	 TBW01004U1
	 TBW02004U4	 TBW02004U1
RAIN SHOWER ARMS	 TS110MW16	
	 TS110MC6	

* SHOWERHEADS SEE PAGES 128-129			
	1.75 GPM	2.0 GPM	2.5 GPM
SINGLE MODE	—	 TS300AL61 ▲	 TS300A61 ▲
	—	 TS301AL61 ▲	 TS301A61 ▲
	—	 TS200AL61 ▲	 TS200A61 ▲
	 TS360A17	 TS360A20	—
	 TBW01012U4	—	—
	 TBW03001U4	—	—
MULTI MODE	—	 TS300AL65 ▲	 TS300A65 ▲
	—	 TS301AL65 ▲	 TS301A65 ▲
	—	 TS200AL65 ▲	 TS200A65 ▲
	 TBW01013U4	—	—
SHOWER ARMS	 TBW01012UV1	 TS200N6	 TS300N6
			 TS301N6

* Shower arms and accessories sold separately

▲ Alternative model available



HANDSHOWERS SEE PAGES 123-129					
		1.75 GPM	2.0 GPM	2.5 GPM	
SINGLE MODE		—	—	 TS112FL51 ▲	 TS112F51 ▲
		—	 TS300FL51 ▲	 TS300F51 ▲	
		—	 TS301FL51 ▲	 TS301F51 ▲	
	—	 TBW01019U2	 TS200FL51 ▲	 TS200F51 ▲	
		—	 TS400FL51 ▲	 TS400F51 ▲	
MULTI MODE		—	 TS112FL53 ▲	 TS112F53 ▲	
		—	 TS300FL55	 TS300F55	
		—	 TS301FL55	 TS301F55	
	—	 TBW01020U2	 TS200FL55	 TS200F55	
	—	 TBW03003U2	 TS400FL55	 TS400F55	

* SHOWER ACCESSORIES	
WALL OUTLET	 TS101R
SHOWER WALL MOUNT	 TS101S
HANDSHOWER WALL-MOUNT	 TS101V
SLIDE BAR	 TS100GR
SHOWER HOSE	 TS101W60

FAUCETS AND TRIMS

FOR THE SPACE YOU DREAM OF.

Faucets and Tub Fillers

COLLECTIONS	LAVATORY FAUCET						BATHTUB FAUCET			
	SINGLE-HANDLE			SIDE HANDLE	WALL-MOUNT	WIDE-SPREAD	THREE-HOLE	FOUR-HOLE	TUB SPOUT	FREE-STANDING
	REGULAR	SEMI-VESSEL	VESSEL							
ZN	—	PAGE 25  TLP01701U & TLP01702U	—	—	—	—	—	—	—	PAGE 177  TBP01301U & TBN01105U
	PAGE 141			—	—	—	—	—	—	—
ZL	 TLP02301U	 TLP02304U	 TLP02307U	—	—	—	—	—	—	PAGE 177  TBP02303U & TBN01105U
	PAGE 143									
GR	 TLG02301U	 TLG02304U	 TLG02307U	 TLG02309U	 TLG02311U	 TLG02201U	 TBG02201U & TBN01201U	 TBG02202U & TBN01202U	 TBG02001U	PAGE 177  TBP02306U & TBN01105U
	PAGE 145									
GS	 TLG03301U	 TLG03303U	 TLG03305U	—	 TLG03308U	 TLG03201U	 TBG03201U & TBN01201U	 TBG03202U & TBN01202U	 TBG01001U	—
	PAGE 147									
LF	 TLS04301U	—	 TLS04306U	—	—	—	—	—	—	—
	PAGE 147									

* Sold separately

■ Handshower sold separately



Trims and Valves

	THERMOSTATIC TRIM	THERMOSTATIC WITH VOLUME CONTROL TRIM	THERMOSTATIC WITH TWO-WAY WITH OFF TRIM	VOLUME CONTROL	TWO-WAY	THREE-WAY	THREE-WAY WITH OFF
	PAGES 136-137						
ROUND	 TBV01406U	 TBV01407U	 TBV01408U	 TBV01101U	 TBV01103U	 TBV01104U	 TBV01102U
SQUARE	 TBV02401U	 TBV02403U	 TBV02404U	 TBV02101U	 TBV02103U	 TBV02104U	 TBV02102U
PUSH BUTTON	—	 TBV02405U	 TBV02406U	—	—	—	—
	PAGES 136-137						
*REQUIRED VAVLE	 TBN01001U			 TBN01104U	 TBN01102U	 TBN01103U	 TBN01101U

THE SENSE OF ASSURANCE YOU GET KNOWING A PRODUCT WILL PERFORM RELIABLY FOR A LONG TIME.

Bathroom Series

COLLECTIONS	LAVATORY FAUCET			BATHTUB FAUCET		PRESSURE BALANCE TRIM
	SINGLE- HANDLE	WIDESPREAD		ROMAN TUB FILLERS 3 HOLE	ROMAN TUB FILLERS 4 HOLE	
CONNELLY SEE PAGE 150	 TL221SD ▲	 TL221DD ▲	—	 TB221DD	 TB221S	 TS221P
KEANE SEE PAGE 151	 TL211SD ▲	 TL211DD ▲	—	 TB211DD	 TB211S	 TS211P
OBERON SEE PAGE 152	 TL363SD ▲	—	—	—	—	 TS363P ▲
SILAS SEE PAGE 153	 TL210SD ▲	 TL210DD ▲	—	 TB210DD	 TB210S	 TS210P
VIVIAN SEE PAGE 154-155	 TL220SD ▲	 TL220DD ▲	 TL220DDH ▲	 TB220DD ▲	 TB220S ▲	 TS220P ▲
WYETH SEE PAGE 157	 TL230SD ▲	 TL230DD ▲	—	 TB230DD	 TB230S	 TS230P
*REQUIRED VAVLE	—	—	—	 TBMT2	 TBMV2	 TSPTM

* Sold separately

▲ Alternative model available



THERMOSTATIC TRIM	VOLUME CONTROL	TWO-WAY WITH OFF	THREE-WAY WITH OFF	TWO-WAY	THREE-WAY	TUB SPOUT	TUB SPOUT WITH DIVERTER
 TS221T	 TS221C	 TS221D	 TS221X	 TS221DW	 TS221XW	 TS221E	 TS221EV
 TS211T	 TS211C	 TS211D	 TS211X	 TS211DW	 TS211XW	 TS211E	 TS211EV
—	—	—	—	—	—	—	—
 TS210T	 TS210C	 TS210D	 TS210X	 TS210DW	 TS210XW	 TS210E	 TS210EV
 TS220T	 TS220C ▲	 TS220D ▲	 TS220X ▲	 TS220DW ▲	 TS220XW ▲	 TS220E	 TS220EV
 TS230T	 TS230C	 TS230D	 TS230X	 TS230DW	 TS230XW	 TS230E	 TS230EV
 TSST	 TSMA	 TSMV	 TSMX	 TSMVW	 TSMXW	—	—

Bathroom Series

COLLECTIONS	SHOWERHEADS	HANDSHOWERS	LAVATORY FAUCET		BATHTUB FAUCET	
			SINGLE-HANDLE	WIDESPREAD	ROMAN TUB FILLERS 3 HOLE	ROMAN TUB FILLERS 4 HOLE
AIMES SEE PAGE 158-159	 TS626A ▲	 TS626F2	—	 TL626DD12 ▲	—	 TB626S1
REQUIRED VALVE						TB2F
KIWAMI RENESSE SEE PAGE 161	 TS170A	 TS170F	 TL170SD12 ▲	 TL170DD12 ▲	 TB170DD	—
REQUIRED VALVE		TSKA			TBKT	
LEGATO SEE PAGE 162	 TS624KG ▲	 TS624F2	—	 TL624DD12 ▲	—	 TB624S1
REQUIRED VALVE						TB2F
LLOYD SEE PAGE 163	 TS930A1 ▲	—	—	 TL930DDLQ12 ▲	 TB930DD	—
REQUIRED VALVE						
NEOREST SEE PAGE 164	—	—	 TL993SE	—	—	—
REQUIRED VALVE						
NEXUS SEE PAGE 165	 TS794A ▲	—	—	 TL794DD12 ▲	 TB794DD	—
REQUIRED VALVE						
SOIRÉE SEE PAGE 166-167	 TS960A ▲	 TS960F1 ▲	 TL960SD12 ▲	 TL960DD12 ▲	 TB960DD	 TB960S ▲
REQUIRED VALVE					TB6TR	TB6FR
UPTON SEE PAGE 168-169	 TS630AR	 TS630F2	 TL630SD12 ▲	—	 TB630DD	—
REQUIRED VALVE					TB6TR	

* Sold separately

▲ Alternative model available

PRESSURE BALANCE TRIM	THERMOSTATIC TRIM	VOLUME CONTROL	TWO-WAY WITH OFF	TWO-WAY	TUB SPOUT	ACCESSORIES
—	 TS626T	 TS626C2	 TS626D2	—	 TS626E	SEE PAGE 159
	TSST	TS2A	TS2D			
—	 TS170T	 TS170C	—	 TS170D	 TS170E	—
	TSKT	TSKA		TSKD		
—	 TS624T	 TS624C2	—	 TS624D2	 TS624E	—
	TSST	TS2A		TS2D		
 TS930PV ▲	—	 TS930C	—	 TS930D	 TS930E	SEE PAGE 163
TSPVR		TSTAR		TSTDR		
—	—	—	—	—	—	SEE PAGE 164
 TS794PV	—	 TS794C	—	 TS794D	 TS794E	—
TSPVR		TSTAR		TSTDR		
—	—	 TS960C ▲	—	 TS960D ▲	 TS960E	SEE PAGE 167
		TSTAR		TSTDR		
—	 TS630T	 TS630C2	—	 TS630D2	 TS630E	SEE PAGE 169
	TSST	TS2A		TS2D		



A modern, white, freestanding bathtub is positioned on a wooden deck. The deck is made of light-colored wooden planks and is situated on a raised platform overlooking a pond. The pond is filled with lily pads and is surrounded by a dense forest of green trees and bushes. A white ladder is visible in the pond. The scene is captured from a low angle, looking out from under a concrete overhang. The text "NEOREST NX COLLECTION" is overlaid in the center of the image.


NEOREST NX
COLLECTION

NEOREST®

Every moment of every day,
enjoy the cleanliness and comforts of
Life Anew.

Constantly at work, automated technologies keep surfaces hygienic
and maintain a place that is inviting and comfortable to use.

Cycle of Cleanliness and Comfort





NEOREST®

NX2

MS901CUMFX *(With Actilight)*



reddot award 2018
winner



Remote (Front View)



Remote (Top View)

NEOREST®

NX1

MS900CUMFG



reddot award 2018
winner



Remote (Front View)



Remote (Top View)



CALGreen

- ACTILIGHT® UV light cleaning system built in lid (*NEOREST NX2 only*)
- TORNADO FLUSH® system, ultra-high efficiency
- Dual flush function (1.0 GPF/3.8 LPF and 0.8 GPF/3.0 LPF)
- CEFIONTECT® ceramic glaze minimizes debris and mold from sticking to porous, ceramic surfaces
- WASHLET® with three wash modes (front, rear, soft)
- Skirted Design - Concealed trapway for easy cleaning
- Auto open/close lid, auto flush
- EWATER+® - Electrolyzed water that sanitizes toilet bowl and wand
- PREMIST of bowl before each use
- Universal Height
- ADA compliant
- Meets WaterSense efficiency and performance standards

AVAILABLE
COLOR



#01
Cotton



ZERO DIMENSION®

Afloat, calm, immersed in the meditative moment of relaxation.



THE POSTURE OF AN ASTRONAUT RESTING IN SPACE

ZERO DIMENSION bathing brings freedom from gravity, releasing stress on joints and encouraging ultimate relaxation.

THE BRAIN IN A STATE OF TRANQUILITY

Research has shown that the ZERO DIMENSION bathing posture reduces activity in the part of the brain that houses the language function. This is the reason ZERO DIMENSION bathing feels calming and relaxing.





ADVANCED FUNCTIONS STIMULATE RELAXATION

Exclusive features make every bath a luxurious occasion.



HYDROHANDS

Propels powerful water currents without air bubbles, delivering a firmer “touch” to the body. The water flow is soundless.



CONTROLLER

The electrostatic controller is operated by the slightest touch.



NECK BATH

With variable pillow positions ensuring stability, people of all body shapes can enjoy the warmth of the bath from above the shoulders to the neck.


NEW

**FLOTATION TUB WITH
ZERO DIMENSION®**
PJYD2200PWEU
(86-5/8" x 41-5/16" x 30-7/8")



AIR-JET

Fluctuating streams of air bubbles rise from below and envelop the body with a soothing sensation.



GALALINE® MATERIAL

Offering outstanding durability, the tub is made of Galaline artificial marble and constructed using TOTO's innovative sandwich configuration.



LED LIGHTING

In the outer perimeter of the tub's base, LED lighting supplies a dream-like ambience.



ZN FAUCET

The ZN Faucet features a beautiful design inspired by graceful flowing water. The precisely balanced streams of water from SOFT FLOW touches the skin gently, causing almost no splatter as you wash your hands. The feeling is soft, yet strong and enriching. Sensor-operation eliminates the need for levers or buttons to touch.

NEW

ZN LAVATORY FAUCET
TLP01701U



Polished Chrome



Brushed Nickel



SPLASH-FREE HANDWASHING

SOFT FLOW technology creates little to no splashing, even as the water completely envelops your hands, enveloping them in warmth and comfort.



HANDS-FREE OPERATION

The ZN Faucet has sensors both for opening and closing the spout and for switching between hot and cold water. Simply waving the hand over each sensor operates it.

NEOREST®

**DELIVERING THE PEAK OF
TOTO INNOVATION.**

NEOREST transforms the contemporary bathroom
into a relaxing and refreshing escape.




PREVENT TOILET RESIDUE AND CLEAN AUTOMATICALLY.

TOTO's cleaning technology prevents waste and build up, leaving the bowl automatically clean.




PREMIST sprays the bowl surface aiding in the elimination of waste better than a dry bowl.



Ultra-smooth ceramic glaze leaves nowhere for waste to cling.



Mists the bowl with electrolyzed water.



For more information on dimensions please refer to product spec sheet.

1G 1 GALLON TECHNOLOGY (1.0 GPF)

Reduces water use by 35% or more on average over a standard 1.6 gpf toilet.

35%
WATER
SAVINGS
PER YEAR



VS.



TOTO® 1G TOILETS

5,840 GALLONS
Used in Flushing

\$175 Operation
Cost

PER YEAR

STANDARD 1.6 GPF TOILETS

9,344 GALLONS
Used in Flushing

\$280 Operation
Cost

PER YEAR

MERGING UNIQUE TECHNOLOGY AND DESIGN, MAKES IT EVEN EASIER TO CLEAN.



TORNADO FLUSH®

**360° CLEANING POWER REACHES EVERY
SPOT USING LESS WATER.**

A state-of-the-art, hole-free rim design that offers dual-nozzle bowl cleansing, creating a centrifugal rinsing action that cleans the bowl more efficiently.



RIMLESS

TOTO'S UNIQUE RIMLESS BOWL DESIGN.

The unique rimless design not only leaves no place for waste and germs to hide, it also makes it much easier to clean the toilet.




For more information on dimensions please refer to product spec sheet.



ACTILIGHT®


Photocatalytic glaze, the ultimate cleaning technology, has the natural power to decompose waste.



ACTILIGHT® elevates toilet cleaning to an extraordinary new dimension. With ultraviolet light and a titanium dioxide-fired toilet bowl, this extraordinary technology initiates a photocatalytic process that breaks down even microscopic waste particles.

State-of-the-art materials

Titanium dioxide attracts water to the surface of the toilet bowl, setting the stage for photocatalysis. The toilet bowl's photocatalytic glaze also contains zirconium oxide, which provides its extreme durability.



Operates 24 hours a day to maintain hygienic conditions

The photocatalytic process with UV light and titanium dioxide produces activated oxygen from the ambient oxygen and water molecules, which further breaks down organic waste and reduces the food source that microbes feed on.

PREMIST, a fine mist of water, is sprayed inside the toilet

Since waste is less able to adhere to a wet surface, it is more easily washed away

Automatic flushing, then spraying of EWATER+

The UV light continues to react with the titanium dioxide, decomposing waste on the toilet bowl



NEOREST[®] FEATURES



**SoftClose®
LID**

The SoftClose lid automatically closes gently to eliminate seat slamming.

PREMIST

Using the incoming water supply, PREMIST wets the toilet bowl surface aiding in the elimination of waste approximately 80% better than a dry bowl.

HEATED SEAT

The contoured seat has five temperature settings for maximum comfort.

EWATER+®

After each use, EWATER+ sprays the bowl with electrolyzed water, reducing the need for harsh cleaning chemicals.

**SELF-CLEANING
WAND**

The self-cleaning function cleans the entire wand with EWATER+ before and after each use.

DRYER

Enjoy the ease and comfort of drying with the temperature-adjustable warm-air dryer.

ACTILIGHT®

Uses a special photocatalytic glaze and an ultraviolet light inside the lid to get rid of both visible and invisible waste. Available on NEOREST models NX2, AC, and 750H.

**AUTOMATIC
DEODORIZER**

The deodorizer cleans the air around the toilet using powerful filters. Air is drawn in, passing through an ionized carbon filter to eliminate unpleasant odors.



NEW

NEOREST®
AH
MS989CUMFG*



*Available Q3



Remote (Front View)



Remote (Top View)

NEOREST®
550H
MS982CUMG



Remote (Front View)



Remote (Top View)

-  
-  
-  
-  
-  
-  

CALGreen

- TORNADO FLUSH® system, ultra-high efficiency (1.0GPF/3.8LPF and 0.8GPF/3.0LPF)
- CEFIONTECT® ceramic glaze minimizes debris and mold from sticking to porous, ceramic surfaces
- WASHLET® with three wash modes (front, rear, soft)
- Skirted Design - Concealed trapway for easy cleaning
- Auto open/close lid, auto flush
- EWATER+® - Electrolyzed water that sanitizes toilet bowl and wand
- PREMIST of bowl before each use
- Meets WaterSense efficiency and performance standards
- Universal Height (*NEOREST AH only*)
- ADA compliant (*NEOREST AH only*)

**AVAILABLE
COLORS**



#01
Cotton



#12
Sedona
Beige



NEOREST RH;
MS988CUMFG

NEW

NEOREST®
RH
MS988CUMFG*



*Available Q3



Remote (Front View)



Remote (Top View)

NEOREST®
500H
MS952CUMG



Remote (Front View)



Remote (Top View)



CALGreen

- TORNADO FLUSH® system, ultra-high efficiency (1.0GPF/3.8LPF and 0.8GPF/3.0LPF)
- CEFIONTECT® ceramic glaze minimizes debris and mold from sticking to porous, ceramic surfaces
- WASHLET® with three wash modes (front, rear, soft)
- Skirted Design - Concealed trapway for easy cleaning
- Auto open/close lid, auto flush
- EWATER+® - Electrolyzed water that sanitizes toilet bowl and wand
- PREMIST of bowl before each use
- Meets WaterSense efficiency and performance standards
- Universal Height (*NEOREST RH only*)
- ADA compliant (*NEOREST RH only*)

**AVAILABLE
COLORS**



#01
Cotton



#12
Sedona
Beige



NEOREST AC;
CWT996CEMFX

NEOREST®

AC/EW

CWT996CEMFX/CWT994CEMFG



Remote (Front View)



Remote (Top View)

- *ACTILIGHT® UV light cleaning system built into lid
- 3D TORNADO FLUSH® system, ultra-high efficiency (1.28 GPF/4.8 LPF and 0.9 GPF/3.4 LPF)
- CEFIONTECT® ceramic glaze minimizes debris and mold from sticking to porous, ceramic surfaces
- WASHLET® with three wash modes (front, rear, soft)
- Skirted Design - Concealed trapway for easy cleaning
- Auto open/close lid, auto flush
- EWATER+® - Electrolyzed water that sanitizes toilet bowl and wand
- PREMIST of bowl before each use
- Universal Height
- ADA compliant
- Meets WaterSense efficiency and performance standards

*Actilight only available on NEOREST AC

AVAILABLE COLOR



NEOREST IN-WALL TANK UNIT - 1.28/0.9 GPF WT174M (Copper supply line)

2' x 6" installation
2' x 4" outlet kit available
Push plates sold separately



PUSH PLATE YT994#WH Glass/White plastic





NEOREST 750H;
MS993CUMFX

NEOREST® 750H

MS993CUMFX (With Actilight)



Remote (Front View)



Remote (Top View)

NEOREST® 700H

MS992CUMFG



Remote (Front View)



Remote (Top View)



CALGreen

- ACTILIGHT® UV light cleaning system built in lid (*NEOREST 750H only*)
- TORNADO FLUSH® system, ultra-high efficiency (1.0GPF/3.8LPF and 0.8GPF/3.0LPF)
- CEFIONTECT® ceramic glaze minimizes debris and mold from sticking to porous, ceramic surfaces
- WASHLET® with three wash modes (front, rear, soft)
- Skirted Design - Concealed trapway for easy cleaning
- Auto open/close lid, auto flush
- EWATER+® - Electrolyzed water that sanitizes toilet bowl and wand
- PREMIST of bowl before each use
- Universal Height
- ADA compliant
- Meets WaterSense efficiency and performance standards

**AVAILABLE
COLOR**



#01
Cotton

NEOREST®


COMPARISON CHART

NEW			
NX2	NX1	AC™	EW™
MS900CUMFG	MS901CUMFX	CWT996CEMFX	CWT994CEMFG
			

	COLOR:	#01			
CLEANSE	REAR CLEANSE				
	SOFT REAR CLEANSE				
	FRONT CLEANSE				
	WIDE FRONT CLEANSE	•			
	OSCILLATING CLEANSE				
	PULSATING CLEANSE				
	INSTANTANEOUS WATER HEATING				
	WATER PRESSURE CONTROL	5 SETTINGS			
WATER TEMPERATURE CONTROL					
WAND POSITION ADJUSTMENT					
AIR	AIR PURIFIER (DEODORIZER)	•			
	AIR DRYER				
	AIR TEMPERATURE CONTROL	5 SETTINGS			
SEAT	HEATED SEAT	•			
	HEATED SEAT TEMPERATURE CONTROL	5 SETTINGS			
	SoftClose® SEAT AND LID				
SENSOR	SEAT SENSOR				
	 AUTOMATIC OPEN AND CLOSE LID	•			
	 AUTOMATIC FLUSH				
	NIGHT LIGHT				
REMOTE CONTROL	REMOTE CONTROL				
	REMOTE CONTROLLED SEAT	•			
	REMOTE CONTROLLED FLUSH				
HYGIENE	 ACTILIGHT®	•	-	•	-
	 CEFIONTECT®				
	 EWATER+®				
	 PREMIST				
	BOWL CLEANING MODE	•			
	WAND CLEANING MODE				
	SELF-CLEANING WAND				
FLUSH SYSTEM	FLUSHING TYPE	TORNADO		3D TORNADO	
	GALLONS PER FLUSH	1.0 & 0.8 GPF		1.28 & 0.9 GPF	
ENERGY SAVING	ENERGY-SAVE TIMER	3, 6, 9 HOURS			
	AUTO ENERGY SAVER	•			
	ON / OFF BUTTON				
USABILITY	INSTALLATION	FLOOR MOUNT		WALL-HUNG	
	 ADA	•			
	 UNIVERSAL HEIGHT				

NEW

NEOREST® REMOTE CONTROL STAND



NEOREST REMOTE CONTROL STAND;
YS990

NEOREST®

YS990

- Versatile design with removable remote control plate for a stand alone toilet paper holder
- Solid brass construction weighing 22 lbs.
- Designed to hold two rolls of toilet paper and one remote control
- Remote control not included



**AVAILABLE
FINISH**



#CP
Polished
Chrome

For more information on dimensions please refer to product spec sheet.


REMOTE CONTROL HOW IT WORKS

Easy and Convenient to Use.

NEW

NEOREST®


NX2, NX1, AH, and RH models



*1.0 GPF available on NEOREST 750H, 700H, 550H and 500H
1.28 GPF available on NEOREST AC and EW

NEOREST®

AC™, EW™, 750H, 700H, 550H, and 500H models



INTERFACE OF THE REMOTE CONTROL IS SUBJECT TO CHANGE.

For more information on dimensions please refer to product spec sheet.

TOTO : WASHLET



AUTOMATION THAT KEEPS YOU CLEAN AND COMFORTABLE

WASHLET® is an electronic bidet seat that cleanses you with warm water and provides an exceptionally clean feeling. With the touch of a button, the self-cleaning wand extends from under the seat to deliver soothing warm water. The wand is fully adjustable, allowing users to set the precise temperature and spray type.

Instead of traditional toilet paper that can sometimes be rough, WASHLET quickly provides comfortable warm water cleansing, heated seat, premist, dryer, and automated technology.

A once mundane trip to the bathroom can become a spa-like experience with WASHLET.





REAR SPRAY

REAR SOFT SPRAY

FRONT SPRAY

WIDE FRONT SPRAY

TOTO : washlet

CLEANSING FUNCTIONS




CLEANSING FUNCTIONS

WITH THE TOUCH OF A BUTTON, A WAND EXTENDS FROM UNDER THE SEAT FOR SOOTHING WARM-WATER CLEANSING.

How WASHLET® works

AIR-IN WONDER-WAVE technology is the precise, pleasant, air rich stream that keeps you clean. As water is fired at different speeds, small droplets collide with larger ones, combining and expanding as the droplets fill with more air. The injection of air enlarges water droplets by around 30%.



Select the type of cleansing you desire each time.



REAR SPRAY

The rear spray is designed to clean the rear intimate area. It features pleasant, yet strong water pressure to target this specific area.



REAR SOFT SPRAY

It has a larger radius to cover more area. Lower water pressure makes for a soft, comfortable spray.



FRONT SPRAY

The front wash consists of large, soft drops for comfortable intimate cleansing - for a clean, fresh feeling.



WIDE FRONT SPRAY

It has a larger radius to cover more area. Lower water pressure makes for a soft, comfortable spray.


S550e & S500e Remote Control

HOW THE REMOTE CONTROL WORKS

Easy and Convenient to Use.


NEW

WASHLET® S550e & S500e models



Interface of the remote control is subject to change.
Bracket available for wall-mounting.

WASHLET® S350e, S300e, C200, & A200 models




*FRONT WIDE ON/OFF function only available on S350e/S300e
 **DRYER not available on A200

WASHLET® TECHNOLOGIES

For greater performance and hygiene in the bathroom.



**SELF-CLEANING
WAND**



PREMIST



DEODORIZER


This thorough cleaning occurs inside the wand as well as all around the exterior. Even when the toilet is not being used, the wand periodically cleans itself to ensure constant hygienic conditions.

Using the incoming water supply, a pre-mist wets the toilet bowl surface aiding in the elimination of waste approximately 80 percent better than a dry bowl.

**Not available on A200 and A100*

Highly effective deodorizing automatically takes place inside the toilet bowl both during and immediately after use, leaving no disturbing odors.

**Not available on A200 and A100*




The toilet seat immediately warms when the toilet is approached, ensuring a warm comfortable seat any time.



Eliminating the need to touch the toilet surfaces, the lid automatically opens and closes when the toilet is approached and departed.

**S550e and S350e only*



Enjoy the ease and comfort of drying with the temperature-adjustable warm-air dryer.

**Not available on A200 and A100*

WASHLET® COMPARISON CHART

		NEW		
		G400	S550e	S500e
		MS920CEMFG (elongated)	SW3056 (elongated) SW3054 (elongated classic)	SW3046 (elongated) SW3044 (elongated classic)
				
COLOR:		#01, #12	#01, #12	#01, #12
CLEANSE	REAR CLEANSE	•	•	•
	SOFT REAR CLEANSE	•	•	•
	FRONT CLEANSE	•	•	•
	WIDE FRONT CLEANSE	-	•	•
	OSCILLATING CLEANSE	•	•	•
	PULSATING CLEANSE	•	•	•
	INSTANTANEOUS WATER HEATING	-	•	•
	WATER PRESSURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS
	WATER TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS
	WAND POSITION ADJUSTMENT	•	•	•
AIR	AIR PURIFIER (DEODORIZER)	•	•	•
	AIR DRYER	•	•	•
	AIR TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS
SEAT	HEATED SEAT	•	•	•
	HEATED SEAT TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS
	SoftClose® SEAT AND LID	•	•	•
SENSOR	SEAT SENSOR	•	•	•
	 AUTOMATIC OPEN AND CLOSE LID	•	•	-
	 AUTOMATIC FLUSH	•	-	-
	NIGHT LIGHT	-	•	-
REMOTE CONTROL	REMOTE CONTROL	•	•	•
	REMOTE CONTROLLED SEAT	•	•	-
	REMOTE CONTROLLED FLUSH	•	-	-
HYGIENE	REMOVABLE LID	•	•	•
	 CEFIONTECT®	•	-	-
	 EWATER+®	-	•	•
	 PREMIST	•	•	•
	WAND CLEANING MODE	•	•	•
	SELF-CLEANING WAND	•	•	•
ENERGY SAVING	ENERGY-SAVE TIMER	3, 6, 9 HOURS	3, 6, 9 HOURS	3, 6, 9 HOURS
	AUTO ENERGY SAVER	•	•	•
	ON / OFF BUTTON	•	•	•
washLET+™		-	•	•

* WASHLET+ is a seat and toilet system specially designed to conceal the supply connections. Please refer to page 68 for more details.

S350e	S300e	C200	C100	A200	A100
SW583 (round)	SW573 (round)	SW2044 (elongated)	SW2034 (elongated)	SW2024 (elongated)	SW2014 (elongated)
					
#01, #12	#01, #12	#01, #12	#01, #12	#01	#01
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	-	-	-	-
•	•	•	•	•	•
•	•	•	-	•	-
•	•	-	-	-	-
5 SETTINGS	5 SETTINGS				
5 SETTINGS	5 SETTINGS	5 SETTINGS	3 SETTINGS	5 SETTINGS	3 SETTINGS
•	•	•	•	•	•
•	•	•	•	-	-
•	•	•	•	-	-
5 SETTINGS	5 SETTINGS	5 SETTINGS	3 SETTINGS	-	-
•	•	•	•	•	•
5 SETTINGS	5 SETTINGS	5 SETTINGS	3 SETTINGS	5 SETTINGS	3 SETTINGS
•	•	•	•	•	•
•	•	•	•	•	•
•	-	-	-	-	-
-	-	-	-	-	-
•	-	-	-	-	-
•	•	•	SIDE PANEL	•	SIDE PANEL
•	-	-	-	-	-
-	-	-	-	-	-
•	•	•	•	•	•
-	-	-	-	-	-
•	•	-	-	-	-
•	•	•	•	-	-
•	•	•	•	•	•
•	•	•	•	•	•
3, 6, 9 HOURS	3, 6, 9 HOURS	-	-	-	-
•	•	•	•	•	•
•	•	-	-	-	-
•	•	•	•	-	-



WASHLET®
G400 WITH INTEGRATED TOILET
MS920CEMFG (elongated)



- 3D TORNADO FLUSH® system
- Dual flush option
- CEFIONTECT® ceramic glaze
- Sleek, full skirted one-piece
- Elongated front bowl
- 12" rough-in
- Mounting and connection hardware included
- Universal height
- ADA compliant
- PREMIST of bowl before each use
- WASHLET® cleansing with 5 water pressure settings
- Front and rear cleanse
- Adjustable water and seat temperatures
- Oscillating spray option
- Warm-air dryer
- Built-in air deodorizing system
- Auto open/close lid
- Hands-free automatic flush
- Meets WaterSense efficiency and performance standards

**AVAILABLE
 COLORS**



NEW

WASHLET®
 S550E / S500E
 CONTEMPORARY
 SW3056 (elongated)
 SW3046 (elongated)



- Elongated front WASHLET toilet seat with cover
- EWATER+® on wand and bowl
- PREMIST of bowl before each use
- Auto open/close lid (Only WASHLET S550e)
- Remote control operated
- Front and rear warm water washing with adjustable temperature and pressure controls
- Heated seat with temperature control
- Automatic air deodorizer
- Warm air dryer
- Illuminated touch pad
- 2 user memory
- Night light (Only WASHLET S550e)
- SoftClose® Seat
- Quick release feature
- Mounting and connection hardware included

NEW

WASHLET
 S550E / S500E
 CLASSIC
 SW3054 (elongated)
 SW3044 (elongated)



- Elongated front WASHLET toilet seat with cover
- EWATER+on wand and bowl
- PREMIST of bowl before each use
- Auto open/close lid (Only WASHLET S550e)
- Remote control operated
- Front and rear warm water washing with adjustable temperature and pressure controls
- Heated seat with temperature control
- Automatic air deodorizer
- Warm air dryer
- Illuminated touch pad
- 2 user memory
- Night light (Only WASHLET S550e)
- SoftClose Seat
- Quick release feature
- Mounting and connection hardware included

**AVAILABLE
 COLORS**



#01
 Cotton



#12
 Sedona
 Beige

WASHLET®
S350E
 SW583 (round)



- WASHLET® cleansing with 5 water pressure settings
- EWATER+® technology
- PREMIST of bowl before each use
- Front and rear cleanse
- SoftClose® seat
- Adjustable water and seat temperatures
- Oscillating spray option
- Warm-air dryer
- Built-in air deodorizing system
- Instantaneous water heating
- 2 user memory
- Quick release feature
- Auto open/close lid
- Night light

WASHLET
S300E
 SW573 (round)



- WASHLET cleansing with 5 water pressure settings
- EWATER+ technology
- PREMIST of bowl before each use
- Front and rear cleanse
- SoftClose seat
- Adjustable water and seat temperatures
- Oscillating spray option
- Warm-air dryer
- Built-in air deodorizing system
- Instantaneous water heating
- 2 user memory
- Quick release feature

**AVAILABLE
 COLORS**



WASHLET®
C200
SW2044 (elongated)



- Gentle aerated, warm water, dual action spray with oscillating and pulsating feature
- PREMIST of bowl before each use
- Front and rear cleanse
- SoftClose® seat
- Adjustable water temperature and pressure
- Warm air drying with five variable temperature settings
- Built-in air deodorizer
- Wireless remote with touch pad
- 2 user settings
- Adjustable seat temperature

WASHLET
C100
SW2034 (elongated)



- Gentle aerated, warm water, dual action spray with oscillating feature
- PREMIST of bowl before each use
- Front and rear cleanse
- SoftClose seat
- Adjustable water temperature and pressure
- Warm air drying with five variable temperature settings
- Built-in air deodorizer
- Adjustable seat temperature

WASHLET
A200
SW2024 (elongated)



- Gentle aerated, warm water, dual action spray with oscillating and pulsating feature
- Front and rear cleanse
- SoftClose seat
- Adjustable water temperature and pressure
- Wireless remote with touch pad
- Adjustable seat temperature
- 2 user settings
- Available only in #01 Cotton

WASHLET
A100
SW2014 (elongated)



- Gentle aerated, warm water, dual action spray with oscillating feature
- Front and rear cleanse
- SoftClose seat
- Adjustable water temperature and pressure
- Adjustable seat temperature
- Available only in #01 Cotton

**AVAILABLE
COLORS**



#01
Cotton



#12
Sedona
Beige



EWATER+

CLEAN SYNERGY



CEFIONTECT



TORNADO FLUSH

washlet[®]+

TOILET TECHNOLOGIES

CLEAN SYNERGY

YOUR TOILET APPEARS CLEAN EVERY TIME

Synergy is created when the whole is greater than the sum of its parts. TOTO creates clean synergy by combining toilet technologies that work together in harmony to deliver comfort and cleanliness that is unparalleled.

The new series of WASHLET+ features TOTO technologies to create a clean standard for everyday living.






EWATER+[®]
MISTS THE BOWL WITH
ELECTROLYZED WATER
TO KEEP THE BOWL
CLEAN WITHOUT HARSH
CHEMICALS.

EWATER+ cleans the wand and toilet bowl where waste and build up tend to accumulate and create stains that can become permanent.

Using no chemicals or cleaning agents, EWATER+ provides peace of mind every day that microscopic build up has no place to hide.

What is EWATER+?





CEFIONTECT®
 ULTRA-SMOOTH
 CERAMIC GLAZE
 LEAVES NOWHERE
 FOR WASTE TO CLING.

Its microscopic surface ridges are far smaller than waste particles, leaving no place for waste to gain a foothold. Extremely durable, CEFIONTECT is designed for enduring beauty and cleanliness.

Eliminating the microscopic gaps where waste hides



Enlarged sectional image of toilet surface

Conventional ceramic may appear perfectly smooth to the eyes, but has gaps where waste and other build up hide. At just one millionth of a millimeter, CEFIONTECT's surface ridges are much tinier than waste particles.






DYNAMAX™
TORNADO FLUSH®

USES 100% OF WATER
TO CLEAN AND RINSE
BOWL.

DYNAMAX combines powerful bowl cleaning and waste evacuation using water that is 100% projected from the rim creating 360° cleaning power.

Using only 1.0/0.8 or 1.28/0.8 gallons per flush, coupled with a 25% larger trapway diameter, this high-efficiency system uses 20% less water with improved performance while also creating a quieter flush. With a modern rimless design, it performs more consistently and is easy to clean.





TORNADO FLUSH®

360° CLEANING POWER
REACHES EVERY SPOT
USING LESS WATER.

TORNADO FLUSH not only cleans more effectively, it does so quietly using less water. Powerful streams of water merge and swirl 360 degrees, washing every spot inside the RIMLESS toilet bowl.

THOROUGHLY WASHES
WHERE WASTE ACCUMULATES
MOST EASILY



TORNADO FLUSH powerfully ejects a stream of water from a spout near the rear of the toilet bowl, which is where waste accumulates most easily, thoroughly cleansing this area and then washing the entire bowl.



TOTO'S UNIQUE RIMLESS DESIGN

The unique RIMLESS design not only leaves no place for waste and germs to hide. It also makes for a much easier to clean toilet.



washlet® +

INTRODUCING A NEW SERIES OF
WASHLET+ TOILET AND SEAT SETS.




THE NEW STANDARD OF COMFORT AND CLEANLINESS FOR DAILY LIFE.

Designed for every home, WASHLET®+ is the smart way to introduce the comfort and cleanliness of TOTO technology into your life. Each unit is harmoniously designed with a concealed connection - no visible hoses or cords - making the bathroom a most inviting space. A wide range of sets are available for you to discover.


HOW IT WORKS

WASHLET+ offers a concealed supply connection for seamless installation.



CONCEALED
CONNECTION

VS.



CONVENTIONAL
CONNECTION

WASHLET®+ RECOMMENDED MODELS

To achieve the best in comfort and hygiene, TOTO recommends these models that deliver the best performance TOTO has to offer. Clean Synergy – combining the best toilet and WASHLET® technologies working together in harmony to set the standard for everyday living.

1.0/0.8 GPF

AQUIA® IV
WASHLET+ S550e
MW4463056CUMFG

AQUIA IV
WASHLET+ S500e
MW4463046CUMFG



SEE PAGE 80

1.28/0.8 GPF

AQUIA IV
WASHLET+ S550e
MW4463056CEMFG

AQUIA IV
WASHLET+ S500e
MW4463046CEMFG

1.0 GPF

CARLYLE® II
WASHLET+ S350e
MW614584CUFG

CARLYLE II
WASHLET+ S300e
MW614574CUFG



SEE PAGE 75

1.28 GPF

CARLYLE II
WASHLET+ S350e
MW614584CEFG

CARLYLE II
WASHLET+ S300e
MW614574CEFG

1.0 GPF

ULTRAMAX® II
WASHLET+ S350e
MW604584CUFG

ULTRAMAX II
WASHLET+ S300e
MW604574CUFG



SEE PAGE 76

1.28 GPF

ULTRAMAX II
WASHLET+ S350e
MW604584CEFG

ULTRAMAX II
WASHLET+ S300e
MW604574CEFG

WASHLET®+ ONE-PIECE TOILETS

NEW

AQUIA® IV / WASHLET+*



* Available Q3 2018

WASHLET+
ONE-PIECE
TOILETS

COMPATIBLE OPTIONS

MW6463056CUMFG#01 - 1.0 GPF / 0.8 GPF

MW6463056CEMFG#01 - 1.28 GPF / 0.8 GPF

AQUIA IV / WASHLET+ with S550e



MW6463046CUMG#01 - 1.0 GPF / 0.8 GPF

MW6463046CEMFG#01 - 1.28 GPF / 0.8 GPF

AQUIA IV / WASHLET+ with S500e



WASHLET®+ ONE-PIECE TOILETS

NEW

AIMES® / WASHLET+



COMPATIBLE OPTIONS

MW6263056CEFG#01 - 1.28 GPF
AIMES / WASHLET+ with S550e



MW6263046CEFG#01 - 1.28 GPF
AIMES / WASHLET+ with S500e



WASHLET+
ONE-PIECE
TOILETS

WASHLET®+ ONE-PIECE TOILETS

NEW

LEGATO® / WASHLET+



WASHLET+
ONE-PIECE
TOILETS

COMPATIBLE OPTIONS

MW6243056CEFG#01 - 1.28 GPF

LEGATO / WASHLET+ with S550e



MW6243046CEFG#01 - 1.28 GPF

LEGATO / WASHLET+ with S500e



WASHLET®+ ONE-PIECE TOILETS

CARLYLE® II / WASHLET+



COMPATIBLE OPTIONS

MW614584CUFG#01 - 1.0 GPF
 MW614584CEFG#01 - 1.28 GPF
 CARLYLE II / WASHLET+ with S350e



MW614574CUFG#01 - 1.0 GPF
 MW614574CEFG#01 - 1.28 GPF
 CARLYLE II / WASHLET+ with S300e



MW6142044CUFG#01 - 1.0 GPF
 MW6142044CEFG#01 - 1.28 GPF
 CARLYLE II / WASHLET+ with C200



MW6142034CUFG#01 - 1.0 GPF
 MW6142034CEFG#01 - 1.28 GPF
 CARLYLE II / WASHLET+ with C100



WASHLET+
ONE-PIECE
TOILETS

WASHLET®+ ONE-PIECE TOILETS

ULTRAMAX® II / WASHLET+



WASHLET+
ONE-PIECE
TOILETS

COMPATIBLE OPTIONS

MW604584CUFG#01 - 1.0 GPF
MW604584CEFG#01 - 1.28 GPF
ULTRAMAX II / WASHLET+ with S350e



MW604574CUFG#01 - 1.0 GPF
MW604574CEFG#01 - 1.28 GPF
ULTRAMAX II / WASHLET+ with S300e



MW6042044CUFG#01 - 1.0 GPF
MW6042044CEFG#01 - 1.28 GPF
ULTRAMAX II / WASHLET+ with C200



MW6042034CUFG#01 - 1.0 GPF
MW6042034CEFG#01 - 1.28 GPF
ULTRAMAX II / WASHLET+ with C100



WASHLET®+ ONE-PIECE TOILETS

CAROLINA® II / WASHLET+



COMPATIBLE OPTIONS

MW644584CEFG#01 - 1.28 GPF
CAROLINA II / WASHLET+ with S350e



MW644574CEFG#01 - 1.28 GPF
CAROLINA II / WASHLET+ with S300e



MW6442044CEFG#01 - 1.28 GPF
CAROLINA II / WASHLET+ with C200



MW6442034CEFG#01 - 1.28 GPF
CAROLINA II / WASHLET+ with C100



WASHLET+
ONE-PIECE
TOILETS

WASHLET®+ ONE-PIECE TOILETS

SUPREME® II / WASHLET+



WASHLET+
ONE-PIECE
TOILETS

COMPATIBLE OPTIONS

MW634584CEFG#01 - 1.28 GPF
SUPREME II / WASHLET+ with S350e



MW634574CEFG#01 - 1.28 GPF
SUPREME II / WASHLET+ with S300e



MW6342044CEFG#01 - 1.28 GPF
SUPREME II / WASHLET+ with C200



MW6342034CEFG#01 - 1.28 GPF
SUPREME II / WASHLET+ with C100



WASHLET®+ TWO-PIECE TOILETS

NEW

AQUIA® IV / WASHLET+



COMPATIBLE OPTIONS

MW4463056CUMG#01 - 1.0 GPF / 0.8 GPF

MW4463056CEMG#01 - 1.28 GPF / 0.8 GPF

AQUIA IV / WASHLET+ with S550e



MW4463046CUMG#01 - 1.0 GPF / 0.8 GPF

MW4463046CEMG#01 - 1.28 GPF / 0.8 GPF

AQUIA IV / WASHLET+ with S500e



WASHLET+
TWO-PIECE
TOILETS

WASHLET+
TWO-PIECE
TOILETS

WASHLET®+ TWO-PIECE TOILETS

NEW

AQUIA® IV / WASHLET+* *(Universal Height)*



* Available Q3 2018

**Requires matching tank ST446UM (1.0 GPF)
or ST446EM (1.28 GPF)

COMPATIBLE OPTIONS

MW4463056CUMFG#01 - 1.0 GPF / 0.8 GPF

MW4463056CEMFG#01 - 1.28 GPF / 0.8 GPF

AQUIA IV / WASHLET+ with S550e



MW4463046CUMFG#01 - 1.0 GPF / 0.8 GPF

MW4463046CEMFG#01 - 1.28 GPF / 0.8 GPF

AQUIA / WASHLET+ with S500e



WASHLET®+ TWO-PIECE TOILETS

NEW

CONNELLY® / WASHLET+



* Requires matching tank ST494M

COMPATIBLE OPTIONS

MW4943054CEMFG#01 - 1.28 GPF
CONNELLY / WASHLET+ with S550e



MW4943044CEMFG#01 - 1.28 GPF
CONNELLY / WASHLET+ with S500e



WASHLET+
TWO-PIECE
TOILETS

WASHLET+
TWO-PIECE
TOILETS

WASHLET®+ TWO-PIECE TOILETS

VESPIN® II / WASHLET+



* Requires matching tank ST453U

COMPATIBLE OPTIONS

MW474584CUFG#01 - 1.0 GPF
 MW474584CEFG#01 - 1.28 GPF
 VESPIN II / WASHLET+ with S350e



MW474574CUFG#01 - 1.0 GPF
 MW474574CEFG#01 - 1.28 GPF
 VESPIN II / WASHLET+ with S300e



MW4742044CUFG#01 - 1.0 GPF
 MW4742044CEFG#01 - 1.28 GPF
 VESPIN II / WASHLET+ with C200



MW4742034CUFG#01 - 1.0 GPF
 MW4742034CEFG#01 - 1.28 GPF
 VESPIN II / WASHLET+ with C100



WASHLET®+ TWO-PIECE TOILETS

DRAKE® II / WASHLET+



* Requires matching tank ST453U

COMPATIBLE OPTIONS

MW454584CUFG#01 - 1.0 GPF
 MW454584CEFG#01 - 1.28 GPF
 DRAKE II / WASHLET+ with S350e



MW454574CUFG#01 - 1.0 GPF
 MW454574CEFG#01 - 1.28 GPF
 DRAKE II / WASHLET+ with S300e



MW4542044CUFG#01 - 1.0 GPF
 MW4542044CEFG#01 - 1.28 GPF
 DRAKE II / WASHLET+ with C200



MW4542034CUFG#01 - 1.0 GPF
 MW4542034CEFG#01 - 1.28 GPF
 DRAKE II / WASHLET+ with C100



WASHLET+
TWO-PIECE
TOILETS



MH® WASHLET®+ C200 WALL-HUNG TOILET;
CWT4372047MFG

WASHLET®+ WALL-HUNG TOILET

MH® / WASHLET+



CWT4372047MFG#01 - 1.28 GPF / 0.9 GPF
MH / WASHLET+ with C200



*Requires In-Wall Tank System and Push Plate

DUOFIT® IN-WALL TANK SYSTEM - 1.28/0.9 GPF

WT153M (PEX supply line)
WT154M (Copper supply line)

2' x 6" installation
2' x 4" outlet kit available
Push plates sold separately



PUSH PLATE YT820#CP

Polished chrome
A hidden mounting screw



PUSH PLATE YT830#WH

White glass



Available upgrade

WASHLET+
WALL-HUNG
TOILET

WASHLET®+ CHART

NEW	
WASHLET	
ELONGATED	
S550E	S500E
	
SW3056T40#01 SW3054T40#01*	SW3046T40#01 SW3044T40#01*

WASHLET+
CHART

	WASHLET+ TOILETS	MODEL NUMBERS	KIT NUMBERS	
	ONE-PIECE	AQUIA® IV	CST646CUMFGT40#01	MW6463056CUMFG#01 AVAILABLE Q3 2018
CST646CEMFGT40#01			MW6463056CEMFG#01 AVAILABLE Q3 2018	MW6463046CEMFG#01 AVAILABLE Q3 2018
AIMES®		CST626CEFGT40#01	MW6263056CEFG#01	MW6263046CEFG#01
LEGATO®		CST624CEFGT40#01	MW6243056CEFG#01	MW6243046CEFG#01
ULTRAMAX® II 1G®		CST604CUFGT20#01	—	—
ULTRAMAX II		CST604CEFGT20#01		
CARLYLE® II 1G®		CST614CUFGT20#01		
CARLYLE II		CST614CEFGT20#01		
SUPREME® II		CST634CEFGT20#01		
CAROLINA® II		CST644CEFGT20#01		
TWO-PIECE	AQUIA IV	CT446CUMGT40#01	MW4463056CUMG#01	MW4463046CUMG#01
		CT446CUMGT40#01	MW4463056CEMG#01	MW4463046CEMG#01
		CT446CUMFGT40#01	MW4463056CUMFG#01 AVAILABLE Q3 2018	MW4463046CUMFG#01 AVAILABLE Q3 2018
		CT446CUMFGT40#01	MW4463056CEMFG#01 AVAILABLE Q3 2018	MW4463046CEMFG#01 AVAILABLE Q3 2018
	MATCHING TANK ST446UM (1.0 GPF) OR ST446EM (1.28 GPF)			
	CONNELLY®	CT494CEFGT40#01	MW4943054CEMFG#01*	MW4943044CEMFG#01*
	MATCHING TANK ST494M			
	DRAKE® II 1G®	C454CUFGT20#01	—	—
	MATCHING TANK ST453U			
	DRAKE II	C454CUFGT20#01	—	—
	MATCHING TANK ST454E			
	VESPIN® II 1G®	CT474CUFGT20#01	—	—
	MATCHING TANK ST453U			
VESPIN II	CT474CUFGT20#01	—	—	
MATCHING TANK ST454E				
WALL -HUNG	MH®	CT437FGT20#01	—	—
	DUOFIT® IN-WALL TANK WT154M			

* Classic Lid

WASHLET				
ELONGATED				D-SHAPE
S350E	S300E	C200	C100	C200
				
SW584T20#01	SW574T20#01	SW2044T20#01	SW2034T20#01	SW2047T20#01
KIT NUMBERS				
—	—	—	—	—
MW604584CUFG#01	MW604574CUFG#01	MW6042044CUFG#01	MW6042034CUFG#01	—
MW604584CEFG#01	MW604574CEFG#01	MW6042044CEFG#01	MW6042034CEFG#01	
MW614584CUFG#01	MW614574CUFG#01	MW6142044CUFG#01	MW6142034CUFG#01	
MW614584CEFG#01	MW614574CEFG#01	MW6142044CEFG#01	MW6142034CEFG#01	
MW634584CEFG#01	MW634574CEFG#01	MW6342044CEFG#01	MW6342034CEFG#01	
MW644584CEFG#01	MW644574CEFG#01	MW6442044CEFG#01	MW6442034CEFG#01	
—				
MW454584CUFG#01	MW454574CUFG#01	MW4542044CUFG#01	MW4542034CUFG#01	—
MW454584CEFG#01	MW454574CEFG#01	MW4542044CEFG#01	MW4542034CEFG#01	
MW474584CUFG#01	MW474574CUFG#01	MW4742044CUFG#01	MW4742034CUFG#01	
MW474584CEFG#01	MW474574CEFG#01	MW4742044CEFG#01	MW4742034CEFG#01	
—	—	—	—	
CWT4372047MFG#01				

WASHLET+
CHART

WASHLET®+ COMPARISON

WASHLET+
COMPARISON

		ELONGATED	
		S550E	S500E
		SW3056T40 SW3054T40	SW3046T40 SW3044T40
COLOR		#01	#01
CLEANSE	CONCEALED SUPPLY CONNECTION	•	•
	REAR CLEANSE	•	•
	SOFT REAR CLEANSE	•	•
	FRONT CLEANSE	•	•
	WIDE FRONT CLEANSE	•	•
	OSCILLATING CLEANSE	•	•
	PULSATING CLEANSE	•	•
	INSTANTANEOUS WATER HEATING	•	•
	WATER PRESSURE CONTROL	5 SETTINGS	5 SETTINGS
	WATER TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS
	WAND POSITION ADJUSTMENT	•	•
AIR	AIR PURIFIER (DEODORIZER)	•	•
	AIR DRYER	•	•
	AIR TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS
SEAT	HEATED SEAT	•	•
	HEATED SEAT TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS
	SoftClose® SEAT AND LID	•	•
SENSOR	SEAT SENSOR	•	•
	AUTOMATIC OPEN AND CLOSE LID	•	—
	AUTOMATIC FLUSH	—	—
	NIGHT LIGHT	•	—
REMOTE CONTROL	REMOTE CONTROL	•	•
	REMOTE CONTROLLED SEAT	•	—
	REMOTE CONTROLLED FLUSH	—	—
HYGIENE	REMOVABLE LID	•	•
	EWATER+*	•	•
	PREMIST	•	•
	WAND CLEANING MODE	•	•
	SELF-CLEANING WAND	•	•
ENERGY SAVING	ENERGY-SAVE TIMER	3, 6, 9 HOURS	3, 6, 9 HOURS
	AUTO ENERGY SAVER	•	•
RATED POWER USAGE		1288W	1287W
LENGTH OF POWER CORD		Maximum length 4 ft.	Maximum length 4 ft.
WAND FLOW RATE	REAR	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.
	SOFT	10.8 - 14.5 oz. / min.	10.8 - 14.5 oz. / min.
	FRONT	9.8 - 14.5 oz. / min.	9.8 - 14.5 oz. / min.
DRYER	WATER TEMP	86°F - 104°F	86°F - 104°F
	AIR TEMP	95°F - 140°F	95°F - 140°F
	AIR VOLUME	10.24 ft3 / min.	10.24 ft3 / min.
HEATED SEAT	SURFACE TEMP	82° F - 97° F	82° F - 97° F
WATER SUPPLY PRESSURE		7 psi - 109 psi	7 psi - 109 psi
WATER SUPPLY TEMPERATURE		33°F to 95°F	33°F to 95°F
AMBIENT TEMPERATURE		33°F to 104°F	33°F to 104°F
SIZE	ELONGATED	15-5/16"W x 20-3/4"D x 3-15/16"H	15-5/16"W x 20-3/4"D x 3-15/16"H
	D-SHAPE	—	—

ELONGATED				D-SHAPE
S350E	S300E	C200	C100	C200
SW584T20	SW574T20	SW2044T20	SW2034T20	SW2047T20
#01	#01	#01	#01	#01
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	—	—	—
•	•	•	•	•
•	•	•	—	•
•	•	—	—	—
5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
5 SETTINGS	5 SETTINGS	5 SETTINGS	3 SETTINGS	5 SETTINGS
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
5 SETTINGS	5 SETTINGS	5 SETTINGS	3 SETTINGS	5 SETTINGS
•	•	•	•	•
5 SETTINGS	5 SETTINGS	5 SETTINGS	3 SETTINGS	5 SETTINGS
•	•	•	•	•
•	•	•	•	•
•	—	—	—	—
—	—	—	—	—
•	—	—	—	—
•	•	•	SIDE PANEL	•
•	—	—	—	—
—	—	—	—	—
•	•	•	•	•
•	•	—	—	—
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
3, 6, 9 HOURS	3, 6, 9 HOURS	—	—	—
•	•	•	•	•
835W	835W	406W	406W	406W
Maximum length 4 ft.	Maximum length 4 ft.	Maximum length 3.94 ft.	Maximum length 3.94 ft.	Maximum length 3.94 ft.
9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.
10.8 - 14.5 oz. / min.	10.8 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.
9.8 - 14.5 oz. / min.	9.8 - 14.5 oz. / min.	9.8 - 14.5 oz. / min.	9.8 - 14.5 oz. / min.	9.8 - 14.5 oz. / min.
86°F - 104°F	86°F - 104°F	95°F - 104°F	95°F - 104°F	95°F - 104°F
95°F - 140°F	95°F - 140°F	86°F - 140°F	86°F - 140°F	86°F - 140°F
10.24 ft ³ / min.	10.24 ft ³ / min.	9.54 ft ³ / min.	9.54 ft ³ / min.	9.54 ft ³ / min.
82° F - 97° F	82° F - 97° F	82° F - 97° F	82° F - 97° F	82° F - 97° F
7 psi - 109 psi	7 psi - 109 psi	7 psi - 109 psi	7 psi - 109 psi	7 psi - 109 psi
33°F to 95°F	33°F to 95°F	33°F to 95°F	33°F to 95°F	33°F to 95°F
33°F to 104°F	33°F to 104°F	33°F to 104°F	33°F to 104°F	33°F to 104°F
15-5/16"W x 20-3/4"D x 3-15/16"H	15-5/16"W x 20-3/4"D x 3-15/16"H	15-3/8"W x 20-7/8"D x 7-3/8"H	18-13/16"W x 20-7/8"D x 7-3/8"H	—
—	—	—	—	15-3/8"W x 20-7/8"D x 7-3/8"H

WASHLET+
COMPARISON



TOILET TECHNOLOGIES

Our 1G toilets offer substantial water savings without wavering on our renowned performance. Using our powerful — yet surprisingly quiet — gravity-fed, hole-free rim TORNADO FLUSH® technology, 1G fully evacuates the bowl with an ultra-efficient one gallon of water. Combined with the extraordinarily smooth CEFIONTECT® glaze that prevents particulates from adhering to porous, ceramic surfaces every inch of your bowl stays cleaner, longer.

ONE-PIECE TORNADO FLUSH TOILETS

NEW

AQUIA® IV

MS646124CUMF(G) (Elongated) - 1.0 GPF
 MS646124CEMF(G) (Elongated) - 1.28 GPF
 SS124 seat included



NEW

AQUIA® IV

*MS646234CUMFG (Elongated) - 1.0 GPF
 *MS646234CEMFG (Elongated) - 1.28 GPF
 SS234 seat included
 Available in #01 only



PROMENADE® II

MS814224CUF(G) (Elongated) - 1.0 GPF
 MS814224CEF(G) (Elongated) - 1.28 GPF
 SS114 seat included



CARLYLE® II

MS614114CUF(R)(G) (Elongated) - 1.0 GPF
 MS614114CEF(R)(G) (Elongated) - 1.28 GPF
 SS114 seat included



ULTRAMAX® II

MS604114CUF(R)(G) (Elongated) - 1.0 GPF
 MS604114CEF(R)(G) (Elongated) - 1.28 GPF
 SS114 seat included



NEW

AIMES®

MS626124CEF(G) (Elongated) - 1.28 GPF
 SS124 seat included



NEW

AIMES

*MS626234CEFG (Elongated) - 1.28 GPF
 SS234 seat included



NEW

LEGATO®

MS624124CEF(G) (Elongated) - 1.28 GPF
 SS124 seat included



NEW

LEGATO

*MS624234CEFG (Elongated) - 1.28 GPF
 SS234 seat included
 Available in #01 only



AVAILABLE COLORS



*Available only in #01 Cotton
 (G) Ebony #51 less CeFiONtect
 (R) Right-hand trip lever available
 For more information on dimensions please refer to product spec sheet.

TORNADO FLUSH TOILETS

ONE-PIECE TORNADO FLUSH TOILETS CONTINUED

TORNADO FLUSH TOILETS

ECO GUINEVERE®

MS974224CEF(G) (Elongated) - 1.28 GPF
SS224 seat included



ECO SOIRÉE®

MS964214CEF(G) (Elongated) - 1.28 GPF
SS214 seat included



CAROLINA® II

MS644114CEF(G) (Elongated) - 1.28 GPF
SS114 seat included



SUPREME® II

MS634114CEF(G) (Elongated) - 1.28 GPF
SS114 seat included



TWO-PIECE TORNADO FLUSH TOILETS

NEW

AQUIA® IV

MS446124CUM(F)(G) (Elongated) - 1.0 GPF
MS446124CEM(F)(G) (Elongated) - 1.28 GPF



Available Q3 2018
Regular height available
SoftColse seat included

NEW

AQUIA® IV

*MS446234CUMFG (Elongated) - 1.0 GPF
*MS446234CEMFG (Elongated) - 1.28 GPF



Available Q3 2018
SS234 seat included
Available in #01 only

NEW

AQUIA IV

CST446CUM(F)G (Elongated) - 1.0 GPF
CST446CEM(F)G - 1.28 GPF



Available Q3 2018
Regular height available

TWO-PIECE TORNADO FLUSH TOILETS CONTINUED

PROMENADE II

CST404CUF(G) (Elongated) - 1.0 GPF
 CST404CEF(G) (Elongated) - 1.28 GPF



VESPIN® II

CST474CUF(R)(G) (Elongated) - 1.0 GPF
 CST474CEF(R)(G) (Elongated) - 1.28 GPF



DRAKE® II

CST454CUF(R)(G) (Elongated) - 1.0 GPF
 CST454CEF(R)(G) (Elongated) - 1.28 GPF



TORNADO FLUSH TOILETS

DRAKE II ROUND FRONT

CST453CUF(R)(G) (Round) - 1.0 GPF
 CST453CEF(R)(G) (Round) - 1.28 GPF



NEW

CONNELLY®

MS494124CEMF(G) (Elongated)
 - 1.28 GPF/0.9 GPF



SoftCoise seat included

NEW

CONNELLY

*MS494234CEMFG (Elongated)
 - 1.28 GPF/0.9 GPF



SoftCoise seat included
 Available in #01 only

CONNELLY

CST494CEMF(R)(G) (Elongated)
 - 1.28 GPF/0.9 GPF



MARIS®

CST484CEMF(G) (Elongated)
 - 1.28 GPF/0.9 GPF



AVAILABLE COLORS



*Available only in #01 Cotton
 Two-piece toilet seat sold separately
 (G) Ebony #51 less CeFiONtect
 (R) Right-hand trip lever available
 For more information on dimensions please refer to product spec sheet.

ONE-PIECE HIGH-EFFICIENCY TOILETS

HIGH-EFFICIENCY TOILETS

AQUIA® - 1.6 GPF/0.9 GPF

MS654114MF (Elongated) - 1.6 GPF/0.9 GPF

SS114 seat included



ECO SUPREME® - 1.28 GPF

MS864114E (Elongated) - 1.28 GPF

MS863113E (Round) - 1.28 GPF

SS114 seat included (MS864114E)
SS113 seat included (MS863113E)



ECO ULTRAMAX®

*MS854114E(L)(G) (Elongated) - 1.28 GPF

*MS853113E (Round) - 1.28 GPF

SS114 seat included (MS854114E(L)(G))
SS113 seat included (MS853113E)

ADA height available (MS854114EL(G))
CeFiONtect available (MS854114EL(G))
Standard glazed model available



ULTIMATE®

MS854114 (Elongated) - 1.6 GPF

MS853113 (Round) - 1.6 GPF

SS114 seat included (MS854114)
SS113 seat included (MS853113)
1.6 GPF only



AVAILABLE COLORS



*1.6 GPF version available
(G) Ebony #51 less CeFiONtect

For more information on dimensions please refer to product spec sheet.

TWO-PIECE HIGH-EFFICIENCY TOILETS

ECO DRAKE® TRANSITIONAL

**CST744EN(G) (Elongated) - 1.28 GPF

CST743EN (Round) - 1.28 GPF

ADA height available (CST744ELNG)
Standard glazed model available



ECO DRAKE

* **CST744E(R)(G) (Elongated) - 1.28 GPF

*CST743E(R) (Round) - 1.28 GPF

ADA height available (CST744ELG)
Bolt-down tank lid available
Standard glazed model available



ECO CLAYTON®

*CST784EF (Elongated) - 1.28 GPF



ECO DARTMOUTH®

CST754EF (Elongated) - 1.28 GPF



ECO PROMENADE®

*CST423EF(G) (Round) - 1.28 GPF

Standard glazed model available



AQUIA® - 1.6 GPF/0.9 GPF

**CST412MF (Elongated) - 1.6 GPF/0.9 GPF

CST416M (Elongated) - 1.6 GPF/0.9 GPF

Regular height available (CST416M)



HIGH-EFFICIENCY
TOILETS

AVAILABLE COLORS



For more information on dimensions please refer to product spec sheet.

Two-piece toilet seat sold separately

*1.6 GPF version available

(G) Ebony #51 less CeFIONtect

(R) Right-hand trip lever available

** 10" Rough-in available

***Limited inventory. Available while supplies last.

WALL-HUNG TOILETS



SP WALL-HUNG TOILET;
CWT449249CMFG

WALL-HUNG TOILETS

NEW

RP WALL-HUNG TOILET 1.28/0.9 GPF

CWT447247CMFG
with Push Plate YT930#WH &
YT930#MS & YT970#SS available
Can be mounted at ADA height
Requires WT172M
SS247 seat required



NEW

SP WALL-HUNG TOILET 1.28/0.9 GPF

CWT449249CMFG
with Push Plate YT920#WH
YT920#MS & YT980#MS available
Can be mounted at ADA height
Requires WT172M
SS249 seat required



Available Q3 2018

NEW

BASIC ROUND PUSH PLATE - DUAL BUTTON

YT930#WH
YT930#MS

White Matte
Matte Silver



NEW

WALL ROUND PUSH PLATE - DUAL BUTTON

YT970#SS

Brushed Stainless Steel



Available Q3 2018

NEW

BASIC SQUARE PUSH PLATE - DUAL BUTTON

YT920#WH
YT920#MS

White Matte
Matte Silver




NEW

WALL SQUARE PUSH PLATE - DUAL BUTTON

YT980#SS

Brushed Stainless Steel



Available Q3 2018

NEW

DUOFIT® IN-WALL TANK SYSTEM - 1.28/0.9 GPF

WT172M (Copper supply line)

2" x 6" installation
2" x 4" outlet kit available
Push plates sold separately



WALL-HUNG CHART

WALL-HUNG TOILETS	SKU#	
	BOWL	TANK
RP	CWT447247CMFG	WT172M
SP	CWT449249CMFG	

**AVAILABLE
COLOR**



#01
Cotton

Wall-Hung toilet seat sold separately
For more information on dimensions please refer to product spec sheet.

WALL-HUNG TOILETS



MH® WALL-HUNG TOILET;
CT437FG

WALL-HUNG TOILETS

MH® WASHLET®+ C200 WALL-HUNG TOILET 1.28/0.9 GPF

CWT4372047MFG
with Push Plate YT820#CP
YT820#SS & YT830#WH available
Can be mounted at ADA height
Requires WT153M/W154M



PUSH PLATE
YT800#WH
White plastic



MH WALL-HUNG TOILET 1.28/0.9 GPF

CT437FG (D-shape)
Can be mounted at ADA height
Requires WT153M/W154M
SSI17 seat required



PUSH PLATE
YT820#CP
Polished chrome
A hidden mounting screw



AQUIA® WALL-HUNG TOILET 1.6/0.9 GPF

CT418F(G) (Elongated)
Can be mounted at ADA height
Requires WT151M/W152M
Requires Elongated seat or WASHLET
sold separately
Standard glazed model available



PUSH PLATE
YT820#SS
Brushed stainless steel
A hidden mounting screw



MARIS® WALL-HUNG TOILET 1.6/0.9 GPF

CT486FG (Elongated)
Can be mounted at ADA height
Requires WT151M/W152M
Requires Elongated seat or WASHLET
sold separately



PUSH PLATE
YT830#WH
White glass



WALL-HUNG
TOILETS

DUOFIT® IN-WALL TANK SYSTEM - 1.28/0.9 GPF

WT153M (PEX supply line)
WT154M (Copper supply line)
2' x 6" installation
2' x 4" outlet kit available
Push plates sold separately



DUOFIT IN-WALL TANK SYSTEM - 1.6/0.9 GPF

WT151M (PEX supply line)
WT152M (Copper supply line)
2' x 6" installation
2' x 4" outlet kit available
Push plates sold separately



WALL-HUNG CHART

WALL-HUNG TOILETS	SKU#	
	BOWL	TANK
MH WASHLET+ C200	CWT4372047MFG	WT153M WT154M
MH	CT437FG	WT153M WT154M
AQUIA	CT418FG	WT151M WT152M
	CT418F	WT151M WT152M
MARIS	CT486FG	WT151M WT152M

AVAILABLE
COLOR



#01
Cotton

Wall-Hung toilet seat sold separately
For more information on dimensions please refer to product spec sheet.





**TOTO
LAVATORIES**

VESSEL LAVATORIES



KIWAMI® RECTANGLE VESSEL LAVATORY;
LT476G



NEOREST® II
LLT993

Basin W 13" x D 19-5/16"



LUMINIST® RECTANGLE
LLT151

W 19-11/16" x D 12-5/8" x H 3-9/16"
Basin W 17-7/8" x D 10-13/16"



LUMINIST ROUND
LLT150

ø15-3/4" Dia. H 3-9/16"
Basin ø14-7/8" Dia.



LUMINIST LIGHTED ROUND
LLT152#63-BL (Shown)

ø15-5/8" Dia. H 2-3/8"
Basin ø14" Dia.

LLT152#63-WH

ø15-5/8" Dia. H 2-3/8"
Basin ø14" Dia.



KIWAMI®
RECTANGLE



LT476G (Shown)

W 23-5/8" x D 15" x H 2-13/16"
Basin W 23-5/16" x D 14-11/16" x H 3-9/16"

LT475G

W 19-11/16" x D 15" x H 2-13/16"
Basin W 19-3/8" x D 14-11/16" x H 3-9/16"



NEOREST® KIWAMI
SEMI-RECESSED

LT994G (Shown)

W 29-3/8" x D 17-5/8"
Basin W 28-7/16" x D 16-15/16"

LT995G

W 23-7/16" x D 15-5/8"
Basin W 22-1/2" x D 15"



KIWAMI RENESSE® II
**LT171G

W 23-5/8" x D 17-3/4" x H 2-3/4"
Basin W 21-5/8" x D 12-3/4"



KIWAMI RENESSE I
**LT172G

W 18-1/8" x D 18-1/8" x H 2-1/8"
Basin W 16-1/8" x D 12-1/2"



ARVINA®
RECTANGLE

LT426G (Shown)

W 23-5/8" x D 13-13/16" x H 2-13/16"
Basin W 23" x D 14-5/16" x H 4-3/4"

LT425G

W 19-11/16" x D 13-13/16" x H 2-13/16"
Basin W 19-1/16" x D 14-5/16" x H 4-3/4"



ARVINA
RECTANGLE



**LT416G (Shown)

23-5/8" x D 17-3/4" x H 2-13/16"
Basin W 22-7/8" x D 13-1/8" x H 4-3/4"

*LT415G

W 19-11/16" x D 17-3/4" x H 2-13/16"
Basin W 19-1/16" x D 13-1/8" x H 4-3/4"



ARVINA SQUARE
LT574

W 16-9/16" x D 16-9/16" x H 4-15/16"
Basin W 16-1/16" x D 16-1/16"



ARVINA ROUND
LT572 (Shown)

ø15-3/4" Dia. H 4-15/16"
Basin ø15-1/4" Dia.

LT573

ø16-9/16" Dia. H 4-15/16"
Basin ø16-1/8" Dia.



CURVA®
LT185

W ø18" Dia. x H 3-13/16"
Basin W ø13" Dia.



MARIS®
LT480G

W 19-1/2" x D 15-5/32" x H 2"
Basin W 18-13/16" x D 15-1/16"



NEXUS®
*LT791

W 24" x D 17-3/8" x H 6-3/8"
Basin W 15-3/4" x D 11"



WAZA® NOIR®
FLT141

W ø18-1/8" Dia. x H 3-9/16"
Basin W ø15-9/16" Dia.



VERNICA® DESIGN II
*LT155

Basin W 20" x H 18"



*Available in single-hole, 4", or 8" centers

**Available in single-hole or 8" centers

For more information on dimensions please refer to product spec sheet.

PEDESTAL LAVATORIES



GUINEVERE® PEDESTAL LAVATORY; LPT972#01
SINGLE HANDLE FAUCET; TL970SDLQ

CLAYTON®
*LPT780
W 27" x D 19-5/8" x H 34"



DARTMOUTH®
*LPT642
W 24-1/4" x D 18-1/4" x H 34"



GUINEVERE®
**LPT970/LPT972
W 27-1/8" x D 19-7/8" x H 34" (LPT970)
W 24-3/8" x D 19-7/8" x H 34" (LPT972)



PROMENADE®
*LPT530N/LPT532N
W 27-1/2" x D 22-1/4" x H 34-3/8" (LPT530N)
W 24" x D 19-1/4" x H 34-3/8" (LPT532N)



PROMINENCE®
*LPT242(G)
W 26" x D 21-1/2" x H 34-1/2"



SOIRÉE®
**LPT960/LPT962
W 29-1/2" x D 19-5/8" x H 34" (LPT960)
W 25-1/8" x D 18-7/8" x H 34" (LPT962)



SUPREME®
*LPT241(G)
W 22-7/8" x D 19-5/8" x H 34-1/2"



WHITNEY®
*LPT754
W 25" x D 19" x H 34"



PEDESTAL
LAVATORIES

**AVAILABLE
COLORS**

-  #01 Cotton
-  #12 Sedona Beige
-  #03 Bone
-  #11 Colonial White
-  #51 Ebony

* Available in single-hole, 4", or 8" centers

** Available in single-hole or 8" centers

For more information on dimensions please refer to product spec sheet.

WALL-MOUNT LAVATORIES



SUPREME® WALL-MOUNT LAVATORY; LHT241
SILAS® WIDESPREAD FAUCET; TL210DD

PROMINENCE®

*LHT242(G)

W 26" x D 21-1/2"



SUPREME®

*LHT241(G)

W 22-7/8" x D 19-5/8"



LT650G

W 29-1/2" x D 11-13/16"



* Available in single-hole, 4", or 8" centers

** Available in single-hole or 8" centers

For more information on dimensions please refer to product spec sheet.

UNDERCOUNTER LAVATORIES



ATHERTON UNDERCOUNTER LAVATORY; LT221
OBERON®-S SINGLE-HANDLE FAUCET; TL363SD12

AIMES®
LT626(G)
W 17" x D 15"



ATHERTON®
LT221
W 17" x D 13"



CONNELLY®
LT491(G)
W 14" x D 14"



GUINEVERE®
LT973(G)
W 18-1/16" x D 15-3/8"



PROMENADE®
LT533
W 18-1/2" x D 14-1/2"



LEGATO®
LT624(G)
W 17" x D 15"



LLOYD®
LT931
W 21" x D 14"



VERNICA®
LT156
W 19-1/2" x D 12-3/4"



WAZA SULTANA®
LT624#01-NB
W 17" x D 15"



WAZA TIRAZ®
LT624#01-NC
W 17" x D 15"



LT191(G)
W 20-1/2" x D 12-3/8"



Pattern detail



Pattern detail

**AVAILABLE
COLORS**

#01 Cotton

#12 Sedona Beige

#03 Bone

#11 Colonial White

#51 Ebony

For more information on dimensions please refer to product spec sheet.

LT540G
W 21-1/4" x D 14-3/8"



LT542G
W 19" x D 12-3/8"



SOIRÉE®
LT967
W 24-3/4" x D 14-1/8"



ATHERTON®
LT231
W 17" x D 14"



ATHERTON
LT233
W 19" x D 15"



DANTESCA®
LT597(G)
W 19" x D 15"



DARTMOUTH®
LT641
W 19-9/16" x D 14-3/8"



DARTMOUTH
LT643
W 17-1/4" x D 12-7/8"



AVAILABLE
COLORS

-  #01 Cotton
-  #12 Sedona Beige
-  #03 Bone
-  #11 Colonial White
-  #51 Ebony

UNDERCOUNTER
LAVATORIES

LT577
W 15" x D 12"



RENDEZVOUS®
LT579(G)
W 17-1/2" x D 14-1/4"



LT193(G)
W ø15-3/8" Dia.



LT546(G)
W 19-11/16" x D 13-3/4"



LT548(G)
W 21-5/8" x D 14-5/8"



WAZA BARROCCO®
LT641#01-NA
W 19-9/16" x D 14-3/8"



MARIS®
LT483(G)
W 17-5/8" x D 14-9/16"



MARIS
LT481(G)
W 20-5/16" x D 15-9/16"



Pattern detail

SELF-RIMMING LAVATORIES



**NEOREST® COMBINATION
LAVATORY FAUCET**
LFC991GQ
W 29-1/2" x D 19-5/8"



WAZA® NOIR™
FLT132
W 24" x D 15"



WAZA NOIR
FLT142
W 25-9/16" x D 17-1/16"



PROMENADE®
*LT531
W 22-1/2" x D 18-3/4"



Available in #01 only.



CLAYTON®
*LT781
W 25" x D 18-1/4"



SOIRÉE®
**LT963
W 27-1/2" x D 18-7/8"



GUINEVERE®
*LT971
W 28-1/8" x D 19-5/8"



ULTIMATE®
*LT512(G)
W 19" x D 19"



SUPREME®
*LT511(G)
W 20" x D 17"



PACIFICA®
**LT909
W 25-5/8" x D 17-3/4"



Available in #01 only.



* Available in single-hole, 4", or 8" centers

** Available in single-hole or 8" centers

For more information on dimensions please refer to product spec sheet.




SHOWERHEADS AND HANDSHOWERS



WARM SPA™

A BRAND NEW SHOWER SYSTEM. WATER LIKE A WARM CLOAK.

The feeling of a warm bath, in a shower. This is the power of the WARM SPA. A single pillar of warm water running quietly from the showerhead. When water hits the body, it follows the curves and envelops it without a splash. A completely new shower experience, warming your body efficiently.



Utilizing a unique interior structure, the flow of water is controlled to provide a smoother shower.



LET NO HEAT ESCAPE. BE WARMER.


Smooth water release means less heat loss. The water cloaks your body, quickly warming it to the core. This feature is now available not only in conventional overhead showers, but handshowers too.



WARM SPA



CONVENTIONAL
SHOWER




COMFORT WAVE™



ACTIVE WAVE™

A NEWLY DEVELOPED NOZZLE FOR GREATER COMFORT.

We newly developed our original shower nozzles with bigger droplets than conventional showers. Large drops of water swing and flow with power, delivering a comfortably stimulating shower while saving water. Feel refreshed with the moderate-intensity of COMFORT WAVE, and invigorated with the high-intensity flow of ACTIVE WAVE.



COMFORT WAVE

Uses a new nozzle to add larger drops of water to the shower for a comfortable experience with just the right amount of stimulation.

ACTIVE WAVE

Uses the newly developed shower nozzle capable of large drops of water. It provides a more vigorous, more uplifting shower than the COMFORT WAVE.



 **COMFORT WAVE**



 **ACTIVE WAVE**

A PERFECT SHOWERING EXPERIENCE WITH JUST ONE TOUCH.

For the handshower, we installed a switch right at your fingertip allowing you to easily change between WARM SPA™/COMFORT WAVE™/ACTIVE WAVE™. The switch for the overhead shower is located inside the showerhead to change between WARM SPA and COMFORT WAVE.

HANDSHOWER



 ACTIVE WAVE



 WARM SPA




 COMFORT WAVE



MODE SELECTION

*Product Shown
TBW01011U4
See Page 123*

SHOWERHEAD



MODE SELECTION



 WARM SPA



 COMFORT WAVE

Product Shown
TBW01004U
See Page 123



ROUND SHOWERHEAD 1 MODE; TBW01003U4

NEW

G SERIES

ROUND SHOWERHEAD 1 MODE

*TBW01003U4 - 1.75 GPM
TBW01003U1 - 2.5 GPM



ROUND SHOWERHEAD 2 MODE

*TBW01004U4 - 1.75 GPM
*TBW01004U1 - 2.5 GPM



SQUARE SHOWERHEAD 1 MODE

*TBW02003U4 - 1.75 GPM
*TBW02003U1 - 2.5 GPM



SQUARE SHOWERHEAD 2 MODE

*TBW02004U4 - 1.75 GPM
*TBW02004U1 - 2.5 GPM



ROUND HANDSHOWER 1 MODE

TBW01009U4 - 1.75 GPM



ROUND HANDSHOWER 3 MODE

TBW01011U4 - 1.75 GPM



SQUARE HANDSHOWER 1 MODE

TBW02010U4 - 1.75 GPM



SQUARE HANDSHOWER 3 MODE

TBW02015U4 - 1.75 GPM




CYLINDRICAL HANDSHOWER 1 MODE

TBW02016U4 - 1.75 GPM



G SERIES
SHOWERHEADS

AVAILABLE FINISHES



*Available only in #CP Polished Chrome finish.
WaterSense only applies to showers 2.0 GPM or lower.
For more information on dimensions please refer to product spec sheet.



**AERO® SHOWER
TECHNOLOGIES**

A REVITALIZING EXPERIENCE IN EVERY SINGLE DROP.

Aero showers combine TOTO's premium water-saving technologies with luxurious comfort features, creating the feeling of a full, rich shower while using less water than a standard showerhead or handshower.



AERO-JET® AND AERO-JET+®

AERO-JET uses air injection technology to increase water volume by adding air into each water droplet, resulting in a full, rich shower. AERO-JET+ technology adds a pulsating feature to the stream, for an even more invigorating experience.



CASCADE FLOW

The nozzle flow is a curved waterfall-like water stream that evenly warms the entire body.



GYROSTREAM

The handshower features a rotating shower nozzle with pulsating water stream that creates a massaging effect.



MODERN AERO®
HANDSHOWER; TS111F(L)51

AERO® SHOWERS

**CLASSIC AERO®
RAIN SHOWER - 8"**
TS112B8
TS112BL8



**CLASSIC AERO
RAIN SHOWER - 12"**
TS112B12
TS112BL12



**MODERN AERO
RAIN SHOWER - 8"**
TS111B8
TS111BL8



**MODERN AERO
RAIN SHOWER - 12"**
TS111B12
TS111BL12



**CLASSIC AERO
HANDSHOWER**
TS112F(L)51



**CLASSIC AERO
HANDSHOWER**
TS112F(L)53



**MODERN AERO
HANDSHOWER**
TS111F(L)51



**MODERN AERO
HANDSHOWER**
TS111F(L)53



RAIN SHOWER ARM
TS110MW16



RAIN SHOWER ARM
TS110MC6



**GYROSTREAM®
BODY SPRAY - ROUND**
TS110J1



**GYROSTREAM®
BODY SPRAY - SQUARE**
TS110J2



**AVAILABLE
FINISHES**



#CP
Polished
Chrome



#PN
LifeKoat™
Polished Nickel



#BN
LifeKoat™
Brushed Nickel

WaterSense only applies to handshowers 2.0 GPM or lower.
For more information on dimensions please refer to product spec sheet.

NEW

L SERIES

SHOWERHEAD 1 MODE

*TBW01012U4 - 1.75 GPM



SHOWERHEAD 5 MODE

*TBW01013U4 - 1.75 GPM



HANDSHOWER 1 MODE

*TBW01019U2 - 2.0 GPM



HANDSHOWER 5 MODE

*TBW01020U2 - 2.0 GPM



SHOWERHEAD 5 MODE

*TBW03001U4 - 1.75 GPM



HANDSHOWER 5 MODE

*TBW03003U2 - 2.0 GPM



L SERIES
SHOWERS

AVAILABLE FINISHES



#CP
Polished
Chrome



#PN
LifeKoat™
Polished Nickel



#BN
LifeKoat
Brushed Nickel

CLASSIC SERIES A

SHOWERHEAD

TS300A(L)51 - TS300A(L)55
 TS300A(L)61 - TS300A(L)65
 Shown with TS301N6 (Showerarm)



HANDSHOWER

TS300F(L)41
 TS300F(L)51 - TS300F(L)55



CLASSIC SERIES B

SHOWERHEAD

TS301A(L)51 - TS301A(L)55
 TS301A(L)61 - TS301A(L)65
 Shown with TS301N6 (Showerarm)



HANDSHOWER

TS301F(L)41
 TS301F(L)51 - TS301F(L)55



TRANSITIONAL SERIES A

SHOWERHEAD

TS200A(L)51 - TS200A(L)55
 TS200A(L)61 - TS200A(L)65
 Shown with TS200N6 (Showerarm)



HANDSHOWER

TS200F(L)41
 TS200F(L)51 - TS200F(L)55



TRANSITIONAL SERIES B

HANDSHOWER

TS200F(L)41
 TS200F(L)51 - TS200F(L)55



*Available only in #CP Polished Chrome finish.
 WaterSense only applies to showers 2.0 GPM or lower.
 For more information on dimensions please refer to product spec sheet.







**FAUCETS AND
TRIMS**



MINI UNIT™



THE EXACT EXTERIOR YOU WANT.

TOTO's MINI UNIT is a technology that gives you more freedom. We don't match the concealed system to each trim, instead we use a shared module. You can choose the functionality you need such as a thermostat type or touch button type, and also make choices based on design features such as circle or square fixtures.



SAFETY THERMO™




TEMPERATURE SWINGS, SOLVED IN AN INSTANT.

Let's say a family member uses water while you are in the shower. This can often create a sudden, unwanted increase in the shower water temperature. SAFETY THERMO prevents this from happening. A coil made of Shape-Memory Alloy (SMA Coil) reacts instantly to water temperature change, keeping the temperature from rising.



TOTO SHOWER CONFIGURATIONS

Besides water flow and design, you can choose the number of outlets as well. From something simple to highly decorated, options are available based on your lifestyle and style preference.




1 OUTLET

A shower space designed with 1 shower outlet (choose between a handshower, overhead shower, or bath spout). It's the simplest way to enjoy a comfortable shower experience.



2 OUTLETS

A shower space designed with 2 shower outlets (handshower + overhead shower, for example). Depending on how you are feeling that day, you can change up between handshower and overhead shower.



3 OUTLETS

A shower space designed with 3 shower outlets (handshower, overhead shower, bath spout). The system that will give you the most varied shower experience.



NEW

MINI UNIT TRIMS

THERMOSTATIC MIXING VALVE TRIM
TBV01406U



THERMOSTATIC MIXING VALVE WITH VOLUME CONTROL TRIM
TBV01407U



THERMOSTATIC MIXING VALVE WITH TWO-WAY DIVERTER TRIM
TBV01408U



THERMOSTATIC MIXING VALVE TRIM
TBV02401U



THERMOSTATIC MIXING VALVE WITH VOLUME CONTROL TRIM
TBV02403U



THERMOSTATIC MIXING VALVE WITH TWO-WAY DIVERTER TRIM
TBV02404U



THERMOSTATIC MIXING VALVE TRIM
TBV02405U



THERMOSTATIC MIXING VALVE WITH VOLUME CONTROL TRIM
TBV02406U



MINI UNIT ROUGH-IN BOX
TBN01001B



MINI UNIT TRIMS

AVAILABLE FINISHES



#CP
Polished
Chrome



#PN
LifeKoat™
Polished Nickel



#BN
LifeKoat™
Brushed Nickel

NEW

CUSTOM TRIMS

**VOLUME CONTROL
VALVE TRIM**
TBV01101U



**TWO-WAY
DIVERTER TRIM**
TBV01103U



**THREE-WAY
DIVERTER TRIM**
TBV01104U



**THREE-WAY DIVERTER
WITH OFF POSITION TRIM**
TBV01102U



**VOLUME CONTROL
VALVE TRIM**
TBV02101U



**TWO-WAY
DIVERTER TRIM**
TBV02103U



**THREE-WAY
DIVERTER TRIM**
TBV02104U



**THREE-WAY DIVERTER
WITH OFF POSITION TRIM**
TBV02102U



**VOLUME CONTROL
VALVE**
TBN01104U



**TWO-WAY
DIVERTER VALVE**
TBN01102U



**THREE-WAY
DIVERTER VALVE**
TBN01103U



**THREE-WAY DIVERTER
VALVE WITH OFF**
TBN01101U



CUSTOM
TRIMS




COMFORT GLIDE™



EASE OF USE, BASED IN SENSATION.

For TOTO, comfort does not simply mean comfort of movement. Ease of use, when it lasts a long time, becomes comfort in itself. For this purpose, TOTO has developed the internal valve based on the user's touch. Designed from the ground up to provide fundamental comfort in operation.




Special Coating for Prolonged Comfort

The ceramic disc, a core valve component, is covered with a special DLC (Diamond Like Carbon) coating. This ensures long-lasting quality over conventional faucets that use a greased valve.

EASY TO USE FOR A LIFETIME OF COMFORT.

The graph shows the number of years in use and its operating force. It is evident that comfort lasts for a long time with models featuring COMFORT GLIDE.



Conspicuous in its absence,
a space of ultimate luxury.



ZL SINGLE-HANDLE FAUCET; TLPO2301U



NEW

ZL

ZL SINGLE-HANDLE FAUCET
TLP02301U (1.2 GPM)



ZL SINGLE-HANDLE FAUCET
SEMI-VESSEL
TLP02304U (1.2 GPM)



ZL SINGLE-HANDLE FAUCET
VESSEL
TLP02307U (1.2 GPM)



ZL COLLECTION

AVAILABLE
FINISH



#CP
Polished
Chrome

For more information on dimensions please refer to product spec sheet.

Prominent right angles for
a regal, dignified aura.



GR SINGLE-HANDLE FAUCET
SEMI-VESSEL; TLG02304



reddot award 2017
winner

NEW

GR

GR SINGLE-HANDLE FAUCET
TLG02301U (1.2 GPM)



GR SINGLE-HANDLE FAUCET
SEMI-VESSEL
TLG02304U (1.2 GPM)



GR SINGLE-HANDLE FAUCET
VESSEL
TLG02307U (1.2 GPM)



GR SINGLE-HANDLE FAUCET
SIDE-HANDLE
TLG02309U (1.2 GPM)



GR WALL-MOUNT FAUCET
TLG02311U (1.2 GPM)



GR WIDESPREAD FAUCET
TLG02201U (1.2 GPM)



GR ROMAN TUB FILLER
THREE-HOLE
TBG02201U



GR ROMAN TUB FILLER
FOUR-HOLE
TBG02202U



(Handshower Sold Separately)

TUB SPOUT
MODERN S
TBG02001U



AVAILABLE
FINISHES



For more information on dimensions please refer to product spec sheet.

GR COLLECTION

Smooth shape that will
become a standard.



NEW

GS

GS SINGLE-HANDLE FAUCET
TLG03301U (1.2 GPM)



GS SINGLE-HANDLE FAUCET
SEMI-VESSEL
TLG03303U (1.2 GPM)



GS SINGLE-HANDLE FAUCET
VESSEL
TLG03305U (1.2 GPM)



GS WALL-MOUNT FAUCET
TLG03308U (1.2 GPM)



GS WIDESPREAD FAUCET
TLG03201U (1.2 GPM)



GS ROMAN TUB FILLER
THREE-HOLE
TBG03201U



GS ROMAN TUB FILLER
FOUR-HOLE
TBG03202U



(Handshower Sold Separately)

TUB SPOUT
MODERN R
TBG01001U



GS COLLECTION

AVAILABLE FINISHES



#CP
Polished
Chrome



#PN
LifeKoat™
Polished Nickel



#BN
LifeKoat
Brushed Nickel

For more information on dimensions please refer to product spec sheet.

Powerful presence in a
compact package.



LF SINGLE-HANDLE FAUCETS
TLS04301U & TLS04306U

NEW

LF

LF SINGLE-HANDLE FAUCET
TLS04301U (1.2 GPM)



LF SINGLE-HANDLE FAUCET
VESSEL
TLS04306U (1.2 GPM)



AVAILABLE
FINISH



#CP
Polished
Chrome

For more information on dimensions please refer to product spec sheet.





**BATHROOM
COLLECTIONS**

CONNELLY®

SINGLE HANDLE FAUCET
TL221SD



WIDESPREAD FAUCET
TL221DD



ROMAN TUB FILLER
TB221DD (Three Holes)
TB221S (Four Holes)
Requires rough TBMT2 (TB221DD)
Requires rough TBMV2 (TB221S)



TUB SPOUT
TS221EV (With Diverter)
TS221E (Without Diverter)



TWO-WAY VOLUME CONTROL TRIM
TS221D (With off)
TS221DW (Without off)
Requires rough TSMV (TS221D)
Requires rough TSMVW (TS221DW)



THREE-WAY VOLUME CONTROL TRIM
TS221X (With off)
TS221XW (Without off)
Requires rough TSMX (TS221X)
Requires rough TSMXW (TS221XW)



THERMOSTATIC VALVE TRIM
TS221T
Requires rough TSST SMA thermostatic mixing valve



VOLUME CONTROL TRIM
TS221C
Requires rough TSMA



PRESSURE BALANCE VALVE TRIM
TS221P
Requires rough TSPTM



CONNELLY COLLECTION

AVAILABLE FINISHES



TO ADD SHOWERHEADS
See Pages 21-27

TO ADD ACCESSORIES
See Pages 72-73

KEANE™

SINGLE HANDLE FAUCET
TL211SD



WIDESPREAD FAUCET
TL211DD



ROMAN TUB FILLER
TB211DD (Three-hole)
TB211S (Four-hole)
Requires rough TBMT3 (TB211DD)
Requires rough TBMV3 (TB211S)



TUB SPOUT
TS211EV (With Diverter)
TS211E (Without Diverter)



TWO-WAY DIVERTER TRIM
TS211D (with off)
TS211DW (without off)
Requires rough TSMV (TS211D)
Requires rough TSMVW (TS211DW)



THREE-WAY DIVERTER TRIM
TS211X (with off)
TS211XW (without off)
Requires rough TSMX (TS211X)
Requires rough TSMXW (TB211XW)



PRESSURE BALANCE VALVE TRIM
TS211P
Requires rough TSPTM



VOLUME CONTROL TRIM
TS211C
Requires rough TSMA



THERMOSTATIC VALVE TRIM
TS211T
Requires TSST SMA thermostatic mixing valve



TO ADD SHOWERHEADS
See Pages 21-27

TO ADD ACCESSORIES
See Pages 72-73

For more information on dimensions please refer to product spec sheet.

OBERON®

OBERON-R
SINGLE HANDLE FAUCET
TL362SD

#CP only



OBERON-S
SINGLE HANDLE FAUCET
TL363SD

#CP only



OBERON-F
SINGLE HANDLE FAUCET
TL370SD

#CP only



SHOWERHEAD
TS360A17
TS360A20

#CP only



DIVERTER TUB SPOUT
TS100EV

#CP only



ROUND PRESSURE BALANCE VALVE TRIM

TS362P

Requires rough TSPTM

#CP only



SQUARE PRESSURE BALANCE VALVE TRIM

TS363P

Requires rough TSPTM

#CP only



OBERON COLLECTION

AVAILABLE FINISHES



#CP
Polished
Chrome



#PN
LifeKoat™
Polished Nickel



#BN
LifeKoat
Brushed Nickel

TO ADD ACCESSORIES
See Pages 72-73

SILAS®

SINGLE HANDLE FAUCET
TL210SD



WIDESPREAD FAUCET
TL210DD



ROMAN TUB FILLER
TB210DD (Three-hole)
TB210S (Four-hole)
Requires rough TBMT (TB210DD)
Requires rough TBMV (TB210S)



TUB SPOUT
TS210EV (With Diverter)
TS210E (Without Diverter)



VOLUME CONTROL TRIM
TS210C
Requires rough TSMA



TWO-WAY DIVERTER TRIM
TS210D (with off)
TS210DW (without off)
Requires rough TSMV (TS210D)
Requires rough TSMVW (TS210DW)



THREE-WAY DIVERTER TRIM
TS210X (with off)
TS210XW (without off)
Requires rough TSMX (TS210X)
Requires rough TSMXW (TB210XW)



PRESSURE BALANCE VALVE TRIM
TS210P
Requires rough TSPTM



THERMOSTATIC VALVE TRIM
TS210T
Requires TSST SMA thermostatic mixing valve



TO ADD SHOWERHEADS
See Pages 21-27

TO ADD ACCESSORIES
See Pages 72-73

WaterSense mark only applies for Low-Flow (L) handshowers
For more information on dimensions please refer to product spec sheet.

VIVIAN®

WIDESPREAD FAUCET
TL220DD



WIDESPREAD FAUCET
TL220DD1



VIVIAN ALTA® WIDESPREAD FAUCET
TL220DDH



VIVIAN ALTA WIDESPREAD FAUCET
TL220DD1H



SINGLE HANDLE FAUCET
TL220SD



ROMAN TUB FILLER
TB220DD (three-hole)
TB220S (four-hole)
Requires rough TBMT (TB220DD)
Requires rough TBMV (TB220S)



ROMAN TUB FILLER
TB220DD1 (three-hole)
TB220S1 (four-hole)
Requires rough TBMT (TB220DD1)
Requires rough TBMV (TB220S1)



TUB SPOUT
TS220EV (With Diverter)
TS220E (Without Diverter)



TWO-WAY DIVERTER TRIM
TS220D(1) (With Off)
TS220DW(1) (Without Off)
Requires rough TSMV (TS220D(1))
Requires rough TSMVW (TS220DW(1))



THREE-WAY DIVERTER TRIM
TS220X(1) (With Off)
TS220XW(1) (Without Off)
Requires rough TSMX (TS220X(1))
Requires rough TSMXW (TS220XW(1))



PRESSURE BALANCE VALVE TRIM
TS220P (shown below)
TS220P1 (with lever handle)
Requires rough TSPTM



VIVIAN COLLECTION

AVAILABLE FINISHES



VOLUME CONTROL TRIM
TS220C
TS220C1 (with lever handle)
Requires rough TSMA



THERMOSTATIC VALVE TRIM
TS220T (With Lever Handle
Only)
Requires TSST SMA thermostatic
mixing valve



TO ADD SHOWERHEADS
See Pages 21-27

TO ADD ACCESSORIES
See Pages 72-73

For more information on dimensions please refer to product spec sheet.



WYETH™ SINGLE-HANDLE
FAUCET; TL230SD

WYETH™

SINGLE HANDLE FAUCET
TL230SD



WIDESPREAD FAUCET
TL230DD



ROMAN TUB FILLER
TB230DD (Three-hole)
TB230S (Four-hole)
Requires rough TBMV (TB230S)
Requires rough TBMT (TB230DD)



TUB SPOUT
TS230EV (With Diverter)
TS230E (Without Diverter)



VOLUME CONTROL TRIM
TS230C
Requires rough TSMA



TWO-WAY DIVERTER TRIM
TS230D (with off)
TS230DW (without off)
Requires rough TSMV (TS230D)
Requires rough TSMVW (TS230DW)



THREE-WAY DIVERTER TRIM
TS230X (with off)
TS230XW (without off)
Requires rough TSMX (TS230X)
Requires rough TSMXW (TB230XW)




PRESSURE BALANCE VALVE TRIM
TS230P
Requires rough TSPTM



THERMOSTATIC VALVE TRIM
TS230T
Requires TSST SMA thermostatic mixing valve



AVAILABLE FINISHES



TO ADD SHOWERHEADS
See Pages 21-27

TO ADD ACCESSORIES
See Pages 72-73

For more information on dimensions please refer to product spec sheet.

AIMES®

SHOWERHEAD
TS626A



CEILING-MOUNT SHOWERHEAD
TS626KG



TUB SPOUT
TS626E



HANDSHOWER
TS626F2



WIDESPREAD FAUCET
TL626DD



ROMAN TUB FILLER
TB626S1

Requires TB2F valve



VOLUME CONTROL TRIM
TS626C2

Requires TS2A one-way volume control valve



TWO-WAY VOLUME CONTROL TRIM
TS626D2

Requires TS2D two-way volume control valve



THERMOSTATIC VALVE TRIM
TS626T

Requires TSST SMA thermostatic mixing valve



AIMES COLLECTION

AVAILABLE FINISH



#CP Polished Chrome

TOWEL BAR
YB626 (24")



TOWEL RING
YR626



PAPER HOLDER
YP626



ROBE HOOK
YH626





KIWAMI® RENESSE® SHOWER SET

KIWAMI® RENESSE®

SHOWERHEAD
TS170A



TUB SPOUT
TS170E



SINGLE HANDLE FAUCET
TL170SDLQ
TL170SDALQ (Without pop-up)
#CP only



HANDSHOWER TRIM SET
TS170F
Requires TSKH handshower adapter



WIDESPREAD FAUCET
TL170DDLQ
TL170DDALQ (Without pop-up)
#CP only



ROMAN TUB FILLER
TB170DD
Requires TBKT deck-mount
bath faucet valve



**ONE-WAY VOLUME
CONTROL TRIM FOR
SHOWERHEAD**
TS170C

Requires TSKA one-way
volume control valve



**ONE-WAY VOLUME
CONTROL TRIM FOR
HANDSHOWER**
TS170C1

Requires TSKA one-way
volume control valve



**TWO-WAY VOLUME
CONTROL TRIM**
TS170D

Requires TSKD two-way volume valve



THERMOSTATIC VALVE TRIM
TS170T

Requires TSKT SMA thermostatic
mixing valve



**AVAILABLE
FINISH**



#CP
Polished
Chrome

For more information on dimensions please refer to product spec sheet.

LEGATO®

SHOWERHEAD
TS624A



CEILING-MOUNT SHOWERHEAD WITH LED LIGHTING
TS624KG



TUB SPOUT
TS624E



HANDSHOWER SET
TS624F2



WIDESPREAD FAUCET
TL624DD



ROMAN TUB FILLER
TB624S1

Requires TB2F deck-mount bath faucet valve



ONE-WAY VOLUME CONTROL TRIM
TS624C2

Requires TS2A volume control valve



TWO-WAY VOLUME CONTROL TRIM WITH DIVERTER
TS624D2

Requires TS2D two-way diverter valve



THERMOSTATIC VALVE TRIM
TS624T

Requires TSST SMA thermostatic mixing valve



LEGATO COLLECTION

AVAILABLE FINISHES



#CP
Polished
Chrome



#BN
LifeKoat
Brushed Nickel

LLOYD®

SHOWERHEAD
TS930A(L)




RAIN SHOWERHEAD 8"
TS930A1(L)




TUB SPOUT
TS930E



WIDESPREAD FAUCET
TL930DDLQ



ROMAN TUB FILLER
TB930DD
Valve included



PRESSURE BALANCE VALVE TRIM
TS930PV (with diverter)
TS930P (without diverter)
Requires TSPVR pressure balance valve (TS930PV)
Requires TSPTR pressure balance valve (TS930P)



THERMOSTATIC MIXING VALVE TRIM WITH TWO-WAY VOLUME CONTROL
TS930D
Requires TSTDRA SMA thermostatic mixing valve with two-way volume control valve



THERMOSTATIC MIXING VALVE TRIM WITH ONE-WAY VOLUME CONTROL
TS930C
Requires TSTAR SMA thermostatic mixing valve with one-way volume control valve



TOWEL BAR
YB930 (24")



TOWEL RING
YR930



PAPER HOLDER
YP930



ROBE HOOK
YH930



NEOREST®

NEOREST II LAVATORY FAUCET TL993SE

#CP only



BATH TOWEL HOLDER, 26" YB990

#CP only



HAND TOWEL HOLDER, 14" YC990

#CP only



PAPER HOLDER YP990

#CP only



ROBE HOOK YH990

#CP only



NEOREST
COLLECTION

AVAILABLE
FINISH



#CP
Polished
Chrome

NEXUS®

SHOWERHEAD
TS794A(L)



TUB SPOUT
TS794E



WIDESPREAD FAUCET
TL794DDLQ



HANDSHOWER SET
TS794F2



ROMAN TUB FILLER
TB794DD
Valve included



THERMOSTATIC MIXING VALVE TRIM WITH TWO-WAY VOLUME CONTROL
TS794D

Requires TSTDR SMA thermostatic mixing valve with two-way volume control valve



THERMOSTATIC MIXING VALVE TRIM WITH ONE-WAY VOLUME CONTROL
TS794C

Requires TSTAR SMA thermostatic mixing valve with one-way volume control valve



PRESSURE BALANCE VALVE TRIM
TS794PV (with diverter)
TS794P (without diverter)
Requires TSPVR pressure balance valve (TS794PV)
Requires TSPT/TSPTR pressure balance valve (TS794P)



SOIRÉE®

SHOWERHEAD
TS960A(L)



TUB SPOUT
TS960E



SINGLE HANDLE FAUCET
TL960SDLQR



HANDSHOWER SET WITH VALVE AND SLIDE BAR
TS960H (Shown below)

HANDSHOWER SET WITH LEVER TYPE VALVE
TS960F1(L)

HANDSHOWER SET
TS960F2(L)




WIDESPREAD FAUCET
TL960DDLQR



ROMAN TUB FILLER
TB960DD (Three-hole)
TB960S (Five-hole)
TB960S1 (Five-hole Lever handle)

Requires TB6T valve (TB960DD)
Requires TB6F valve (TB960S)
Requires TB6FR valve (TB960S1)



PUSH BUTTON TRIM
TS960C3

Requires TS6P valve



VOLUME CONTROL TRIM
TS960C2

Requires TS6A one-way volume control valve



THERMOSTATIC VALVE TRIM
TS960T

Requires TSTT SMA 3/4" thermostatic valve



THERMOSTATIC MIXING VALVE TRIM WITH ONE-WAY VOLUME CONTROL

TS960C (Shown below)
TS960C1 (With lever handles)

Requires TSTAR SMA thermostatic mixing valve with one-way volume control valve



THERMOSTATIC MIXING VALVE TRIM WITH TWO-WAY VOLUME CONTROL

TS960D (Shown below)
TS960D1 (With lever handles)

Requires TSTDR SMA thermostatic mixing valve with two-way volume control valve



SOIRÉE COLLECTION

AVAILABLE FINISHES



TOWEL BAR
YB960 (24")



TOWEL RING
YR960



PAPER HOLDER
YP960



ROBE HOOK
YH960



UPTON®

SHOWERHEAD
TS630AR



TUB SPOUT
TS630E



ROMAN TUB FILLER
TB630DD
Requires TB6TR valve



HANDSHOWER TRIM SET
TS630F2



SINGLE HANDLE FAUCET
TL630SD



SINGLE HANDLE FAUCET
TL630SDH



ONE-WAY VOLUME CONTROL TRIM FOR HANDSHOWER
TS630C2

Requires TS2A one-way volume control valve



VOLUME CONTROL TRIM
TS630D2

Requires TS2D two-way volume control valve



THERMOSTATIC VALVE TRIM
TS630T

Requires TSST SMA thermostatic mixing valve



UPTON COLLECTION

AVAILABLE FINISHES



#CP
Polished
Chrome



#BN
LifeKoat
Brushed Nickel

TOWEL BAR
YB630 (24")



TOWEL RING
YR630



PAPER HOLDER
YP630



ROBE HOOK
YH630







**TOTO
ACCESSORIES**

CLASSIC SERIES A

TOWEL BAR

- YB30008 (8")
- YB30018 (18")
- YB30024 (24")
- YB30030 (30")



PAPER HOLDER

YP300



ROBE HOOK

YH300



GRAB BAR

- YG30012R (12")
- YG30018R (18")
- YG30024R (24")
- YG30032R (32")
- YG30036R (36")
- YG30042R (42")



CLASSIC SERIES B

TOWEL BAR

- YB30108 (8")
- YB30118 (18")
- YB30124 (24")
- YB30130 (30")



TOWEL RING

YR301



PAPER HOLDER

YP301



ROBE HOOK

YH2301



AVAILABLE FINISHES



#CP
Polished
Chrome



#PN
LifeKoat™
Polished Nickel



#BN
LifeKoat™
Brushed Nickel

TRANSITIONAL SERIES A

TOWEL BAR
 YB20008 (8")
 YB20018 (18")
 YB20024 (24")
 YB20030 (30")



PAPER HOLDER
 YP200



ROBE HOOK
 YH200



GRAB BAR
 YG20012R (12")
 YG20018R (18")
 YG20024R (24")
 YG20032R (32")
 YG20036R (36")
 YG20042R (42")



TRANSITIONAL SERIES B

TOWEL BAR
 YB40008 (8")
 YB40018 (18")
 YB40024 (24")
 YB40030 (30")



TOWEL RING
 YR794



PAPER HOLDER
 YP794



ROBE HOOK
 YH794





NEOREST FREESTANDING TUB; ABF992X, PAGE 176
SINGLE-HANDLE FREESTANDING TUB FILLER; TB100SF, PAGE 177



TOTO
BATHTUBS

FREESTANDING BATHTUBS

NEW

**FLOTATION TUB WITH
ZERO DIMENSION®
FREESTANDING TUB**
PJYD2200PWEU
(86-5/8" x 41-5/16" x 30-7/8")



**NEOREST®
FREESTANDING TUB**
ABF992X
(70-7/8" x 37-3/8" x 23-5/8")



**AIMES®
FREESTANDING TUB**
ABF626
(71-1/2" x 36-3/16" x 23-11/16")



**NEXUS®
FREESTANDING TUB**
FBF794S
(66-15/16" x 29-1/2" x 21-1/8")



**SOIRÉE®
FREESTANDING TUB**
ABF964
(72-3/8" x 39-1/2" x 25-3/8")



**AVAILABLE
COLOR**



FREESTANDING TUB FILLERS

NEW

**ZN FREESTANDING
TUB FILLER**
TBPO1301U
#CP and #BN only



NEW

**ZL FREESTANDING
TUB FILLER**
*TBPO2303U



NEW

**GR FREESTANDING
TUB FILLER**
TBG02306U
#CP and #BN only



**TWO-HANDLE
FREESTANDING
TUB FILLER**
TB100DF
Rough-In included



**SINGLE-HANDLE
FREESTANDING
TUB FILLER**
TB100SF
Rough-In included



**AVAILABLE
FINISHES**



*Available only in #CP Polished Chrome finish.
For more information on dimensions please refer to product spec sheet.

DROP-IN BATHTUBS

AIMES®
AIR BATH
ABR626
(71-1/2" x 36-3/16" x 24-1/16")



CLAYTON®
AIR BATH
ABR781S/T
(60" x 32" x 24-3/4")
ABR784S/T
(71-5/8" x 35-7/8" x 25-3/8")
ABR785S/T
(66" x 34" x 25-1/8")
ABR789S/T
(66" x 36" x 24-3/4")



CLAYTON TILE-IN®
AIR BATH
ABR782L/R
(60" x 32" x 24-7/8")



GUINEVERE®
AIR BATH
ABR974L/R
(71-1/2" x 38" x 24-3/8")



LLOYD®
AIR BATH
ABR930L/R
(72" x 42" x 22-3/8")



LLOYD
WOOD TRIM KIT
ABT930
(77-3/8" x 47-3/8" x 2")



NEXUS®
AIR BATH
ABR794L/R
(71-3/8" x 35-7/16" x 24-3/16")



PACIFICA®
AIR BATH
ABR904L/R
(72" x 42" x 24-7/8")



NEOREST®
AIR BATH
ABA991X
(70-7/8" x 55-1/8" x 30-1/8")



SOIRÉE®
AIR BATH
ABR964L/R
(72-3/8" x 39-1/2" x 25-1/2")



CAST IRON BATHTUBS

CAST IRON BATHTUB
FBY1500P
(60-3/8" x 36-1/4" x 22-1/4")



CAST IRON BATHTUB
FBY1515LP
FBY1515RP
(59-3/4" x 30" x 14-11/16")



CAST IRON BATHTUB
FBY1525LP
FBY1525RP
(59-3/4" x 32" x 16-3/4")



CAST IRON BATHTUB
FBY1550P
(59-1/16" x 31-1/2" x 23-1/4")



CAST IRON BATHTUB
FBY1700P
(66" x 32" x 18-5/16")



CAST IRON BATHTUB
FBY1715LP
FBY1715RP
(65-3/4" x 32" x 16-3/4")



TOTO USA, INC.
1155 SOUTHERN ROAD
MORROW, GA 30260
800-350-8686

www.totousa.com

#KO-072018-RB
Printed in the U.S.A. 07/18