TOTO_®

RESIDENTIAL | PRODUCTS | BROCHURE

TOTO®

2016/2017

RESIDENTIAL PRODUCTS
BROCHURE




TABLE OF CONTENTS

| | TRANSITIONAL | | MODERN | |
|-------|--------------|--------|--|-------|
| | | 57 | | 69 |
| | | | | |
| 13 | | | | |
| | 3 | | | |
| | | | SHOWERS | |
| 14-22 | Wyeth™ | 57 | CLASSIC | |
| | Aguia® | 57 | | 77 |
| | · | | | |
| | MODERN | | | |
| | | 59 | | |
| | Legato® | 59 | | // |
| | | | TRANSITIONAL | |
| | | | Aimes | |
| | | | Aquia | 80 |
| 36-37 | | | Keane | |
| | Oberon-S | 59 | | |
| | Oberon-F | 59 | | |
| 40-41 | | | Silas | |
| | ACCESSORIES | | Wyeth | 85 |
| | CL ACCIC | | MODERN | |
| | | C7 | | 07 |
| | | | | |
| | Series B | 63 | 5 | |
| | TRANSITIONAL | | | |
| | Aimes | 65 | Upton | 90 |
| | Aquia | 65 | DATUTURE | |
| 55 | Lloyd | 65 | ВАІПІОВЗ | |
| 55 | Nexus | 66 | Drop-in | 94-95 |
| 55 | Series A | 66 | Freestanding | |
| 55 | Series B | 67 | Cast Iron | 98 |
| | | Aimes® | Aimes® 57 Keane™ 57 Lloyd® 57 Nexus® 57 Nexus® 57 Silas® 57 MODERN Kiwami® Renesse® 59 Legato® 59 28-31 Neorest II 59 32-35 Upton® 59 Oberon-F 59 Oberon-F 59 Oberon-F 59 — 40-41 42-43 ACCESSORIES TRANSITIONAL Aimes 65 Aquia 65 Lloyd 65 Nexus 66 | S-12 |

ICON GUIDE

TOTO is globally recognized as the leader in research and development for the bathroom. But we're not innovating, just for innovation's sake - our technologies are developed to create bathroom products that not only perform reliably, but conserve water and improve the quality of people's everyday life too.



UNIVERSAL HEIGHT

SKIRTED DESIGN

LUMINIST®

washLėt.



Luminist is a remarkable custom material that combines the translucence of glass with exceptional impact- and heatresistance.

The trapway is concealed by smooth porcelain, making the

Universal Height indicates toilets that allow for a more

comfortable position across a wide range of users.

toilet easier to clean.

An individually adjustable wand system with self-cleaning function.

UV light combined with a special glaze breaks down dirt and grime in the toilet bowl.

connect

A Washlet and toilet system that is specially designed for a seamless installation.



ewater+。

After each flush, TOTO's eWater+® mists the bowl with electrolyzed water, reducing the need for harsh cleaning chemicals.



PREMIST™

Using the incoming water supply, a Premist wets the toilet bowl surface aiding in the elimination of waste approximately 80 percent better than a dry bowl.



ECOPOWER®

EcoPower indicates sensor faucets and flush valves that are powered by flowing water.



SMA THERMOSTATIC VALVE TECHNOLOGY Thermostatic valve that features Shape Memory Alloy (SMA) technology for reliability and maintaining consistent water temperature.



AERO-JET+™

Injects air into the water stream and adds a pulsating feature for a more invigorating shower experience.



AERO-JET™

Uses air injection technology to infuse air into the water stream, creating voluminous droplets while using less



CASCADE FLOW

Waterfall-like shower function that immerses your entire



GYROSTREAM

Pulsating water is sprayed through a rotating nozzle.



AUTO FUNCTIONS

Indicates a product featuring an integrated, automatic, sensor activated function. Products like the Neorest, select Washlets, EcoPower Faucets and Flush Valves, Soap Dispensers and Hand Dryers.



WATERSENSE

Products that meet the EPA standards for water efficiency and performance criteria. Toilets are 1.28 GPF or less, faucets are 1.5 GPM, and showers are 2.0 GPM.



Meets California Energy Commission Requirements -Effective 2016.



Meets CalGreen Water Regulations for new construction and permitted remodel.







NEOREST WITH ACTILIGHT™

The Neorest 750H is truly a revolutionary innovation at the peak of luxury. The sensor-activated lid opens as you approach the toilet and closes shortly after you leave. The seat provides a radiant heat that you can adjust at any time. The warm water spray with variable temperature and volume settings, also allows you to choose between oscillating or pulsating spray options for a comforting, intimate cleansing experience.




Actilight_™

HOW IT WORKS

SPECIAL GLAZE


The ceramic features a special photocatalytic glaze that is especially durable and hydrophilic. Water easily washes away and eliminates the waste.

The interplay of the special glaze and UV light releases activated oxygen, which breaks down waste without attacking the surface - a process that is completely safe for the environment.



ULTRAVIOLET LIGHT

Once the toilet lid is closed, the integrated UV light turns on for an hour.



SELF-CLEANING

The Actilight function makes the toilet completely self-cleaning. If the toilet is not in use for eight hours, it automatically sprays the bowl with eWater+. After 10 hours, the UV light in the lid switches on.



NEOREST.

MS993CUMFX













Remote (Top View)

- · Actilight UV light cleaning system built in lid
- Tornado Flush™ system, ultra-high efficiency (1.0GPF/3.8LPF and 0.8GPF/3.0LPF)
- CeFiONtect™ ceramic glaze minimizes debris and mold from sticking to porous, ceramic surfaces
- Washlet® with four wash modes (rear, rear soft, front, wide front)
- Skirted Design Concealed trapway for easy cleaning
- Auto open/close lid, auto flush
- eWater+® Electrolyzed water that sanitizes toilet bowl and wand
- Universal Height
- ADA compliant
- Meets WaterSense® efficiency and performance standards

AVAILABLE COLORS







NEOREST.

700H

MS992CUMFG





Remote (Top View)

- Tornado Flush™ system, ultra-high efficiency (1.0GPF/3.8LPF and 0.8GPF/3.0LPF)
- CeFiONtect™ ceramic glaze minimizes debris and mold from sticking to porous, ceramic surfaces
- Washlet® with four wash modes (rear, rear soft, front, wide front)
- Skirted Design Concealed trapway for easy cleaning
- Auto open/close lid, auto flush
- eWater+® Electrolyzed water that sanitizes toilet bowl and wand
- Universal Height
- ADA compliant
- Meets WaterSense® efficiency and performance standards



NEOREST

550H MS982CUMG







Remote (Top View)

NEW

NEOREST.

500H

MS952CUMG







Remote (Top View)

- Tornado Flush™ system, ultra-high efficiency (1.0GPF/3.8LPF and 0.8GPF/3.0LPF)
- CeFiONtect™ ceramic glaze minimizes debris and mold from sticking to porous, ceramic surfaces
- Washlet® with four wash modes (rear, rear soft, front, wide front)
- Skirted Design Concealed trapway for easy cleaning
- · Auto open/close lid, auto flush
- eWater+® Electrolyzed water that sanitizes toilet bowl and wand
- Meets WaterSense® efficiency and performance standards



- Tornado Flush system, ultra-high efficiency (1.0GPF/3.8LPF and 0.8GPF/3.0LPF)
- · CeFiONtect ceramic glaze minimizes debris and mold from sticking to porous, ceramic surfaces
- · Washlet with four wash modes (rear, rear soft, front, wide front)
- Skirted Design Concealed trapway for easy cleaning
- Auto open/close lid, auto flush
- eWater+ Electrolyzed water that sanitizes toilet
- Meets WaterSense efficiency and performance standards




| NE | OREST | 750H | 700Н | 550H | 500H | |
|-------------------|---------------------------------|---------------|---------------|---------------|---------------|--|
| COMPARISON CHART | | MS993CUMFX | MS992CUMFG | MS982CUMG | MS952CUMG | |
| | | NEW | | | NEW | |
| | | | | | | |
| | COLOR: | #01 | #01 | #01, #12 | #01, #12 | |
| | REAR CLEANSE | • | • | • | • | |
| | SOFT REAR CLEANSE | • | • | • | • | |
| | FRONT CLEANSE | • | • | • | • | |
| | WIDE FRONT CLEANSE | • | • | • | • | |
| | OSCILLATING CLEANSE | • | • | • | • | |
| CLEANSE | PULSATING CLEANSE | • | • | • | • | |
| | INSTANTANEOUS WATER HEATING | • | • | • | • | |
| | WATER PRESSURE CONTROL | 5 SETTINGS | 5 SETTINGS | 5 SETTINGS | 5 SETTINGS | |
| | WATER TEMPERATURE CONTROL | 5 SETTINGS | 5 SETTINGS | 5 SETTINGS | 5 SETTINGS | |
| | WAND POSITION ADJUSTMENT | • | • | • | • | |
| | AIR PURIFIER (DEODORIZER) | • | • | • | • | |
| AIR | AIR DRYER | • | • | • | • | |
| | AIR TEMPERATURE CONTROL | 5 SETTINGS | 5 SETTINGS | 5 SETTINGS | 5 SETTINGS | |
| | HEATED SEAT | • | • | • | • | |
| SEAT | HEATED SEAT TEMPERATURE CONTROL | 5 SETTINGS | 5 SETTINGS | 5 SETTINGS | 5 SETTINGS | |
| | SOFTCLOSE® SEAT AND LID | • | • | • | • | |
| | SEAT SENSOR | • | • | • | • | |
| | AUTOMATIC OPEN AND CLOSE LID | • | • | • | • | |
| SENSOR | AUTOMATIC FLUSH | • | • | • | • | |
| | NIGHT LIGHT | • | • | • | • | |
| | REMOTE CONTROL | • | • | • | • | |
| REMOTE CONTROL | REMOTE CONTROLLED SEAT | • | • | • | • | |
| CONTROL | REMOTE CONTROLLED FLUSH | • | • | • | • | |
| | © CEFIONTECT™ | • | • | • | • | |
| | ⊘ ACTILIGHT | • | - | - | - | |
| | • ewater+ | • | • | • | • | |
| HYGIENE | ⊘ PREMIST™ | • | • | • | • | |
| | BOWL CLEANING MODE | • | • | • | • | |
| | WAND CLEANING MODE | • | • | • | • | |
| | SELF-CLEANING WAND | • | • | • | • | |
| | ENERGY-SAVE TIMER | 3, 6, 9 HOURS | |
| ENERGY SAVING | AUTO ENERGY SAVER | • | • | • | • | |
| 2, | ON / OFF BUTTON | • | • | • | • | |
| | & ADA | • | • | - | - | |
| USABILITY | UNIVERSAL HEIGHT | • | • | _ | _ | |

washLėt.

The Washlet brings a new, refreshing lifestyle to America. Cleansing with warm water after using the toilet provides an exceptionally clean feeling. The Washlet's self-cleaning wand is fully adjustable, allowing users to set the precise temperature and spray type for comfortable intimate cleansing.

CLEANSING FUNCTIONS



RFAR



The rear spray is designed to clean the rear intimate area. It features pleasant, yet strong water pressure to target this specific area.

REAR SOFT



It has a larger radius to cover more space. Low water pressure makes for a soft, comfortable spray.

FRONT



The front wash consists of large, soft drops for comfortable intimate cleansing - for a clean, fresh feeling.

WIDE FRONT



It has a larger radius to cover more space. Low water pressure makes for a soft, comfortable spray.

*On Washlet S350e & S300e only

HYGIENE FUNCTIONS



DEODORIZER

The deodorizer effectively cleans the air around the toilet using powerful filters. Air is drawn in, passing through an ionized carbon filter to eliminate unpleasant odors.

HEATED SEAT




The specially designed, contoured seat is heated to provide maximum comfort. An integrated sensor maintains the desired setting between 82°F and 97°F.

SOFTCLOSE® LID



The SoftClose lid closes gently to eliminate seat slamming. The S350e & G500 model lids are activated by sensors for automatic opening and closing.

DRYER



Enjoy the ease and comfort of drying with the temperature-adjustable warm-air dryer.

COMFORT FUNCTIONS



SELF-CLEANING WAND

The self-cleaning function cleans the entire wand before and after each use.

PREMIST"



Using the incoming water supply, a pre-mist wets the toilet bowl surface aiding in the elimination of waste approximately 80 percent better than a dry bowl.

NEW TECHNOLOGY





Electrolyzed water is a proven disinfectant used in food preparation and cleaning. After each use, TOTO's eWater+ mists the bowl with electrolyzed water, reducing the need for harsh cleaning chemicals.

*On Washlet S350e & S300e only



HOW IT WORKS



^{*} eWater+ is available in Washlets S300e & S350e only

NEW

WASHLET® G400 WITH INTEGRATED TOILET MS920CEMFG (elongated)





- 3D Tornado Flush™ system
- Dual-Max
- CeFiONtect™ ceramic glaze
- Sleek, full skirted one-piece
- Elongated front bowl
- 12" rough-in
- Mounting and connection hardware included
- Universal height
- ADA compliant
- Premist™ of bowl before each use
- Washlet cleansing with 5 water pressure settings
- Front, rear and rear soft cleanse
- Adjustable water and seat temperatures
- Oscillating and pulsating spray options
- Warm-air dryer
- Built-in air deodorizing system
- Auto open/close lid
- Hands-free automatic flush
- Meets WaterSense® efficiency and performance standards

WASHLET® G500 WITH INTEGRATED TOILET MS970CEMFG (elongated)





- 3D Tornado Flush™ system
- Dual-Max
- CeFiONtect™ ceramic glaze
- Sleek, low profile skirted one-piece
- Elongated front bowl
- 12" rough-in
- Mounting and connection hardware included
- Universal height
- ADA compliant
- Washlet cleansing with 5 water pressure settings
- Front, rear and rear soft cleanse
- Adjustable water and seat temperatures
- Oscillating and pulsating spray options
- Warm-air dryer
- Built-in air deodorizing system
- Auto open/close lid
- Hands-free automatic flush
- Meets WaterSense efficiency and performance standards









ewater*

Electrolyzed water is a proven disinfectant used in food preparation and cleaning. After each use, TOTO's eWater+ mists the bowl with electrolyzed water, reducing the need for harsh cleaning chemicals.
*On Washlet S350e & S300e only









Tap Water

Electrolyzed Electrolysis Water (eWater+)



eWater+ spray

WASHLET®

S350E SW584 (elongated) SW583 (round)





- Washlet cleansing with 5 water pressure settings
- eWater+® technology Premist™ of bowl before each use
- Front, front soft, rear, and wide rear cleanse
- SoftClose® seat
- Adjustable water and seat temperatures
- Oscillating and pulsating spray options
- Warm-air dryer
- Built-in air deodorizing system
- Instantaneous water heating
- 2 user memory
- Quick release feature
- Auto open/close lid
- Night light

WASHLET S300E SW574 (elongated) SW573 (round)





- Washlet cleansing with 5 water pressure settings
- eWater+ technology
- Premist of bowl before each use
- Front, front soft, rear, and wide rear cleanse
- SoftClose seat
- Adjustable water and seat temperatures
- Oscillating and pulsating spray options
- Warm-air dryer
- Built-in air deodorizing system
- Instantaneous water heating
- 2 user memory
- Quick release feature

WASHLET®

SW2044 (elongated) SW2043 (round)



- Gentle aerated, warm water, dual action spray with oscillating and pulsating feature
- Premist™ of bowl before each use
- Front, rear, and rear soft cleanse
- SoftClose® seat
- Adjustable water temperature and pressure
- Oscillating and pulsating spray options
- Warm air drying with five variable temperature settings
- Built-in air deodorizer
- Convenient slim wireless remote, with illuminated touch pad
- 2 user settings
- Adjustable seat temperature

WASHLET

SW2024 (elongated)



- Gentle aerated, warm water, dual action spray with oscillating and pulsating feature
- Front, rear, and rear soft cleanse
- SoftClose seat
- Adjustable water temperature and pressure
- Oscillating and pulsating spray options
- Convenient slim wireless remote
- Adjustable seat temperature
- 2 user settings
- Available only in #01 Cotton

WASHLET

SW2034 (elongated) SW2033 (round)





- · Gentle aerated, warm water, dual action spray with oscillating feature
- Premist of bowl before each use
- Front, rear, and rear soft cleanse
- SoftClose seat
- · Adjustable water temperature and pressure
- Oscillating spray options
- · Warm air drying with three variable temperature settings
- · Built-in air deodorizer
- Arm control panel
- · Adjustable seat temperature

WASHLET

SW2014 (elongated)



- · Gentle aerated, warm water, dual action spray with oscillating feature
- Front, rear cleanse and rear soft
- SoftClose seat
- Adjustable water temperature and pressure
- Oscillating spray options
- · Arm control panel
- Adjustable seat temperature
- · Available only in #01 Cotton









REMOTE CONTROLLED

WAND CLEANING MODE

SELF-CLEANING WAND ENERGY-SAVE TIMER

AUTO ENERGY SAVER

ON / OFF BUTTON

 CEFIONTECT™ **⊘** _ewater+

PREMIST™

•

•

3, 6, 9 HOURS

•

•

3, 6, 9 HOURS

•

•

3, 6, 9 HOURS

•

•

•

3, 6, 9 HOURS

•

•

•

•

•

•

•

•

•

•

•

•

FLUSH REMOVABLE LID

HYGIENE

ENERGY SAVING

CONNeCt

• option∗

| | | ı | 1 | I | ı | | ı | ı | ı |
|-------------------|----------------------------------|---------------------------|---------------------------|--|--|--|--|-----------------------|-----------------------|
| WASH | | G400 | G500 | S350e | S300e | C200 | C100 | A200 | A100 |
| | ARISON | MS920CEMFG (elongated) | MS970CEMFG (elongated) | SW584 (elongated) SW583 (round) | SW574 (elongated) SW573 (round) | SW2044 (elongated) SW2043 (round) | SW2034 (elongated) SW2033 (round) | SW2024 (elongated) | SW2014 (elongated) |
| CHART | | NEW I | | 0 | 0 | | | | 0 |
| | COLOR: | #01, #12 | #01, #12 | #01, #12 | #01, #12 | #01, #12 | #01, #12 | #01 | #01 |
| - | REAR CLEANSE | • | • | • | • | • | • | • | • |
| | SOFT REAR CLEANSE | • | • | • | • | • | • | • | • |
| | FRONT CLEANSE | • | • | • | • | • | • | • | • |
| | WIDE FRONT CLEANSE | - | - | • | • | - | - | - | - |
| CLEANCE | OSCILLATING CLEANSE | • | • | • | • | • | • | • | • |
| CLEANSE | PULSATING CLEANSE | • | • | • | • | • | - | • | - |
| | INSTANTANEOUS WATER HEATING | - | - | • | • | - | - | - | - |
| | WATER PRESSURE CONTROL | 5 SETTINGS | 5 SETTINGS | 5 SETTINGS | 5 SETTINGS | 5 SETTINGS | 5 SETTINGS | 5 SETTINGS | 5 SETTINGS |
| | WATER TEMPERATURE CONTROL | 5 SETTINGS | 5 SETTINGS | 5 SETTINGS | 5 SETTINGS | 5 SETTINGS | 3 SETTINGS | 5 SETTINGS | 3 SETTINGS |
| | WAND POSITION ADJUSTMENT | • | • | • | • | • | • | • | • |
| | AIR PURIFIER (DEODORIZER) | • | • | • | • | • | • | - | - |
| AIR | AIR DRYER | • | • | • | • | • | • | - | - |
| | AIR TEMPERATURE CONTROL | 5 SETTINGS | 5 SETTINGS | 5 SETTINGS | 5 SETTINGS | 5 SETTINGS | 3 SETTINGS | - | - |
| | HEATED SEAT | • | • | • | • | • | • | • | • |
| SEAT | HEATED SEAT TEMPERATURE CONTROL | 5 SETTINGS | 5 SETTINGS | 5 SETTINGS | 5 SETTINGS | 5 SETTINGS | 3 SETTINGS | 5 SETTINGS | 3 SETTINGS |
| | SOFTCLOSE® SEAT AND LID | • | • | • | • | • | • | • | • |
| | SEAT SENSOR | • | • | • | • | • | • | • | • |
| | AUTOMATIC OPEN AND CLOSE LID | • | • | • | - | - | - | - | - |
| SENSOR | | • | • | - | - | - | - | - | - |
| | NIGHT LIGHT | - | - | • | - | - | - | - | - |
| | REMOTE CONTROL | • | • | • | • | • | SIDE PANEL | • | SIDE PANEL |
| REMOTE CONTROL | REMOTE CONTROLLED SEAT | • | • | • | - | - | - | - | - |
| | DEMOTE CONTROLLED | | | | | | | | |

^{*} Connect+ is a Washlet and toilet system specially designed to conceal the supply connections. Please refer to the Connect+ brochure for more details.



CONNECT & WASHLET®

Introducing the new Connect+ concealed Washlet connection kit. Comprised of a Connect+ Washlet and toilet, the kit is specially designed to conceal the Washlet's power cord and water supply hose for a seamless installation.



REGULAR CONNECTION



CONNECT+

CARLYLE' II 1G' CONNECT+ WITH WASHLET S350E MW614584CUFG#01

| | | | | | TOTO. w | ww.totousa.com 2 | | |
|---------------|----------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|------------------|--|--|
| | | | WASHLET | | | | | |
| CONNECT+™ | | | \$350E | \$300E | C200 | C100 | | |
| SYSTEM CHART | | SW584T20#01 (elongated) | SW574T20#01 (elongated) | SW2044T20#01 (elongated) | SW2034T20#01 (elongated) | | | |
| | | | | | | | | |
| | CONNECT+ TOILETS | MODEL NUMBERS | KIT NUMBERS | | | | | |
| | ULTRAMAX* II 1G* 19 | CST604CUFGT20#01 | MW604584CUFG#01 | MW604574CUFG#01 | MW6042044CUFG#01 | MW6042034CUFG#01 | | |
| | ULTRAMAX II | CST604CEFGT20#01 | MW604584CEFG#01 | MW604574CEFG#01 | MW6042044CEFG#01 | MW6042034CEFG#01 | | |
| ONE- PIECE | CARLYLE* II 1G* 19 | CST614CUFGT20#01 | MW614584CUFG#01 | MW614574CUFG#01 | MW6142044CUFG#01 | MW6142034CUFG#01 | | |
| | CARLYLE II | CST614CEFGT20#01 | MW614584CEFG#01 | MW614574CEFG#01 | MW6142044CEFG#01 | MW6142034CEFG#01 | | |

| | © CAL Green | | | | | |
|---------------|--------------------------------------|------------------|-----------------|-----------------|------------------|------------------|
| ONE- PIECE | ULTRAMAX II OCAL Green | CST604CEFGT20#01 | MW604584CEFG#01 | MW604574CEFG#01 | MW6042044CEFG#01 | MW6042034CEFG#01 |
| | CARLYLE® II 1G® | CST614CUFGT20#01 | MW614584CUFG#01 | MW614574CUFG#01 | MW6142044CUFG#01 | MW6142034CUFG#01 |
| | CARLYLE II | CST614CEFGT20#01 | MW614584CEFG#01 | MW614574CEFG#01 | MW6142044CEFG#01 | MW6142034CEFG#01 |
| | SUPREME® II | CST634CEFGT20#01 | MW634584CEFG#01 | MW634574CEFG#01 | MW6342044CEFG#01 | MW6342034CEFG#01 |
| | CAROLINA® II | CST644CEFGT20#01 | MW644584CEFG#01 | MW644574CEFG#01 | MW6442044CEFG#01 | MW6442034CEFG#01 |
| | DRAKE* II 1G* G S & U CAL Green | C454CUFGT20#01 | MW454584CUFG#01 | MW454574CUFG#01 | MW4542044CUFG#01 | MW4542034CUFG#01 |
| | MATCHING TANK ST4 | 153U | | | | |
| | DRAKE II CALGreen MATCHING TANK ST | C454CUFGT20#01 | MW454584CEFG#01 | MW454574CEFG#01 | MW4542044CEFG#01 | MW4542034CEFG#01 |
| TWO- PIECE | VESPIN® II 1G® 19 | CT474CUFGT20#01 | MW474584CUFG#01 | MW474574CUFG#01 | MW4742044CUFG#01 | MW4742034CUFG#01 |
| | MATCHING TANK ST453U | | | | | |
| | VESPIN II © & & U S CAL Green | CT474CUFGT20#01 | MW474584CEFG#01 | MW474574CEFG#01 | MW4742044CEFG#01 | MW4742034CEFG#01 |
| | MATCHING TANK ST | 154E | | | | |
| | | | | • | | |





1 GALLON TECHNOLOGY (1.0 GPF)

TOTO's 1G toilets offer substantial water savings without wavering on our renowned performance. Using our powerful — yet surprisingly quiet — gravity-fed Tornado Flush™ technology, 1G fully evacuates the bowl with an ultra-efficient one gallon of water.







Regular Flush

Tornado Flush



REDUCES WATER USE BY 35% OR MORE ON AVERAGE OVER A STANDARD 1.6 GPF TOILET

TOTO 1G TOILETS



5,840 GALLONS Used in Flushing

\$175 Operation Cost

PER YEAR



STANDARD 1.6 GPF TOILETS



9,344 GALLONS Used in Flushing

\$280 Operation Cost

PER YEAR

ONE-PIECE TOILETS

NEW

CARLYLE® II 1G® MS614114CUFG (Elongated)

ULTRAMAX® II 1G MS604114CUFG (Elongated)









TWO-PIECE TOILETS

NEW

VESPIN® II 1G CST474CUF(R)(G) (Elongated)









NEW

























ONE-PIECE TORNADO FLUSH™ TOILETS





TOTO's industry-leading Tornado Flush system features a state of the art hole-free rim design that creates a powerful whirlpool of water. Combined with the extraordinarily smooth CeFiONtect™ glaze that prevents particulates from adhering to porous, ceramic surfaces every inch of your bowl stays cleaner, longer. CeFiONtect's ion barrier keeps everything clean which leads to fewer chemicals in the environment and less water used for cleaning.





CARLYLE* II
MS614114CEF(R)(G) (Elongated)
SS114 seat included



ULTRAMAX* II
MS604114CEF(R)(G) (Elongated)
SS114 seat included



CAROLINA® II MS644114CEF(G) (Elongated) SS114 seat included



SUPREME* II MS634114CEF(G) (Elongated) SS114 seat included



AIMES*
MS626214CEF(G) (Elongated)
SS214 seat included



LEGATO*
MS624214CEF(G) (Elongated)
SS214 seat included



ECO SOIRÉE® MS964214CEF(G) (Elongated) SS214 seat included



ECO GUINEVERE*
MS974224CEF(G) (Elongated)
SS224 seat included



















ECO LLOYD®

MS934214EF (Elongated) SS214 seat included





AQUIA® MS654114MF (Elongated) SS114 seat included



ECO SUPREME® MS864114E (Elongated) MS863113E (Round) SS114 seat included (MS864114E) SS113 seat included (MS863113E)



ECO ULTRAMAX®

*MS854114E(L)(G) (Elongated)

*MS853113E (Round)

SS114 seat included (MS854114E(L)(G)) SS113 seat included (MS853113E) ADA height available (MS854114EL(G)) CeFiONtect™ available (MS854114EL(G)) Standard glazed model available

CAL Green



ULTIMATE®

MS854114 (Elongated) MS853113 (Round)

SS114 seat included (MS854114) SS113 seat included (MS853113) 1.6 GPF only





















NEW

VESPIN® II CST474CEF(R)(G) (Elongated)



DRAKE® II CST454CEF(R)(G) (Elongated)



DRAKE II ROUND FRONT *CST453CEF(R)(G) (Round)



MARIS* CST484CEMF(G) (Elongated)

CONNELLY® CST494CEMF(G) (Elongated)





















ECO DRAKE® TRANSITIONAL **CST744EN(G) (Elongated)

CST743EN (Round)

ADA height available (CST744ELNG) Standard glazed model available





ECO DRAKE

* **CST744E(R)(G) (Elongated) *CST743E(R) (Round)

ADA height available (CST744ELG) Bolt-down tank lid available Standard glazed model available





ECO CLAYTON®

*CST784EF (Elongated)





WHITNEY* CST754EFN (Elongated)





ECO DARTMOUTH®

CST754EF (Elongated)





ECO PROMENADE®

*CST424EF(G) (Elongated) *CST423EF(G) (Round) ADA compliance applies only to elongated Standard glazed model available





AQUIA®

**CST412MF (Elongated) CST416M (Elongated) Regular height available (CST416M)





ECO NEXUS®

CST794EF(R) (Elongated)

















AQUIA® WALL-HUNG TOILET CT418FG (Elongated)

Can be mounted at ADA height Requires WT151M/W152M Requires Elongated seat or Washlet sold separately



MARIS* WALL-HUNG TOILET CT486FG (Elongated)

Can be mounted at ADA height Requires WT151M/W152M Requires Elongated seat or Washlet sold separately





PUSH PLATE YT800#WH



PUSH PLATE YT820#SS Brushed stainless steel A hidden mounting screw











DUOFIT™ IN-WALL **TANK SYSTEM - 1.6/0.9** WT151M (PEX supply line) WT152M (Copper supply line)

2" x 6" installation 2" x 4" outlet kit available Push plates sold separately















NEOREST® II LLT993

Basin W 29-1/2" x D 17-11/16"

LUMINIST® RECTANGLE

LLT151

W 19-11/16" x D 12-5/8" x H 3-9/16" Basin W 17-7/8" x D 10-13/16"

LUMINIST ROUND

LLT150

ø15-3/4" Dia. H 3-9/16" Basin ø14-7/8" Dia.

LUMINIST LIGHTED ROUND

LLT152#63-BL (Shown)

ø15-5/8" Dia. H 2-3/8" Basin ø14" Dia.

LLT152#63-WH

ø15-5/8" Dia. H 2-3/8" Basin ø14" Dia.









₩ &



(b.)



KIWAMI RENESSE I

W 18-1/8" x D 18-1/8" x H 2-1/8" Basin W 16-1/8" x D 12-1/2"

**LT172G

NEW

ARVINA™ SQUARE

LT574

W 16-9/16" x D 16-9/16" x H 4-15/16 Basin W 16-1/16" x D 16-1/16"

NEW

NEOREST KIWAMI® SEMI-RECESSED

LT994G (Shown)

W 29-3/8" x D 17-5/8" Basin W 28-7/16" x D 16-15/16"

LT995G

8 6.

W 23-7/16" x D 15-5/8" Basin W 22-1/2" x D 15"



KIWAMI RENESSE® II

W 23-5/8" x D 17-3/4" x H 2-3/4" Basin W 21-5/8" x D 12-3/4"

**LT171G











ARVINA ROUND

LT572 (Shown)

ø15-3/4" Dia. H 4-15/16" Basin ø15-1/4" Dia.

LT573

ø16-9/16" Dia. H 4-15/16" Basin ø16-1/8" Dia.



LT480G



W 24" x D 17-3/8" x H 6-3/8" Basin W 15-3/4" x D 11"







8





LT524(G)

ALEXIS®

ø17-3/4" Dia. x H 6-3/8"





N.

LARISSA®

LT523(G)

ø17" Dia. x H 6-1/4"



CURVA®

LT185

W ø18" Dia. x H 3-13/16" Basin W ø13" Dia.



WAZA® NOIR®

FLT141

W ø18-1/8" Dia. x H 3-9/16" Basin W ø15-9/16" Dia.



* Available in single-hole, 4", or 8" centers ** Available in single-hole or 8" centers For more information on dimensions please refer to product spec sheet.



CLAYTON® *LPT780 W 27" x D 19-5/8" x H 34"

DARTMOUTH® *LPT642 W 24-1/4" × D 18-1/4" × H 34"

GUINEVERE® **LPT970/LPT972 W 27-1/8" x D 19-7/8" x H 34" (LPT970) W 24-3/8" x D 19-7/8" x H 34" (LPT972)

NEXUS® *LPT790 W 24" x D 17-3/8" x H 34"









PACIFICA® *LPT908N W 25-5/8" × D 19-1/2" × H 34"

PROMENADE® *LPT530N/LPT532N W 27-1/2' x D 22-1/4" x H 34-3/8" (LPT530N) W 26" x D 21-1/2" x H 34-1/2" W 24" x D 19-1/4" x H 34-3/8" (LPT532N)

PROMINENCE® *LPT242(G)

SOIRÉE® **LPT960/LPT962 W 29-1/2" x D 19-5/8" x H 34" (LPT960) W 25-1/8" x D 18-7/8" X H 34" (LPT962)









SUPREME® *LPT241(G) W 22-7/8" × D 19-5/8" × H 34-1/2"

WHITNEY® *LPT754 W 25" × D 19" × H 34"





WALL-HUNG LAVATORIES



SUPREME* WALL-MOUNT LAVATORY; LHT24' SILAS* WIDESPREAD FAUCET: TL210DD

PROMINENCE® *LHT242(G)

W 26" x D 21-1/2"

SUPREME® *LHT241(G) W 22-7/8" x D 19-5/8"







LT650G

W 29-1/2" × D 11-13/16"







AIMES* LT626(G) W 17" x D 15"

















PROMENADE® LT533 W 18-1/2" x D 14-1/2"





LEGATO® LT624(G) W 17" x D 15"

% &

ATHERTON"

LT221

W 17" x D 13"





LLOYD® LT931 W 21" x D 14"





VERNICA® LT156 W 19-1/2" x D 12-3/4"





WAZA® SULTANA® LT624#01-NB W 17" x D 15"

(3)







3











Pattern detail

LT540G W 21-1/4" x D 14-3/8"

LT542G W 19" x D 12-3/8"















ATHERTON™ LT231 W 17" x D 14"

ATHERTON LT233 W 19" x D 15"

Ġ.



(3)

CURVA LT183 W ø14" Dia.

% &











DANTESCA® LT597(G) W 19" x D 15"



LT641

DARTMOUTH®

W 19-9/16" x D 14-3/8"

DARTMOUTH LT643 W 17-1/4" x D 12-7/8"

Ġ.

LT577 W 15" x D 12"

Ġ.











RENDEZVOUS® LT579(G)

W 17-1/2" x D 14-1/4"

LT193(G) W ø15-3/8" Dia.



LT548(G) W 21-5/8" x D 14-5/8"







(3)









WAZA BARROCCO® LT641#01-NA W 19-9/16" x D 14-3/8"

MARIS* LT483(G) W 17-5/8" x D 14-9/16"

MARIS LT481(G) W 20-5/16" x D 15-9/16"













Pattern detail



NEOREST® COMBINATION LAVATORY FAUCET LFC991GQ









Basin W 20" x H 18"





WAZA® NOIR™

FLT132 W 24" x D 15"





FLT142 W 25-9/16" x D 17-1/16"





PROMENADE®

*LT531 W 22-1/2" x D 18-3/4"





CLAYTON®

*LT781 W 25" x D 18-1/4"





**LT963 W 27-1/2" x D 18-7/8"

SOIRÉE®



Ġ

GUINEVERE®

W 28-1/8" x D 19-5/8"

*LT971



CURVA® LT182 (w/faucet hole) LT180 (w/o faucet hole) W 22" x D 19"



ULTIMATE®

*LT512(G) W 19" x D 19"





SUPREME®

*LT511(G) W 20" x D 17"





PACIFICA®

*LT909 W 25-5/8" x D 17-3/4"









TOTO FAUCETS



CONNELLY® WIDESPREAD FAUCET TL221DD



GUINEVERE® WIDESPREAD FAUCET TL970DDLQ



GUINEVERE WIDESPREAD FAUCET TL970DD1LQ









VIVIAN® WIDESPREAD FAUCET TL220DD





6. (3)

VIVIAN® WIDESPREAD FAUCET















CONNELLY SINGLE HANDLE FAUCET TL221SD





GUINEVERE SINGLE HANDLE FAUCET TL970SDLQ





VIVIAN SINGLE HANDLE FAUCET TL220SD















AIMES® WIDESPREAD FAUCET TL626DD











LLOYD® WIDESPREAD FAUCET TL930DDLQ









SILAS® WIDESPREAD FAUCET TL210DD



























SILAS SINGLE HANDLE FAUCET TL210SD





WYETH SINGLE HANDLE FAUCET TL230SD













MODERN FAUCETS



KIWAMI® RENESSE® WIDESPREAD FAUCET TL170DDLQ TL170DDALQ (Without pop-up) #CP only

























NEOREST® II LAVATORY FAUCET TL993SE #CP only





SOIRÉE SINGLE HANDLE FAUCET TL960SDLQR





UPTON® SINGLE HANDLE FAUCET TL630SD





UPTON SINGLE HANDLE FAUCET TL630SDH





OBERON™-R SINGLE HANDLE FAUCET TL362SD #CP only



OBERON-S SINGLE HANDLE FAUCET TL363SD #CP only



OBERON-F SINGLE HANDLE FAUCET TL370SD #CP only















CLASSIC ACCESSORIES



CLASSIC SERIES A TOWEL BAR

YB30008 (8") YB30018 (18") YB30024 (24") YB30030 (30")



CLASSIC SERIES A PAPER HOLDER YP300

CLASSIC SERIES A PAPER HOLDER YH300





CLASSIC SERIES A

GRAB BAR YG30012R (12") YG30018R (18") YG30024R (24") YG30032R (32") YG30036R (36")











CLASSIC SERIES B

TOWEL BAR YB30108 (8") YB30118 (18") YB30124 (24") YB30130 (30")



CLASSIC SERIES B TOWEL RING YR301



CLASSIC SERIES B PAPER HOLDER YP301



CLASSIC SERIES B ROBE HOOK YH2301













AIMES* TOWEL BAR YB626 (24")





AIMES ROBE HOOK YH626









AQUIA® TOWEL BAR YB416 (24")















LLOYD® TOWEL BAR YB930 (24")























NEXUS® TOWEL BAR YB794 (24") TRANSITIONAL SERIES A **TOWEL BAR** YB20008 (8") YB20018 (18")

YB20024 (24") YB20030 (30") TRANSITIONAL SERIES A PAPER HOLDER YP200







TRANSITIONAL SERIES A **ROBE HOOK** YH200

TRANSITIONAL SERIES A YG20012R (12") YG20018R (18") YG20024R (24") YG20032R (32") YG20036R (36")

TRANSITIONAL SERIES A YG20042R (42")















TRANSITIONAL SERIES B

TOWEL BAR YB40008 (8") YB40018 (18") YB40024 (24") YB40030 (30") TRANSITIONAL SERIES B **TOWEL RING** YR794

TRANSITIONAL SERIES B PAPER HOLDER YP794

TRANSITIONAL SERIES B **ROBE HOOK** YH794











SOIRÉE® TOWEL BAR YB960(24")















 \textbf{UPTON}° TOWEL BAR YB630 (24")















NEOREST® BATH TOWEL HOLDER, 26" YB990 #CP only



NEOREST PAPER HOLDER YP990 #CP only





















TOTO SHOWERS



AERO® SHOWERS

Aero Showers use air Aero Showers use air injection technology to increase water volume by adding air into each water droplet. The result is the feeling of a full, rich shower while using less water than a standard showerhead or handshower.

AERO® SHOWERS

CLASSIC AERO RAIN SHOWER - 8" *TS112B8 *TS112BL8



CLASSIC AERO RAIN SHOWER - 12" *TS112B12 *TS112BL12



MODERN AERO RAIN SHOWER - 8" *TS111B8 *TS111BL8



MODERN AERO RAIN SHOWER - 12"*TS111B12
*TS111BL12











RAIN SHOWER ARM TS110MW16

RAIN SHOWER ARM TS110MC6

GYROSTREAM® BODY SPRAY - ROUND TS110J1



GYROSTREAMBODY SPRAY - SQUARE
TS110J2











CLASSIC AERO HANDSHOWER TS112F(L)51





CLASSIC AERO HANDSHOWER TS112F(L)53





MODERN AERO HANDSHOWER TS111F(L)51





MODERN AERO HANDSHOWER TS111F(L)53















SMA TECHNOLOGY

Shape Memory Alloy (SMA) coil responds to temperature changes more quickly than traditional wax-based systems, offering a more reliable and enjoyable showering experience.



CONNELLY®

CLASSIC SERIES B

TS301A(L)51 - TS301A(L)55 TS301A(L)61 - TS301A(L)65

Shown with TS301N6 (Showerarm)



VOLUME CONTROL TRIM TS221C

Requires rough TSMA



CLASSIC SERIES B TS301F(L)41 TS301F(L)51 - TS301F(L)55











TWO-WAY VOLUME CONTROL TRIM TS221D (With off) TS221DW (Without off)

Requires rough TSMV (TS221D) Requires rough TSMVW (TS221DW)





Requires rough TSMX (TS221X) Requires rough TSMXW (TS221XW)





Requires rough TSST SMA thermostatic mixing valve









PRESSURE BALANCE VALVE TRIM

TS221P

Requires rough TSPTM





ROMAN TUB FILLER TB221DD (Three Holes) TB221S (Four Holes) Requires rough TBMT2 (TB221DD) Requires rough TBMV2 (TB221S)













GUINEVERE®

SHOWERHEAD TS970A(R/L)

TUB SPOUT TS970E

VOLUME CONTROL TRIM TS970C2 Requires TS7A one-way volume control valve

HANDSHOWER SET WITH VALVE AND SLIDE BAR TS970H (Shown below)

HANDSHOWER SET WITH LEVER TYPE VALVE TS970F1

HANDSHOWER SET TS970F2









TS970C1 (with lever handle)

Requires TSTAR SMA thermostatic mixing valve with one-way volume control valve

THERMOSTATIC MIXING VALVE TRIM WITH TWO-WAY VOLUME CONTROL TRIM TS970D

TS970D1 (with lever handle) Requires TSTDR SMA thermostatic mixing valve with two-way volume control valve



Requires TSTT SMA 3/4 thermostatic valve













TS970C3 Requires TS6P valve **ROMAN TUB FILLER** TB970DD (Three Holes) TB970S (Five Holes)

Requires TB7T(R) for TB970DD Requires TB7(F) for TB970S

ROMAN TUB FILLER TB970DD1 (Three Holes) TB970S1 (Five Holes)

Requires TB7T(R) for TB970DD1 Requires TB7(F) for TB970S1





à















VIVIAN®

CLASSIC SERIES A

TS300A(L)51 - TS300A(L)55 TS300A(L)61 - TS300A(L)65 Shown with TS301N6 (Showerarm) TUB SPOUT
TS220EV (With Diverter)
TS220E (Without Diverter)

VOLUME CONTROL TRIM
TS220C (with cross handle)
TS220C1 (with lever handle)
Requires rough TSMA

CLASSIC SERIES A HANDSHOWER TS300F(L)41 TS300F(L)51 - TS300F(L)55













Requires rough TSMV (TS220D(1)) Requires rough TSMVW (TS220DW(1))



Requires rough TSMX (TS220X(1)) Requires rough TSMXW (TS220XW(1)) PRESSURE BALANCE VALVE TRIM

TS220P (with cross handle) TS220P1 (with lever handle) Requires rough TSPTM















THERMOSTATIC VALVE TRIM
TS220T (With Lever Handle
Only)

Requires TSST SMA thermostatic mixing valve





Requires rough TBM1 (TB220DD Requires rough TBMV (TB220S)

ROMAN TUB FILLER TB220DD1 (three-hole) TB220S1 (four-hole)

Requires rough TBMT (TB220DD1) Requires rough TBMV (TB220S1)













AIMES®

SHOWERHEAD TS626A

CEILING-MOUNT SHOWERHEAD TS626KG #CP only

TUB SPOUT TS626E

HANDSHOWER TS626F2









VOLUME CONTROL TRIM TS626C2

Requires TS2A one-way volume control valve





TWO-WAY VOLUME CONTROL TRIM TS626D2

Requires TS2D two-way volume control valve





THERMOSTATIC VALVE TRIM TS626T

Requires TSST SMA thermostatic mixing valve







ROMAN TUB FILLER TB626S1

Requires TB2F valve













AQUIA®

SHOWERHEAD TS416A(R)

TUB SPOUT TS416E

ONE-WAY VOLUME CONTROL TRIM TS416C2 Requires TS2A one-way

volume control valve

TRILOGY® HANDSHOWER SET TS100F2









TWO-WAY **VOLUME CONTROL TRIM** TS416D2

Requires TS2D two-way volume control valve





Requires TB6TR valve















KEANE®

TRANSITIONAL SERIES A

TS200A(L)51 - TS200A(L)55 TS200A(L)61 - TS200A(L)65

Shown with TS200N6 (Showerarm)

TUB SPOUT TS211EV (With Diverter) TS211E (Without Diverter) **VOLUME CONTROL TRIM** TS211C

Requires rough TSMA



TRANSITIONAL SERIES A TS200F(L)41 TS200F(L)51 - TS200F(L)55











TWO-WAY DIVERTER TRIM TS211D (with off) TS211DW (without off)

Requires rough TSMV (TS211D) Requires rough TSMVW (TS211DW)







Requires rough TSMX (TS211X) Requires rough TSMXW (TB211XW)





PRESSURE BALANCE VALVE TS211P

Requires rough TSPTM





THERMOSTATIC VALVE TRIM TS211T

Requires TSST SMA thermostatic mixing valve





ROMAN TUB FILLER TB211DD (Three-hole) TB211S (Four-hole) Requires rough TBMT3 (TB211DD) Requires rough TBMV3 (TB211S)





LLOYD®

SHOWERHEAD TS930A(L)



RAIN SHOWERHEAD 8" TS930A1(L)



TUB SPOUT TS930E







PRESSURE BALANCE VALVE

TS930PV (with diverter) TS930P (without diverter)

Requires TSPVR pressure balance valve (TS930PV) Requires TSPTR pressure balance valve (TS930P)





THERMOSTATIC MIXING VALVE TRIM WITH TWO-WAY VOLUME CONTROL TS930D

Requires TSTDR SMA thermostatic mixing valve with two-way volume control valve



THERMOSTATIC MIXING VALVE TRIM WITH ONE-WAY VOLUME CONTROL TS930C

Requires TSTAR SMA thermostatic mixing valve with one-way volume control valve







ROMAN TUB FILLER

TB930DD

Valve included













NEXUS®

SHOWERHEAD TS794A(L)

TUB SPOUT TS794E

THERMOSTATIC MIXING VALVE TRIM WITH ONE-WAY **VOLUME CONTROL**

TS794C

Requires TSTAR SMA thermostatic mixing valve with one-way volume control valve









THERMOSTATIC MIXING VALVE TRIM WITH TWO-WAY VOLUME CONTROL TS794D

Requires TSTDR SMA thermostatic mixing valve with two-way volume control valve

PRESSURE BALANCE VALVE

TS794PV (with diverter) TS794P (without diverter)

Requires TSPVR pressure balance valve (TS794PV)

Requires TSPT/TSPTR pressure balance valve (TS794P)



Valve included













SILAS®

TRANSITIONAL SERIES A

TS200A(L)51 - TS200A(L)55 TS200A(L)61 - TS200A(L)65

Shown with TS200N6 (Showerarm)

TUB SPOUT TS210EV (With Diverter) TS210E (Without Diverter) **VOLUME CONTROL TRIM** TS210C

Requires rough TSMA



TRANSITIONAL SERIES A TS200F(L)41 TS200F(L)51 - TS200F(L)55











TWO-WAY DIVERTER TRIM TS210D (with off) TS210DW (without off)

Requires rough TSMV (TS210D) Requires rough TSMVW (TS210DW)





THREE-WAY DIVERTER TRIM TS210X (with off) TS210XW (without off)

Requires rough TSMX (TS210X) Requires rough TSMXW (TB210XW)





PRESSURE BALANCE VALVE TS210P

Requires rough TSPTM





THERMOSTATIC VALVE TRIM TS210T

Requires TSST SMA thermostatic mixing valve





ROMAN TUB FILLER TB210DD (Three-hole) TB210S (Four-hole)

Requires rough TBMT (TB210DD) Requires rough TBMV (TB210S)













WYETHTM

TRANSITIONAL SERIES A

TS200A(L)51 - TS200A(L)55 TS200A(L)61 - TS200A(L)65

Shown with TS200N6 (Showerarm)

TUB SPOUT TS230EV (With Diverter) TS230E (Without Diverter) **VOLUME CONTROL TRIM** TS230C

Requires rough TSMA



TRANSITIONAL SERIES A TS200F(L)41 TS200F(L)51 - TS200F(L)55













TWO-WAY DIVERTER TRIM TS230D (with off) TS230DW (without off)

Requires rough TSMV (TS230D) Requires rough TSMVW (TS230DW)







Requires rough TSMX (TS230X) Requires rough TSMXW (TB230XW)







Requires rough TSPTM





THERMOSTATIC VALVE TRIM TS230T

Requires TSST SMA thermostatic mixing valve





ROMAN TUB FILLER TB230DD (Three-hole) TB230S (Four-hole) Requires rough TBMV (TB230S) Requires rough TBMT (TB230DD)







KIWAMI® RENESSE®

SHOWERHEAD TS170A

TUB SPOUT TS170E

ONE-WAY VOLUME CONTROL TRIM FOR SHOWERHEAD TS170C

Requires TSKA one-way volume control valve

HANDSHOWER TRIM SET TS170F

Requires TSKH handshower adapter







ONE-WAY VOLUME CONTROL TRIM FOR HANDSHOWER TS170C1

Requires TSKA one-way volume control valve

TWO-WAY VOLUME **CONTROL TRIM** TS170D

Requires TSKD two-way volume valve



Requires TSKT SMA thermostatic mixing valve











ROMAN TUB FILLER TB170DD Requires TBKT deck-mount bath faucet valve







LEGATO®

SHOWERHEAD TS624A

CEILING-MOUNT SHOWERHEAD WITH LED LIGHTING TS624KG

TUB SPOUT TS624E

HANDSHOWER SET TS624F2









ONE-WAY VOLUME CONTROL TRIM TS624C2

Requires TS2A volume control valve





Requires TS2D two-way diverter valve



THERMOSTATIC VALVE TRIM TS624T

Requires TSST SMA thermostatic mixing valve











ROMAN TUB FILLER TB624S1

Requires TB2F deck-mount bath faucet valve













SOIRÉE®

SHOWERHEAD TS960A(L)

TUB SPOUT TS960E

VOLUME CONTROL TRIM TS960C2

Requires TS6A one-way volume control valve

HANDSHOWER SET WITH VALVE AND SLIDE BAR TS960H (Shown below)

HANDSHOWER SET WITH LEVER TYPE VALVE TS960F1(L)

HANDSHOWER SET TS960F2(L)









TS960C1 (with lever handle)

Requires TSTAR SMA thermostatic mixing valve with one-way volume control valve

THERMOSTATIC MIXING VALVE TRIM WITH TWO-WAY VOLUME CONTROL

TS960D

TS960D1 (with lever handle)

Requires TSTDR SMA thermostatic mixing valve with two-way volume control valve



Requires TSTT SMA 3/4" thermostatic























Requires TS6P valve

ROMAN TUB FILLER

TB960DD (Three-hole) TB960S (Five-hole - Shown below) TB960S1 (Five-hole - Lever handle)

Requires TB6T valve (TB960DD) Requires TB6F valve (TB960S) Requires TB6FR valve (TB960S1)









UPTON[®]

SHOWERHEAD TS630AR

TUB SPOUT TS630E

ONE-WAY VOLUME CONTROL TRIM FOR HANDSHOWER TS630C2

Requires TS2A one-way volume control









VOLUME CONTROL TRIM TS630D2

Requires TS2D two-way volume control valve

THERMOSTATIC VALVE TRIM TS630T

Requires TSST SMA thermostatic mixing valve



ROMAN TUB FILLER TB630DD

Requires TB6TR valve





























AIMES* AIR BATH ABR626 (71-1/2" x 36-3/16" x 24-1/16")

CLAYTON® AIR BATH ABR781S/T (60" x 32" x 24-3/4") ABR784S/T (71-5/8" x 35-7/8" x 25-3/8") ABR785S/T (66" x 34" x 25-1/8") ABR789S/T (66" x 36" x 24-3/4")

CLAYTON TILE-IN AIR BATH ABR782L/R (60" x 32" x 24-7/8")

GUINEVERE® AIR BATH ABR974L/R $(71-1/2" \times 38" \times 24-3/8")$









 $LLOYD^{\rm \tiny \$}$ AIR BATH ABR930L/R (72" × 42" × 22-3/8")

LLOYD WOOD TRIM KIT ABT930 (77-3/8" X 47-3/8" X 2")

NEXUS® AIR BATH ABR794L/R (71-3/8" x 35-7/16" x 24-3/16")

PACIFICA® AIR BATH ABR904L/R (72" × 42" × 24-7/8")









NEOREST® AIR BATH ABA991X (70-7/8" x 55-1/8" x 30-1/8")

SOIRÉE® AIR BATH ABR964L/R (72-3/8" × 39-1/2" × 25-1/2")











TWO-HANDLE FREESTANDING

TUB FILLER TB100DF Rough-In included



SINGLE-HANDLE FREESTANDING TUB FILLER

TB100SF Rough-In included



AVAILABLE COLORS







NEW

NEOREST® FREESTANDING TUB ABF992X

(70-7/8" x 37-3/8" x 23-5/8")



















CAST IRON BATHTUBS

FBY1500P (60-3/8" x 36-1/4" x 22-1/4")



FBY1515LP FBY1515RP (59-3/4" × 30" × 14-11/16")



FBY1525LP FBY1525RP (59-3/4" x 32" x 16-3/4")



FBY1550P (59-1/16" x 31-1/2" x 23-1/4")



FBY1700P (66" x 32" x 18-5/16")



FBY1715LP FBY1715RP (65-3/4" x 32" x 16-3/4")





| TOTO NOTES | | | |
|---------------|--|--|--|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

TOTO USA, INC.

1155 SOUTHERN ROAD MORROW, GA 30260 800-350-8686

www.totousa.com

#K0-012016-RB Printed in the U.S.A. 01/16